

# WINTER LODGE

QUILT 1



Featuring fabrics from the **Winter Lodge** collection by **Studio Frivolite** for **STUDIO·e·fabrics**

## Fabric Requirements

(A) 3302P-88 .....	1 panel
(B) 3303-88 .....	1 yard
(C) 3307-90 .....	¼ yard
(D) 3307-88 .....	1 ¼ yards*
(E) 3306-90 .....	⅓ yard
Backing	
3304-88 .....	3 yards

## Additional Supplies Needed

Batting 52" x 59"  
Piecing and sewing thread  
Quilting and sewing supplies

## Pattern Information

Quilt designed by Megan Downer  
Finished Quilt Size 44" x 51"  
Skill Level: Beginner

\*Includes binding

## Cutting

### Cutting Instructions

*Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

#### **Fabric A (3302P-88 Panel – Red):**

- Fussy cut (1) 20 ½" x 25 ½" large panel.
- Fussy cut (4) 6 ½" x 7 ½" small panel.

#### **Fabric B (3303-88 Wide Stripe – Red), cut:**

- (2) 7 ½" x 29 ½" LOF strips.
- (2) 8 ½" x 24 ½" LOF strips.

#### **Fabric C (3307-90 Woodgrain Snowflake – Gray), cut:**

- (2) 1 ½" x 27 ½" WOF strips.
- (2) 1 ½" x 24 ½" WOF strips.

#### **Fabric D (3307-88 Woodgrain Snowflake – Red), cut:**

- (3) 2 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2 ½" x 47 ½" strips.
- (3) 2 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2 ½" x 44 ½" strips.
- (5) 2 ½" x WOF strips for the binding.
- (4) 1 ½" x WOF strips. Sub-cut (8) 1 ½" x 9 ½" strips and (8) 1 ½" x 7 ½" strips.
- (2) 2" x 25 ½" strips.
- (2) 2" x 23 ½" strips.

#### **Fabric E (3306-90 Berry – Gray), cut:**

- (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 45 ½" strips.
- (2) 1 ½" x 40 ½" WOF strips.

#### **Backing (3304-88 Poinsettia – Red), cut:**

- (2) 52" x WOF strips. Sew the strips together and trim to 52" x 59" for the back.

## Sewing




Sew using a  $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

### Block Assembly

1. Sew (1)  $1\frac{1}{2}$ " x  $7\frac{1}{2}$ " Fabric D strip to each side of the  $6\frac{1}{2}$ " x  $7\frac{1}{2}$ " Fabric A small panel. Sew (1)  $1\frac{1}{2}$ " x  $9\frac{1}{2}$ " Fabric D strip to the top and to the bottom of the Fabric A small panel. Trim the block to measure  $7\frac{1}{2}$ " x  $8\frac{1}{2}$ " to make one corner block (Fig. 1). Repeat to make four corner blocks total.

2. Sew (1) 2" x  $25\frac{1}{2}$ " Fabric D strip to each side of the  $20\frac{1}{2}$ " x  $25\frac{1}{2}$ " Fabric A large panel. Sew (1) 2" x  $23\frac{1}{2}$ " Fabric D strip to the top and to the bottom of the Fabric A large panel. Trim the block to measure  $22\frac{1}{2}$ " x  $27\frac{1}{2}$ " for the center block (Fig. 2).

3. Sew one  $1\frac{1}{2}$ " x  $27\frac{1}{2}$ " Fabric C strip to each side of the center block. Sew one  $1\frac{1}{2}$ " x  $24\frac{1}{2}$ " Fabric C strip to the top and bottom of the center block to complete (Fig. 3).



### Quilt Top Assembly

*(Follow the Quilt Layout while assembling the quilt top.)*

4. Sew (1)  $7\frac{1}{2}$ " x  $29\frac{1}{2}$ " Fabric B strip to each side of the Center Block. Sew (1) Corner Block to each end of (1)  $8\frac{1}{2}$ " x  $24\frac{1}{2}$ " Fabric B strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Center Block.

5. Sew (1)  $1\frac{1}{2}$ " x  $45\frac{1}{2}$ " Fabric E strip to each side of the Center Block. Sew (1)  $1\frac{1}{2}$ " x  $40\frac{1}{2}$ " Fabric E strip to the top and to the bottom of the Center Block.

6. Sew (1)  $2\frac{1}{2}$ " x  $47\frac{1}{2}$ " Fabric D strip to each side of the Center Block. Sew (1)  $2\frac{1}{2}$ " x  $44\frac{1}{2}$ " Fabric D strip to the top and to the bottom of the Center Block to make the quilt top.


### Layering, Quilting and Finishing

7. Press the quilt top and 52" x 59" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

### Binding

8. Cut the ends of the (5) Fabric D binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

9. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout