

# Cheeky Pumpkins

Wall Hanging



Featuring fabrics from the **Cheeky Pumpkin** collection by DT-K for 

## Fabric Requirements

(A) 2960P-99 .....	1 panel	(E) 2965-44 .....	1/3 yard
(B) 2963-30 .....	1 1/8 yards*	(F) 2964-99** .....	1 3/4 yards
(C) 2966-99 .....	1/2 yard	Backing	
(D) 2961-90 .....	1/2 yard	2961-44 .....	3 yards

\*includes binding

\*\*Fabric is directional.

## Additional Supplies Needed

Batting 50" x 66"  
Piecing and sewing thread  
Quilting and sewing supplies

Quilt Design by Heidi Pridemore  
Finished Wall Hanging Size 42" x 58"

## Cutting

### Wall Hanging Cutting Instructions

*Please Note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

#### **Fabric A (2960P-99 Pumpkin Panel – Multi), cut:**

- (1) panel, approximately 23 ½" x 41 ½"

#### **Fabric B (2963-30 Dot – Orange), cut:**

- (2) 3 ½" x 41 ½" strips
- (2) 2 ½" x 29 ½" strips
- (3) 2 ½" x WOF strips, sub-cut (44) 2 ½" squares
- (6) 2 ½" x WOF strips for the binding

#### **Fabric C (2966-99 Pumpkins – Black), cut:**

- (3) 4 ½" x WOF strips, sub-cut (20) 4 ½" squares

#### **Fabric D (2961-90 Witch Accessories – Gray), cut:**

- (3) 4 ½" x WOF strips, sub-cut (20) 4 ½" squares

#### **Fabric E (2965-44 Candy Corn – Cream), cut:**

- (3) 2 ½" x WOF strips, sub-cut (40) 2 ½" squares

#### **Fabric F (2964-99 Pumpkin/Cat/Web – Black), cut:**

- (2) 3 ½" x 52 ½" LOF strips.
- (3) 3 ½" x WOF strips from the remaining fabric. Sew the strips together, end to end with diagonal seams, and cut (2) 3 ½" x 42 ½" strips.

#### **Backing (2961-44 Witch Accessories – Cream), cut:**

- (2) 50" x WOF strips. Sew the strips together and cut (1) 50" x 66" backing piece.

## Sewing

Sew using a  $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

### Block Assembly

1. Sew (1)  $3\frac{1}{2}$ " x  $41\frac{1}{2}$ " Fabric B strip to each side of the  $23\frac{1}{2}$ " x  $41\frac{1}{2}$ " Fabric A panel. Sew (1)  $2\frac{1}{2}$ " x  $29\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the Fabric A panel. Trim the block to measure  $28\frac{1}{2}$ " x  $44\frac{1}{2}$ " to complete the center block (Fig. 1).



Fig. 1

2. Place (1)  $2\frac{1}{2}$ " Fabric B square on the top left corner of (1)  $4\frac{1}{2}$ " Fabric C square, right sides together (Fig. 2). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 2). Flip open the triangle formed and press (Fig. 3). Trim away the excess fabric from behind the triangle  $\frac{1}{4}$ " away from the sewn seam.




Fig. 2



Fig. 3

3. Follow Figure 4 for the seam direction to add a 2 ½" Fabric B square to the upper right corner and the lower left corner of the 4 ½" Fabric C square to make (1) Corner Unit One. (Fig. 5).




Fig. 4



Fig. 5


Upper Left  
Corner

4. Follow Figure 6 to make one of each corner blocks, paying attention to the direction of Fabric C print.

Upper Right  
Corner



Lower Left  
Corner



Lower Left  
Corner



Fig. 6

5. Repeat Steps 2-3 using the same fabrics except omit the lower 2 ½" Fabric B square to make (1) BC block. Follow Figure 7 for fabric direction and block amounts to make an assortment of (16) BC blocks total.

Top Border  
Make 3



Left Side  
Make 5



Right Side  
Make 5



Bottom Border  
Make 3



Fig. 7

6. Follow Figure 8 for fabric direction and repeat Steps 2-3 using (20) 4 ½" Fabric D squares and (40) 2 ½" Fabric E squares to make (20) DE blocks.

Top Border  
Make 4



Left Side  
Make 6



Right Side  
Make 6



Bottom Border  
Make 4



Fig. 8

## Quilt Top Assembly

7. Sew (6) DE blocks and (5) BC blocks, alternating them, to make (1) strip. Repeat to make a second strip. Sew (1) strip to each side of the center block (Fig. 9).
8. Sew (1) Corner Unit One, (4) DE blocks, (3) BC blocks and (1) Corner Unit Two together to make (1) strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the center block to make the quilt top (Fig. 9).
9. Sew (1) 3 ½" x 52 ½" Fabric F strip to each side of the quilt top. Sew (1) 3 ½" x 42 ½" Fabric F strip to the top and to the bottom of the quilt top (Fig. 10).



Fig. 9



Fig. 10

## Layering, Quilting and Finishing

10. Press the quilt top and 50" x 66" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

## Binding

11. Cut the ends of the (6) Fabric B binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.
12. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.