

Finished Size: **50" x 57½" (1.27m x 1.47m)**

Fabric Collection Name and Fabric Designer: Snowy Days & Frosty Nights by Kathi Campbell/Heart to Hand

Technique: Pieced

Designed by: Denise Russell of Pieced Brain

Skill Level: **Beginner**

Tech Edited by: Lisa Visel of Mountain View Quilts

Copyright© 2025

Fabric Requirements

DESIGN		COLOR	ITEM ID	YARDAGE
(A)	Houndstooth	Green/Black	8461-60	% yard (0.57m)
(B)	Striped Woolen Texture	Sepia	8462-34	¼ yard (0.23m)
(C)	Striped Woolen Texture	Sage	8462-61	% yard (0.34m)
(D)	Snow Many Words	Graphite	8466-97	% yard (0.57m)
(E)	It's Snowing	Graphite	8467-97*	% yard (0.80m)
(F)	Snowy Days Panel	Graphite	8469P-97	1 yard (0.91m)



* includes binding











Backing (Purchased Separately)

44" (1.12m) wide			
Snowman Accessories	Cream	8460-14	3¼ yards (2.97m)
OR			
108" (2.74m) wide			1% yards (1.49m)



Backing

Additional Materials:

- 100% cotton thread in colors to match
- Batting: 58" x 66" (1.47m x 1.68m)
- Thread and sewing supplies

Cutting

Notes:

- Please make sure to check www.studioefabrics.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless
 otherwise noted.

_		•	-		
La	hr		A,	c_{\perp}	14.
1 a	NI.	ľ	$\boldsymbol{\cap}$	LU	ı.

(10) 1½" x WOF for borders 2 and 4

Fabric E, cut:

Fabric D, cut:

(6) 2" x WOF for border 6

(5) 3" x WOF for border 3

(6) 21/2" x WOF for the binding

Fabric B, cut:

(4) 1½" x WOF for border 1

Fabric C, cut:

(5) 11/2" x WOF for border 5

Fabric E:

Trim the panel to 34½" x 42"


Quilt Top Assembly

Note: Follow the Quilt Layout Diagram (page 4) while assembling the quilt top.

- 1. For border 1, sew (4) 1 ½" **Fabric B** border strips together end to end using diagonal seams. Cut (2) border strips to 1½" x 42". Sew one strip to each side of the quilt top and press the seams toward the borders. Measure the width of the quilt top through the center. Cut (2) border strips that length and sew one to the top and one to the bottom. Press the seams toward the borders.
- 2. For border 2, sew (5) **Fabric A** border strips together end to end using diagonal seams. Measure the vertical length of the quilt top through the center and cut (2) border strips that length. Sew one strip to each side of the quilt top and press the seams toward the borders. Measure the width of the quilt top through the center. Cut (2) border strips that length and sew one to the top and one to the bottom. Press the seams toward the borders.
- 3. Repeat step 2 with (5) 3" **Fabric D** strips to make and add border 3.
- 4. Repeat step 2 with (5) 1½" **Fabric A** strips to make and add border 4.
- 5. Repeat step 2 with (5) 1½" **Fabric C** strips to make and add border 5.
- 6. Repeat step 2 with (6) 2" **Fabric E** strips to make and add border 6.

Finishing

- 7. Sew together the (6) 2½" **Fabric E** binding strips end to end using diagonal seams. Press the seams open. Press the binding strip in half with the wrong sides together.
- 8. Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the quilt.
- 9. Leaving an 8" tail of binding and beginning along an edge of the quilt top, matching the raw edges of the binding to the raw edges of the quilt. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.
- 10. Lay both loose ends of the binding flat along the quilt edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, with the right sides matching. Trim the seam to ¼" and press it open. Finish sewing the binding to the quilt.
- 11. Turn the binding over the raw edge to the back of the quilt and hand or machine stitch in place.



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.