



Finished Size: 20" x 63" (0.51m x 1.60m) Finished Block Size: 8" x 10" (20.32cm x 25.40cm) Fabric Collection Name and Fabric Designer: Autumn Fields by Art Loft Technique: Piecing Designed by: Denise Russell of Pieced Brain Skill Level: Beginner Tech Edited by: Quilt Pattern Writers



## **Fabric Requirements**

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Autumn Leaves	Hunter	8369-66	½ yard (0.46m)
(B) Vine Leaves	Cream	8371-44	½ yard (0.46m)
(C) Blocks	Hunter	8375-66	⅔ yard (0.61m)
( <b>D</b> ) Peppered Cottons	Jungle	Jungle-29*	½ yard (0.46m)
(E) Peppered Cottons * includes binding	Vanilla	Vanilla-46	¾ yard (0.34m)



### Backing (Purchased Separately)

44" (1.12m) wide			
Autumn Bouquets	Cream	8368-44	1% yards (1.49m)



Backing 44"

#### **Additional Materials:**

- 100% Cotton Thread
- Batting: 28" x 71" (.71m x 1.80m)



### CUTTING

#### Notes:

- Please make sure to check *studioefabrics.net* for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.


# Fabric A, cut:

(4) 2<sup>1</sup>/<sub>2</sub>" x WOF for border 3

**Fabric B, cut**: (8) 1½" x WOF for borders 2 and 4

**Fabric C**: Trim (6) panel blocks to 8½" x 10½" **Fabric D, cut**: (5) 2½" x WOF for binding

**Fabric E, cut**: (6) 1½" x WOF Cut (5) 1½" x 10½" sashing rectangles Set aside (4) 1½" x WOF for border 1



#### **Runner Layout**

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.



### TABLE RUNNER ASSEMBLY

#### Notes:

- All seam allowances are ¼" (0.64cm).
   Sew pieces right sides together. Press seam allowances open unless otherwise indicated.
- Follow the Runner Layout Diagram (page 3) while assembling the quilt top.
- Arrange (6) 8½" x 10½" Fabric C panel blocks and (5) 1½" x 10½" Fabric E sashing rectangles in a row, alternating. Notice the orientation of the blocks. Sew blocks and sashing rectangles together to make quilt center. Press seams toward the blocks. Quilt center will measure 53½" x 10½".
- 2. For border 1, sew (4) 1½" Fabric E border strips together end to end. Measure vertical length of the table runner through the center and cut two border strips that length. Sew one strip to each side of the runner and press seams toward the borders. Measure the width of the runner through the center. Cut two border strips that length and sew one to the top and one to the bottom. Press the seams toward the borders.
- 3. Repeat step 2 with (8) 1½" **Fabric B** strips to make and add border 2. Set aside the remainder of the long strip for border 4.
- 4. Repeat step 2 with the (4) 2½" **Fabric A** strips to make and add border 3.
- Repeat step 2 with the remaining Fabric B strip to add border 4. Quilt will measure 63½" x 20½".

### FINISHING

- Sew together the (5) 2½" Fabric D binding strips end to end using diagonal seams. Press the seams open. Press the binding strip in half with the wrong sides together.
- Layer the backing (wrong side up), batting, and table runner top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the runner.
- 8. Leaving an 8" tail of binding and beginning along an edge of the table runner top, match the raw edges of the binding to the raw edges of the runner. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.
- 9. Lay both loose ends of the binding flat along the table runner edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, with the right sides matching. Trim the seam to ¼" and press it open. Finish sewing the binding to the table runner.
- 10. Turn the binding over the raw edge to the back of the runner and hand or machine stitch in place.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.