

Finished Size of Project: **64" x 64" (162.56cm x 162.56cm)** Fabric Collection Name and Designer: **Christmas Village by Rebecca Canale** Technique: **Pieced** Project Designed by: **Matthew Pridemore of The Whimsical Workshop** Skill Level: **Advanced Beginner**



Fabric Requirements

Fabric Requirements			
DESIGN	COLOR	ITEM ID	YARDAGE
(A) Stockings	Blue	8306-11	% yard (0.57m)
(B) Twine	White	8307-08	1 yard (0.91m)
(C) Twine	Red	8307-88	1¼ yards (1.03m)*
(D) Ice Skaters	Blue	8308-11	¼ yard (0.23m)
(E) Stamps	Red	8310-88	% yard (0.57m)
(F) Christmas Décor	Green	8312-66	½ yard (0.46m)
(G) Christmas Village Stripe	White/Multi	8313-08	2 yards (1.83m)
(H) Peppered Cottons	White Sugar	White Sugar-09	¼ yard (0.23m)
(I) Just Color!	Robin's Egg	1351-Robin's Egg	½ yard (0.46m)
* includes binding			
(A) (B) (C) (H) (I)	(D) (E) (F)	(G)
Backing (Purchased Separately)			
44" (1.12m) wide Trees	White/Green	8311-06	4 yards (3.66m)
nees	white/dreen	0511-00	4 yarus (5.0011)

Backing 44"

Additional Materials:

• Batting 72" x 72" (182.88cm x 182.88cm) • Thread and sewing supplies



Cutting Instructions

Notes:

- Please make sure to check studioefabrics.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.
- *Strips cut Length of Fabric (LOF).

Fabric A, cut:

(3) 2¹/₂" x WOF strips; subcut

- (10) 21/2" x 81/2" strips
- (4) 2½" x WOF strips; subcut (10) 2½" x 12½" strips

Fabric B, cut:

(1) 4¼" x WOF strip; subcut

(8) 4¹/₄" squares. Cut the squares across both diagonals to make (32) 4¹/₄" triangles

(16) 1½" x WOF strips; subcut (48) 1½" x 12½" strips

Fabric C, cut:

(1) 4¼" x WOF strip; subcut

(8) 4¼" squares. Cut the squares across both diagonals to make (32) 4¼" triangles

(8) 1¹/₂" x WOF strips; subcut

(24) 11/2" x 121/2" strips

(7) 21/2" x WOF strips for the binding

Fabric D, cut:

(1) 6¹/₂" x WOF strip; subcut

(4) 6½" squares

Fabric E, fussy cut:

(5) 8½" squares, each centered on stamps

Fabric F, cut:

- (2) 2½" x WOF strips; subcut (8) 2½" x 8½" strips
- (3) 2½" x WOF strips; subcut (8) 2½" x 12½" strips

Fabric G, cut:

(4) 7" x 68" LOF strips*

Fabric H, cut:

- (2) 1½" x WOF strips; subcut (8) 1½" x 6½" strips
- (2) 1½" x WOF strips; subcut
 (8) 1½" x 8½" strips

Fabric I, cut:

- (3) 2" x WOF strips. Sew the strips together end-to-end with diagonal seams and cut
 (2) 2" x 48¹/₂" strips
- (3) 2" x WOF strips. Sew the strips together end-to-end with diagonal seams and cut(2) 2" x 51½" strips

Backing, cut:

(2) 72" x WOF strips. Sew the strips together and trim to 72" x 72" to make the back

Sewing

- Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Press seams towards the darker fabric, unless otherwise indicated.
- The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

Block Assembly

 Refer to Figure 1 and sew together (2)
 Fabric B 4¼" triangles and (2) 4¼" Fabric C triangles to make (1) 3½" Block One square. Repeat to make (8) Block One squares total.






 Refer to Figure 2 and sew together (2)
 Fabric C 4¼" triangles and (2) 4¼" Fabric B triangles to make (1) 3½" Block Two square. Repeat to make (8) Block Two squares total.




Sew (1) Fabric B 1½" x 12½" strip to each side of (1) Fabric C 1½" x 12½" strip lengthwise to make (1) 3½" x 12½" Block Three strip (Fig. 3). Repeat to make (24) Block Three strips total.








 Sew (1) Fabric A 2½" x 8½" strip to each side of (1) Fabric E 8½" square. Sew (1) Fabric A 2½" x 12½" strip to the top and bottom of the Fabric E square to make (1) 12½" Block Four square (Fig. 4). Repeat to make (5) Block Four squares total.




 Sew (1) Fabric H 1½" x 6½" strip to each side of (1) Fabric D 6½" square. Sew (1) Fabric H 1½" x 8½" strip to the top and bottom of the Fabric D square to make (1) 8½" Unit 1 square (Fig. 5). Repeat to make (4) Unit 1 squares total.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.



Sew (1) Fabric F 2½" x 8½" strip to each side of (1) Unit 1 square. Sew (1) Fabric F 2½" x 12½" strip to the top and bottom of the Unit 1 square to make (1) 12½" Block Five square (Fig. 6). Repeat to make (4) Block Five squares total.



- Sew together (1) Block One square, (1) Block Three strip, (1) Block Two square, (1) Block Three strip, (1) Block One square, (1) Block Three strip and (1) Block Two square, in that order from left to right, to make Row One (**Fig. 7**). Repeat to make Row Five.
- 8. Sew together (1) Block Three strip, (1) Block Four square, (1) Block Three strip, (1) Block Five square, (1) Block Three strip, (1) Block Four square and (1) Block Three strip, in that order from left to right, to make Row Two (**Fig. 7**). Repeat to make Row Six.



- 9. Sew together (1) Block Two square, (1) Block Three strip, (1) Block One square, (1) Block Three strip, (1) Block Two square, (1) Block Three strip and (1) Block One square, in that order from left to right, to make Row Three (**Fig. 7**). Repeat to make Row Seven.
- Sew together (1) Block Three strip, (1) Block Five square, (1) Block Three strip, (1) Block Four square, (1) Block Three strip, (1) Block Five square and (1) Block Three strip, in that order from left to right, to make Row Four (**Fig. 7**).
- Sew together the (7) pieced rows, lengthwise and in numerical order from the top to bottom, to make the 48½" x 48½" Center Block (Fig. 7).





Fig. 7



Quilt Top Assembly

Follow the Quilt Layout (Page 7) while assembling the quilt top.

- 12. Sew (1) **Fabric I** 2" x 48½" strip to each side of the Center Block. Sew (1) **Fabric I** 2" x 51½" strip to the top and to the bottom of the Center Block.
- Center (1) Fabric G 7" x 68" strip on (1) side of the Center Block and pin in place. Start sewing the strip a ¼" from the top edge of the block and stop a ¼" from the bottom edge. DO NOT TRIM THE EXCESS. Repeat with the opposite side.
- 14. Repeat Step 13 to sew (1) Fabric G 7" x 68" strip to the top and to the bottom of the Center Block, making sure to stop and start ¼" away from each end of the block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 8).
- 15. Starting at the sewn seam (represented by the arrow in Figure 8), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a ¼" seam. Repeat this step with the remaining corners to complete the quilt top which should measure 64½" x 64½".



Layering, Quilting and Finishing

16. Create a quilt sandwich with the batting between the quilt top and the backing. Pin or baste layers together, mark the quilting design, and quilt by hand or machine. When quilting is complete, remove pins or basting and trim batting and backing even with raw edges of the quilt top.


Binding

- 17. Sew (7) **Fabric C** 2½" x WOF strips together, end-to-end with 45-degree diagonal seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- Sew binding to the edges of the quilt top, mitering corners, and overlapping ends.
 Fold binding to the back of the quilt and stitch it in place by hand to finish.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.





Quilt Layout