

Village Holidays Throw



Finished Size of Project: **42" x 62" (106.68cm x 157.48cm)**

Fabric Collection Name and Designer: **Christmas Village by Rebecca Canale**

Technique: **Pieced**

Project Designed by: **Matthew Pridemore of The Whimsical Workshop**

Skill Level: **Advanced Beginner**

Village Holidays Throw

Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Check	White/Red	8309-08	½ yard (0.46m)*
(B) Trees	White/Green	8311-06	¾ yard (0.34m)
(C) Christmas Village Stripe	White/Multi	8313-08	1 ⅓ yards (1.22m)
(D) Christmas Village Panel	White/Multi	8314P-08	⅔ yard (0.61m)
(E) Peppered Cottons	White Sugar	White Sugar-09	¾ yard (0.34m)

* includes binding



(A)



(B)



(C)



(D)



(E)

Backing (Purchased Separately)

44" (1.12m) wide

Village White/Multi 8305-08 4 yards (3.66m)



Backing
44"

Additional Materials:

- Batting 50" x 70" (127.00cm x 177.80cm)
- Thread and sewing supplies

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Village Holidays Throw



Cutting Instructions

Notes:

- Please make sure to check studiofabrics.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.
- *Strips cut Length of Fabric (LOF).

Fabric A, cut:

(6) 2½" x WOF strips for the binding

Fabric B, cut:

(1) 9½" x WOF strip, sub-cut (4) 9½" squares

Fabric C, fussy cut:

(2) 9½" x 44½" LOF strips, centered on strips*

(2) 9½" x 24½" LOF strips, centered on strips*

Fabric D, fussy cut:

(1) 22½" x 42½" rectangle, centered on panel

Fabric E, cut:

(2) 2" x 42½" WOF strips, piece as needed

(2) 2" x 25½" WOF strips

Backing, cut:

(2) 70" x WOF strips. Sew the strips together and trim to 50" x 70" to make the back

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.


Sewing

- Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Press seams towards the darker fabric, unless otherwise indicated.
- The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

Block Assembly

1. Sew (1) **Fabric E** $2" \times 42\frac{1}{2}"$ strip to each side of the **Fabric D** $22\frac{1}{2}" \times 42\frac{1}{2}"$ rectangle. Sew (1) **Fabric E** $2" \times 25\frac{1}{2}"$ strip to the top and bottom of the **Fabric D** rectangle to make the Center Block (**Fig. 1**). **Trim the block to measure $24\frac{1}{2}" \times 44\frac{1}{2}"$.**

Fig. 1



Quilt Top Assembly

Follow the Quilt Layout (Page 5) while assembling the quilt top.

2. Sew (1) **Fabric C** $9\frac{1}{2}" \times 44\frac{1}{2}"$ strip to each side of the Center Block.
3. Sew (1) **Fabric B** $9\frac{1}{2}"$ square to each end of (1) **Fabric C** $9\frac{1}{2}" \times 24\frac{1}{2}"$ strip. Repeat to make a second strip. Sew (1) newly sewn strip to the top and bottom of the Center Block to make the quilt top which should measure $42\frac{1}{2}" \times 62\frac{1}{2}"$.


Layering, Quilting and Finishing

4. Create a quilt sandwich with the batting between the quilt top and the backing. Pin or baste layers together, mark the quilting design, and quilt by hand or machine. When quilting is complete, remove pins or basting and trim batting and backing even with raw edges of the quilt top.

Binding

5. Sew (6) **Fabric A** $2\frac{1}{2}"$ x WOF strips together, end-to-end with 45-degree diagonal seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
6. Sew binding to the edges of the quilt top, mitering corners, and overlapping ends. Fold binding to the back of the quilt and stitch it in place by hand to finish.

Quilt Layout



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.