

# 12 Days of Christmas

••••• A Free Project Sheet •••••  
••••• NOT FOR RESALE •••••

QUILT 1



Featuring fabrics from the **12 Days of Christmas** collection by **Sue Ellen Brown** for **STUDIO e fabrics**

## Fabric Requirements

- (A) 6294P-77 ..... 1 panel
- (B) 6284-88 ..... 3/8 yard
- (C) 6283-90 ..... 1 yard
- (D) 6288-88 ..... 1/4 yard
- (E) 6283-77 ..... 1/4 yard
- (F) 6285-99 ..... 1/3 yard
- (G) 1351-Pigment White\*\* 2/3 yard
- (H) 1351-Burgundy\*\* 1/4 yard
- (I) 1351-Aegean Blue\*\* 1/4 yard
- (J) 6283-88 ..... 1/4 yard

- (K) 6286-77 ..... 1/4 yard
- (L) 6287-01 ..... 1/4 yard
- (M) 1351-Onyx\*\*.... 3/8 yard
- (N) 6292-77 ..... 2 1/2 yards
- (O) 1351-Amaryllis\*\* 2/3 yard\*
- Backing  
6291-77 ..... 5 yards

\* Includes Binding  
\*\* Just Color! Collection

## Additional Supplies Needed

- Batting 71" x 90" (Recommended:  
Air Lite® Colour Me 100% Cotton)
- Piecing and sewing thread
- Quilting and sewing supplies

Quilt designed by Heidi Pridemore  
Finished Quilt Size 63" x 82"  
Skill Level: Advanced Beginner

# Fabrics in the Collection




Snowflakes  
Cyan - 6283-77




Snowflakes  
Red - 6283-88



Snowflakes  
Silver - 6283-90




Starlight Mint  
Red - 6284-88



Tossed Allover Present  
Black - 6285-99



Tossed Allover Penguin  
Cyan - 6286-77



Tossed Drummer Polar Bear  
White - 6287-01



Tossed Seal  
Red - 6288-88



Reindeer Game  
Cyan - 6289-77



Polar Bear and Gift  
Black - 6290-99



Continuous Block  
Cyan - 6291-77



Border Stripe  
Cyan - 6292-77



Patchwork  
Black - 6293-99



Banner Panel  
Cyan - 6294P-77

Select Fabrics from  
Just Color!



Aegean Blue  
1351-Aegean Blue




Amaryllis  
1351-Amaryllis



Burgundy  
1351-Burgundy



Onyx  
1351-Onyx



Pigment White  
1351-Pigment White

## Cutting

### Cutting Instructions

*Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

#### **Fabric A (6294P-77 Banner Panel – Cyan):**

- Fussy cut (1) 22 ½" x 42 ½" rectangle, centered on the panel.

#### **Fabric B (6284-88 Starlight Mint – Red), cut:**

- (2) 2" x 42 ½" WOF strips, piece as needed.
- (2) 2" x 25 ½" WOF strips.

#### **Fabric C (6283-90 Snowflakes – Silver), cut:**

- (2) 4 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (1) 4 ½" x 44 ½" strip.
- (1) 3 ½" x 40 ½" WOF strip.
- (1) 3 ½" x WOF strip, sub-cut (2) 3 ½" x 12 ½" strips.
- (1) 2 ½" x WOF strip, sub-cut (3) 2 ½" x 12 ½" strips.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 59 ½" strips.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 43 ½" strips.

#### **Fabric D (6288-88 Tossed Seal – Red), cut:**

- (1) 6 ½" x WOF strip, sub-cut (2) 6 ½" squares.

#### **Fabric E (6283-77 Snowflakes – Cyan), cut:**

- (1) 1 ½" x WOF strip, sub-cut (6) 1 ½" x 6 ½" strips.
- (2) 1 ½" x WOF strips, sub-cut (6) 1 ½" x 8 ½" strips.

#### **Fabric F (6285-99 Tossed Allover Present – Black), cut:**

- (3) 2 ½" x WOF strips, sub-cut (48) 2 ½" squares.

#### **Fabric G (1351-Pigment White Just Color! – Pigment White), cut:**

- (6) 2 ½" x WOF strips, sub-cut (48) 2 ½" x 4 ½" strips.
- (2) 2 ½" x WOF strips, sub-cut (24) 2 ½" squares.

#### **Fabric H (1351-Burgundy Just Color! – Burgundy), cut:**

- (2) 2 ½" x WOF strips, sub-cut (24) 2 ½" squares.

#### **Fabric I (1351-Aegean Blue Just Color! – Aegean Blue), cut:**

- (2) 2 ½" x WOF strips, sub-cut (24) 2 ½" squares.

#### **Fabric J (6283-88 Snowflakes – Red), cut:**

- (1) 1 ½" x WOF strip, sub-cut (6) 1 ½" x 6 ½" strips.
- (2) 1 ½" x WOF strips, sub-cut (6) 1 ½" x 8 ½" strips.

#### **Fabric K (6286-77 Tossed Allover Penguin – Cyan), cut:**

- (1) 6 ½" x WOF strip, sub-cut (2) 6 ½" squares.

#### **Fabric L (6287-01 Tossed Drummer Polar Bear – White), cut:**

- (1) 6 ½" x WOF strip, sub-cut (2) 6 ½" squares.

#### **Fabric M (1351-Onyx Just Color! – Onyx), cut:**

- (4) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 62 ½" strips.
- (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 45 ½" strips.

#### **Fabric N (6292-77 Border Stripe – Cyan), cut:**

- (2) 9 ½" x 86" LOF strips.
- (2) 9 ½" x 67" LOF strips.

#### **Fabric O (1351-Amaryllis Just Color! – Amaryllis), cut:**

- (8) 2 ½" x WOF strips for the binding.

#### **Backing (6291-77 Continuous Block – Cyan), cut:**

- (2) 90" x WOF strips for the backing. Sew the strips together and trim to make the 71" x 90" back.


## Sewing

Sew using a  $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

### Block Assembly

**Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.**

1. Sew (1) 2" x 42  $\frac{1}{2}$ " Fabric B strip to each side of the 22  $\frac{1}{2}$ " x 42  $\frac{1}{2}$ " Fabric A panel. Sew (1) 2" x 25  $\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the Fabric A panel to make the Center Block (Fig. 1). **Trim the block to measure 24  $\frac{1}{2}$ " x 44  $\frac{1}{2}$ ".**



2. Sew (1) 1  $\frac{1}{2}$ " x 6  $\frac{1}{2}$ " Fabric E strip to each side of (1) 6  $\frac{1}{2}$ " Fabric D square. Sew (1) 1  $\frac{1}{2}$ " x 8  $\frac{1}{2}$ " Fabric E strip to the top and to the bottom of the Fabric D square to make (1) Unit 1 square (Fig. 2). Repeat to make a second Unit 1 square.




Fig. 2




Fig. 3




Fig. 4




Fig. 5

4. Place (1) 2  $\frac{1}{2}$ " Fabric H square on the left side of (1) 2  $\frac{1}{2}$ " x 4  $\frac{1}{2}$ " Fabric G strip, right sides together (Fig. 6). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 6). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a  $\frac{1}{4}$ " seam allowance (Fig. 7).



Fig. 6



Fig. 7




Fig. 8




Fig. 9

5. Place (1) 2  $\frac{1}{2}$ " Fabric F square on the right side of the 2  $\frac{1}{2}$ " x 4  $\frac{1}{2}$ " Fabric G strip, right sides together (Fig. 8). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 8). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a  $\frac{1}{4}$ " seam allowance to make (1) Unit 5 strip (Fig. 9).

6. Repeat Steps 4-5 to make (12) Unit 5 strips total.

7. Repeat Steps 4-5 and refer to Figures 10-12 for fabric identification, placement and seam direction to make (12) of each strip, Unit 6 through Unit 8.




Fig. 10




Fig. 11




Fig. 12

8. Sew (1) Unit 5 to the left end of (1) Unit 6 strip, along the Fabric F sides, to make (1) Unit 9 strip (Fig. 13). Repeat to make (12) Unit 9 strips total.




Fig. 13

9. Sew (1) Unit 7 to the left end of (1) Unit 8 strip, along the Fabric F sides, to make (1) Unit 10 strip (Fig. 14). Repeat to make (12) Unit 10 strips total.




Fig. 14

10. Sew (1) 2 1/2" Fabric G square to each end of (1) Unit 9 strip to make the top row. Repeat to make the bottom row. Sew the (1) Unit 9 strip to each side of (1) Unit 1 square to make the middle row. Sew together the (3) rows lengthwise to make (1) 12 1/2" Block One square (Fig. 15). Repeat to make a second Block One square.




Fig. 15




Fig. 16




Fig. 17




Fig. 18

11. Repeat Step 10 and refer to Figures 16-18 for component identification, placement and orientation to make (2) Block Two squares, (1) Block Three square and (1) Block Four square.

12. Sew together (1) 2 ½" x 12 ½" Fabric C strip, (1) Block One square, (1) 3 ½" x 12 ½" Fabric C strip, (1) Block Two square, (1) 3 ½" x 12 ½" Fabric C strip and (1) Block Three square, in that order from top to bottom, to make the Right Side Border (Fig. 19).

Right Side  
Border




Fig. 19

13. Sew together (1) Block Four square, (1) 2 ½" x 12 ½" Fabric C strip, (1) Block One square, (1) 2 ½" x 12 ½" Fabric C strip and (1) Block Two square, in that order from left to right, to make the Bottom Border (Fig. 20).




Fig. 20

## Quilt Top Assembly

*(Follow the Quilt Layout while assembling the quilt top.)*

14. Sew (1) 4 ½" x 44 ½" Fabric C strip to the right side of the Center Block.

15. Sew the Right Side Border to the right side of the Center Block.

16. Sew (1) 3 ½" x 40 ½" Fabric C strip to the bottom of the Center Block.

17. Sew the Bottom Border to the bottom of the Center Block.

18. Sew (1) 2" x 59 ½" Fabric C strip to each side of the Center Block. Sew (1) 2" x 43 ½" Fabric C strip to the top and to the bottom of the Center Block.

19. Sew (1) 1 ½" x 62 ½" Fabric M strip to each side of the Center Block. Sew (1) 1 ½" x 45 ½" Fabric M strip to the top and to the bottom of the Center Block.

20. Center (1) 9 ½" x 86" Fabric N strip on (1) side of the Center Block and pin in place. Start sewing the strip a ¼" from the top edge of the block and stop a ¼" from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

21. Repeat Step 20 to sew (1) 9 ½" x 67" Fabric N strip to the top and to the bottom of the Center Block, making sure to stop and start ¼" away from each end of the block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 21).

22. Starting at the sewn seam (represented by the arrow in Figure 21), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a ¼" seam. Repeat this step with the remaining corners to make the quilt top.




Fig. 21


## Layering, Quilting and Finishing

23. Press the quilt top and 71" x 90" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

## Binding

24. Cut the ends of the (8) Fabric 0 binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

25. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout

*Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check [www.studioefabrics.net](http://www.studioefabrics.net) for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.*