Follow us here to see more exciting projects and ideas!














Featuring the
Dogs in the City
Collection
by Weekday Best
Shipping to stores July 2022

Finished Size: 58 ½ in x 66 ½ in (148.59 cm x 168.91 cm)

Fabric Needed

3 Wishes® Dogs in the City Collection

- 2 ½ yds Urban Cityscape (19139-TRQ-CTN-D)
- 1 panel Large Panel (19142-MLT-CTN-D)
- 3/4 yd Solid White
- ¾ yd Bright Squares (19136-YLW-CTN-D) for Piecing and Binding
- 5% yd Wall to Wall (19138-MLT-CTN-D)
- 1/4 yd Pup Patch (19135-MLT-CTN-D)
- 1/4 yd Painted Paws (19137-WHT-CTN-D)
- ¼ yd Graffiti Love (19140-BLK-CTN-D)
- 1/4 yd Caps and Cans (19141-MLT-CTN-D)
- 3 ¾ yds Caps and Cans (19141-MLT-CTN-D) for Backing

Additional Supplies Needed:


- 66 in x 74 in (167.64 cm x 187.96 cm) Cotton batting
- · Piecing and sewing thread
- · Quilting and sewing supplies
- Even-feed foot (optional for quilting)

Before You Begin


Read all instructions before beginning project. Do not pre-wash fabrics. Press fabrics with a dry iron on cotton setting before cutting. Use a $\frac{1}{4}$ in (6.35 mm) seam allowance and sew fabrics with right sides together (RST) unless otherwise noted. Press seams in the direction of the arrows. wof = width of fabric

Cutting

Use a rotary cutter and ruler to cut the size and number of squares and rectangles from each fabric listed below.



Urban Cityscape – 19139-TRQ-CTN-D 2 ½ yds x wof (194.31 cm x 106.68 cm) Fussy Cut 8 – 4 ½ in x 42 in (11.43 cm x 106.68 cm)



Large Panel – 19142-PNL-CTN-D 1 yd x wof (91.44 cm x 106.68 cm) Fussy Cut 1 – 33 ½ in x 41 ½ in (85.09 cm x 105.41 cm)

3 in x 41 ½ in									
3 in x 39 ½ in									
1 in x 42 in									
1 ½ in x 4 ½ in									


Solid White - 3/4 yd x wof (68.58 cm x 106.68 cm)

Cut 2 – 3 in x 41 ½ in (7.62 cm x 105.41 cm)

Cut 2 – 3 in x 39 ½ in (7.62 cm x 100.33 cm)

Cut 6 – 1 in x 42 in (2.54 cm x 106.68 cm)

Cut 36 – 1 ½ in x 4 ½ in (3.81 cmx 11.43 cm)



Bright Squares – 19136-YLW-CTN-D 34 yd x wof (68.58 cm x 106.68 cm) Cut 7 – 2 16 in x 42 in (6.35 cm x 106.68 cm) for Binding Cut 8 – 4 16 in x 4 16 in (11.43 cm x 11.43 cm)




Pup Patch – 19135-MLT-CTN-D $\frac{1}{4}$ yd x wof (22.86 cm x 106.68 cm)


Cut 2 – 4 ½ in x 5 ½ in (11.43 cm x 13.97 cm) Cut 4 – 4 ½ in x 4 ½ in (11.43 cm x 11.43 cm) Cut 2 – 3 ½ in x 4 ½ in (8.89 cm x 11.43 cm)



Graffiti Love – 19140-BLK-CTN-D $\frac{1}{4}$ yd x wof (22.86 cm x 106.68 cm) Cut 8 – 4 $\frac{1}{2}$ in x 4 $\frac{1}{2}$ in (11.43 cm x 11.43 cm)



Wall to Wall – 19138-MLT-CTN-D % yd x wof (68.58 cm x 106.68 cm) Cut 7 – 2 ½ in x 42 in (6.35 cm x 106.68 cm)



Painted Paws – 19137-WHT-CTN-D ¼ yd x wof (22.86 cm x 106.68 cm) Cut 8 – 4½ in x 4½ in (11.43 cm x 11.43 cm)



Caps and Cans – 19141-MLT-CTN-D ¼ yd x wof (22.86 cm x 106.68 cm) Cut 4 – 4½ in x 4½ in (11.43 cm x 11.43 cm)


Sewing

1. Refer to Diagram A to sew one White Solid strip 3 in x 41 ½ in (7.62 cm x 105.41 cm) RST to each side of the Large Panel 34 ½ in x 41 ½ in (87.63 cm x 105.41 cm). Sew one White Solid strip 3 in x 39 ½ in (7.62 cm x 100.33 cm) RST to the top and bottom of the Large Panel. Trim the unit to measure 37 ½ in x 45 ½ in (95.25 cm x 115.57 cm) to make the Unit 1 rectangle.



Trim to measure 37 ½ in x 45 ½ in (95.25 cm x 115.57 cm) after the borders are added.

- 2. Refer to Diagram B for fabric placement to sew RST ten white solid strips 1 ½ in x 4 ½ in (3.81 cm x 11.43 cm), two Bright Squares 4 ½ in x 4 ½ in (11.43 cm x 11.43 cm), one Pup Patch 3 ½ in x 4 ½ in (8.89 cm x 11.43 cm), two Painted Paws squares 4 ½ in x 4 ½ in (11.43 cm x 11.43 cm), two Graffiti Love Squares 4 ½ in x 4 ½ in (11.43 cm x 11.43 cm) and two Caps and Cans squares 4 ½ in x 4 ½ in (11.43 cm x 11.43 cm) to make the Left Side Pieced Border which should measure 4 ½ in x 45 ½ in (11.43 cm x 115.57 cm).
- 3. Refer to Diagram C for fabric placement to sew RST ten white solid strips 1½ in x 4½ in (3.81 cm x 11.43 cm), two Bright Squares 4½ in x 4½ in (11.43 cm x 11.43 cm), one Pup Patch 3½ in x 4½ in (8.89 cm x 11.43 cm), two Painted Paws squares 4½ in x 4½ in (11.43 cm x 11.43 cm), two Graffiti Love Squares 4½ in x 4½ in (11.43 cm x 11.43 cm) and two Caps and Cans squares 4½ in x 4½ in (11.43 cm x 11.43 cm) to make the Right Side Pieced Border which should measure 4½ in x 45½ in (11.43 cm x 11.5.57 cm).



4. Refer to Diagram D for fabric placement to sew RST eight white solid strips 1 ½ in x 4 ½ in (3.81 cm x 11.43 cm), two Bright Squares 4 ½ in x 4 ½ in (11.43 cm x 11.43 cm), one Pup Patch 4 ½ in x 5 ½ in (11.43 cm x 13.97 cm), two Pup Patch squares 4 ½ in x 4 ½ in (11.43 cm x 11.43 cm), two Painted Paws squares 4 ½ in x 4 ½ in (11.43 cm x 11.43 cm) and two Graffiti Love Squares 4 ½ in x 4 ½ in (11.43 cm x 11.43 cm) to make Top Pieced Border which should measure 4 ½ in x 45 ½ in (11.43 cm x 11.557 cm).



5. Refer to Diagram E for fabric placement to sew RST eight white solid strips 1 ½ in x 4 ½ in (3.81 cm x 11.43 cm), two Bright Squares 4 ½ in x 4 ½ in (11.43 cm x 11.43 cm), one Pup Patch 4 ½ in x 5 ½ in (11.43 cm x 13.97 cm), two Pup Patch squares 4 ½ in x 4 ½ in (11.43 cm x 11.43 cm), two Painted Paws squares 4 ½ in x 4 ½ in (11.43 cm x 11.43 cm) and two Graffiti Love Squares 4 ½ in x 4 ½ in (11.43 cm x 11.43 cm) to make Bottom Pieced Border which should measure 4 ½ in x 45 ½ in (11.43 cm x 11.557 cm).



6. Refer to Diagram F to sew the Left Side Pieced Border and Right Side Pieced Border to the left and to the right of Unit 1. Sew the Top Pieced Border and Bottom Pieced Border to the top and to the bottom of Unit 1to make Unit 2. The Unit should measure 45 ½ in x 53 ½ in (115.57 cm x 135.89 cm).



45 ½ in x 53 ½ in (115.57 cm x 135.89 cm)


7. Sew three White Solid strips 1 in x 42 in (2.54 cm x 106.68 cm) end to end RST with diagonal seams; trim seam allowance to ¼ in (6.35 mm). From the sewn strip cut two White Solid strips 1 in x 53 ½ in (2.54 cm x 135.89 cm). Refer to Diagram G to sew one White Solid strip 1 in x 53 ½ in (2.54 cm x 135.89 cm) RST to each side of Unit 2.



46 ½ in x 54 ½ in (118.11 cm x 138.43 cm)

- 8. Sew three White Solid strips 1 in x 42 in (2.54 cm x 106.68 cm) end to end RST with diagonal seams; trim seam allowance to ¼ in (6.35 mm). From the sewn strip cut two White Solid strips 1 in x 46 ½ in (2.54 cm x 118.11 cm). Refer to Diagram G to sew one White Solid strip 1 in x 46 ½ in (2.54 cm x 118.11 cm) RST to the top and to the bottom of Unit 2 to make the Quilt Center. The Quilt Center should measure 46 ½ in x 54 ½ in (118.11 cm x 138.43 cm).
- 9. Sew two Wall to Wall strips 2 ½ in x 42 in (6.35 cm x 106.68 cm) end to end RST with diagonal seams; trim seam allowance to ¼ in (6.35 mm). From the sewn strip cut one Wall to Wall strip 2 ½ in x 62 in (2.54 cm x 135.89 cm) to make one Inner Side Border. Repeat to make a second Inner Side Border.
- 10. Sew three Wall to Wall strips 2 ½ in x 42 in (6.35 cm x 106.68 cm) end to end RST with diagonal seams; trim seam allowance to ¼ in (6.35 mm). From the sewn strip cut two Wall to Wall strips 2 ½ in x 54 in (2.54 cm x 137.16 cm) to make one Top Inner Border and one Bottom Inner Border.
- 11. Center one Inner Side Border 2 ½ in x 62 in (6.35 cm x 157.48 cm) on one side of the Quilt Center RST and pin in place. Start sewing the strip a ¼ in (6.35 mm) from the top edge of the unit and **stop ¼ in (6.35 mm) away from the bottom edge. DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

- 12. Repeat Step 11 to sew Inner Top Border 2 ½ in x 54 in (6.35 cm x 137.16 cm) and Inner Bottom Border 2 ½ in x 54 in (6.35 cm x 137.16 cm) to the top and to the bottom of the Quilt Center, making sure to **stop and start ¼ in** (6.35 mm) away from each end of the block.
- 13. To miter each corner, fold the Quilt Center on a diagonal with RST and edges matching. This should line up the Borders from adjacent sides as shown in Diagram H. Starting at the sewn seam as shown by the arrow in Diagram H, draw a 45-degree line to the edge of the Border. Sew on the drawn line. Trim the excess fabric leaving a ¼ in (6.35 mm) seam. Repeat this step with the remaining corners to miter the Inner Border as shown in Diagram I; press. The Quilt Center should measure 50 ½ in x 58 ½ in (128.27 cm x 148.59 cm).






- 14. Sew two Urban Cityscape strips 4 ½ in x 42 in (11.43 cm x 106.68 cm) end to end RST with diagonal seams; trim seam allowance to ¼ in (6.35 mm). From the sewn strip cut one Urban Cityscape strip 4 ½ in x 70 in (2.54 cm x 135.89 cm) to make one Outer Side Border. Repeat to make a second Outer Side Border.
- 15. Sew three Urban Cityscape strips 4 ½ in x 42 in (11.43 cm x 106.68 cm) end to end RST with diagonal seams; trim seam allowance to ¼ in (6.35 mm). From the sewn strip cut two Urban Cityscape strips 4 ½ in x 62 in (2.54 cm x 157.48 cm) to make the Top Border and the Bottom Border.
- 16. Center one Urban Cityscape Outer Side Border 4 ½ in x 70 in (2.54 cm x 135.89 cm) on one side of the Quilt Center RST and pin in place. Start sewing the strip ¼ in (6.35 mm) from the top edge of the Quilt Center and stop ¼ in (6.35 mm) from the bottom edge. DO NOT TRIM THE EXCESS. Repeat with the opposite side.
- 17. Repeat Step 16 to sew the Urban Cityscape strip 4 ½ in x 62 in (2.54 cm x 157.48 cm) to the top and the Urban Cityscape to the bottom of the Quilt Center, making sure to **stop and start ¼ in (6.35 mm) away from each end of the Quilt Center, RST.**
- 18. Refer to Diagram H to miter each of the four corners of the Outer Border and complete the Quilt Top as shown in Diagram J; press. The completed Quilt Top should measure 58 ½ in x 66 ½ in (148.59 cm x 168.91 cm).




19. To make the Caps and Cans Backing, remove the selvages and cut two pieces 42 in x 66 in (106.68 cm x 167.64 cm). **Note:** Check the orientation of the design. Pin and sew the strips RST along the long edges as shown in Diagram K. Trim the Back to measure 66 in x 74 in (167.64 cm x 187.96 cm).



Trim to measure 66 in x 74 in (167.64 cm x 187.96 cm)

- 20. Press finished Quilt Top and Backing fabric. Tape the Backing **wrong** side up on a firm surface. Layer Batting and Quilt Top (right side up). Baste the layers together with safety pins. Quilt as desired.
- 21. Once the quilting is complete, square up corners and edges, trimming excess Backing and Batting even with the Quilt Top.
- 22. To make the Bright Squares Binding, remove the selvages and sew the short ends of the seven 2 ½ in x 42 in (6.35 cm x 106.68 cm) strips RST end to end at a 45° angle to make one continuous strip; press seams open. Press one short end ¼ in (6.35 mm) to the **wrong** side. Fold in half lengthwise with **wrong** sides together; press. Leaving a 2 in (5.08 cm) tail on the folded end, place cut edges of folded Binding even with the edge of the Quilt and sew, mitering the corners (Dia. L). Overlap ends, trim any excess and finish sewing the Binding. Fold the Binding over to the back and hand stitch.



Finished Care Instructions

Machine wash in cold water; gentle cycle. Do not bleach. *Tip:* Before drying, check for fabric dyes that may have run. If fabric dyes run, rewash and rinse using a color catcher to absorb loose dye. Lay flat to dry or tumble dry low.