


Stitched Together Quilt



Featuring fabrics from the **Aussie Oz-Born** collection by Mel Matthews for **STUDIO e fabrics**

Fabric Requirements

(A) 8092-60	3/8 yard
(B) 8084-33	5/8 yard
(C) 8088-70	5/8 yard
(D) 8091-44	5/8 yard
(E) Key Lime-68*	5/8 yard ⁺⁺
(F) 8086-11	3/4 yard
(G) 8094-66	1 1/3 yds.
Backing 8085-60	3 3/8 yds.

⁺⁺Includes binding.

*Peppered Cottons Collection.

Please check our website for pattern updates before starting this project.

Additional Supplies Needed

Batting: 69" x 69"
(Recommended: Air Lite® Colour Me 100% Cotton)
Sewing and Quilting supplies

Quilt size: 60 1/2" x 60 1/2"
Skill Level: Beginner
Quilt designed by Denise Russell.

Aussie Oz-Born - Fabrics in the Collection



8096P-44 Aussie Oz-Born Panel
Yellow



8095-36 Aussie Stripe
Orange/Green



8097P-44 Pouch Rockers Book Panel
Yellow



8084-33 Kangaroos
Orange



8085-60 Koalas
Green



8086-11 Kookaburras
Lt. Blue



8087-33 Pouches
Orange



8088-70 Tasmanian Devils
Periwinkle



8090-11 Crocs
Lt. Blue



8091-44 Quokkas
Yellow



8092-60 Canopy
Critters - Lt. Green



8093-77 Eucalyptus and
Waratahs - Dark Blue



8094-66 Reptiles
Green

Selected fabric from the
Peppered Cottons collection



Key Lime-68



8089-37 Mini Stripe
Orange/Blue

Cutting and Sewing

Cutting Instructions

Please note: All strips are cut across the width of the fabric (WOF) from selvage to selvage unless otherwise noted. (WOF = Width of Fabric, LOF = Length of Fabric).

Fabric A (8092-60 Canopy Critters - Lt. Green), cut:

*(1) 9½" x WOF strip. Subcut (4) 9½" squares.

Fabric B (8084-33 Kangaroos – Orange), cut:

*(2) 9½" x WOF strips. Subcut (5) 9½" squares.

From each, cut:

Fabric C (8088-70 Tasmanian Devils – Periwinkle)

Fabric D (8091-44 Quokkas – Yellow)

*(2) 9½" x WOF strips. Subcut (8) 9½" squares.

Fabric E (Peppered Cottons - Key Lime-68), cut:

*(7) 2½" x WOF strips for binding.

Fabric F (8086-11Kookaburras - Lt. Blue), cut:

*(1) 14" x WOF strip. Subcut (3) 14" squares; cut twice diagonally (Setting triangles).

*(1) 7¼" x WOF strip. Subcut (2) 7¼" squares; cut once diagonally (Corner triangles).

Fabric G (8094-66 Reptiles – Green), cut:

*(1) 9½" x WOF strip. Subcut (28) 1½" x 9½" sashing rectangles.

*(1) 2⅝" x WOF strip. Subcut (4) 2⅝" squares; cut twice diagonally (Sashing corner triangles).

*(6) 2½" x WOF strips for the border.

*(10) 1½" x WOF strips. Subcut:

- 2 strips into (6) 1½" x 9½" sashing rectangles, for a total of 34.

- Set aside 8 strips for the horizontal sashing.

Quilt Top Assembly

(Follow the quilt diagram and photograph while assembling the quilt top.)

- Following the quilt photograph for block placement lay out 7 diagonal rows of alternating blocks. Add the 1½" x 9½" Fabric G sashing rectangles between the squares and at the beginning and ending of each row. Similarly, add a Fabric F setting triangle to the rows, noting the orientation of the triangles. Sew the squares, sashing rectangles, and setting triangles together to make 7 rows. Press the seams in one direction.
- To make the horizontal sashing rows, measure rows 2 and 6 and trim (2) 1½" Fabric G strips that size (approximately 29½"). Gather the Fabric G

sashing corner triangles and, referring to the diagram for triangle orientation, sew a triangle to each end of the sashing strip. Sew one strip to the top of row 2 and one to the bottom of row 6 (Notice how the orientation of the triangles on the bottom rows changes!). Sew the remaining 1½" Fabric G strips together end to end using diagonal seams. Press the seams open. Trim this long strip as follows:

- Measure rows 3 and 5. Cut two strips that size (approximately 49½"). Add the sashing corner triangles as before. Sew one to the top of row 3 and one to the bottom of row 5.

- Measure row 4. Cut two strips that size (approximately 69½"). Add the corner triangles and sew one to the top and bottom of row 4.

- Add the 2 remaining 1½" x 9½" sashing rectangles and sashing triangles to the corners of the quilt.

- Sew one Fabric F corner triangle to each corner of the quilt top.
- For the border, sew the (5) 2½" Fabric G strips together end to end using diagonal seams. Measure the vertical length of the quilt top through the center and cut two border strips that length. Sew one strip to each side of the quilt top. Measure the width of the quilt top through the center. Cut two strips that length and sew one to the top and one to the bottom. Press.


Layering, Quilting, and Finishing

- Create a quilt sandwich with the batting between the quilt top and the backing. Pin or baste layers together, mark the quilting design, and quilt by hand or machine. When the quilting is complete, remove pins or basting and trim batting and backing even with the raw edges of the quilt top.

Binding

- Join the (6) 2½" Fabric E binding strips together end to end using a diagonal seam to make one long strip. Fold in half lengthwise with wrong sides facing, and press. Sew binding to the edges of the quilt top, mitering corners, and overlapping ends. Fold the binding to the back of the quilt and stitch it in place by hand to finish.

Sashing row corner triangles



Quilt Diagram

©2024 Studio e Fabrics®

Every effort has been made to ensure that all projects are error free. All the information is presented in good faith; however, no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.studioefabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.