

A Free Project Sheet  
NOT FOR RESALE

# Birthstone Bling

QUILT 2



Featuring fabrics from the **Birthstone Bling** collection by **Chelsea DesignWorks** for **STUDIO·e·fabrics**

## Fabric Requirements

(A) 1351-Iron** .....	2 ¾ yards*	(O) 5797-98 .....	½ yard
(B) 1351-Pewter** .....	¾ yard	(P) 5798-1 .....	½ yard
(C) 5799-11 .....	¼ yard	(Q) 1351-Pigment White** ⅓ yard	
(D) 5799-66 .....	¼ yard	(R) 5798-98 .....	¼ yard
(E) 5799-89 .....	¼ yard	(S) 5238-22 .....	¼ yard
(F) 5799-22 .....	¼ yard	(T) 5238-66 .....	¼ yard
(G) 5799-55 .....	¼ yard	(U) 5238-44 .....	¼ yard
(H) 5799-43 .....	¼ yard	(V) 5238-55 .....	¼ yard
(I) 5799-82 .....	¼ yard	(W) 5238-91 .....	¼ yard
(J) 5799-64 .....	¼ yard	(X) 5238-64 .....	¼ yard
(K) 5799-51 .....	¼ yard	(Y) 5238-77 .....	¼ yard
(L) 5799-71 .....	¼ yard	(Z) 5238-88 .....	¼ yard
(M) 5799-90 .....	¼ yard	Backing	
(N) 5799-77 .....	¼ yard	5798-98 .....	3 ½ yards

## Additional Supplies Needed

Batting 60" x 60" (Recommended:  
Air Lite® Colour Me 100% Cotton)  
Piecing and sewing thread  
Quilting and sewing supplies  
Fusible web

Finished Quilt Size 52" x 52"  
Skill Level: Intermediate

\* Includes Binding  
\*\* Just Color! Collection

Please check our website for pattern updates before starting this project.

## Fabrics in the Collection



Large Gemstones  
Multi – 5797-98



Birthstone  
Citrine – 5799-43



Birthstone  
Emerald – 5799-66



Birthstone  
Garnet – 5799-89



Birthstone  
Alexandrite – 5799-51



Birthstone  
Zircon – 5799-71



Birthstone  
Diamond – 5799-90



Tossed Gemstones All-Over  
White – 5798-1



Tossed Gemstones All-Over  
Black – 5798-98



Birthstone  
Aquamarine – 5799-11



Birthstone  
Amethyst – 5799-55



Birthstone  
Sapphire – 5799-77



Birthstone  
Tourmaline – 5799-22



Birthstone  
Peridot – 5799-64



Birthstone  
Ruby – 5799-82

### Select Fabrics from Prismachrome



Texture  
Fuchsia – 5238-22



Texture  
Pansy – 5238-55



Texture  
Jade – 5238-66



Texture  
Ruby – 5238-88



Texture  
Sunshine – 5238-44




Texture  
Lime – 5238-64



Texture  
Lapis – 5238-77



Texture  
Gray – 5238-91



Birthstones Panel  
Multi – 5800P-98

### Select Fabrics from Just Color!



Iron  
1351-Iron



Pewter  
1351-Pewter



Pigment White  
1351-Pigment White



## Cutting

### Cutting Instructions

*Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

#### **Fabric A (1351-Iron Just Color! – Iron), cut:**

- (3) 4 ½" x WOF strips, sub-cut (24) 4 ½" squares.
- (6) 2 ½" x WOF strips, sub-cut (26) 2 ½" x 7 ½" strips.
- (2) 1 ¾" x WOF strips, sub-cut (13) 1 ¾" x 3 ¼" strips.
- (1) 1 ¾" x WOF strip, sub-cut (26) 1 ¾" x 1 ⅛" strips.
- (2) 1 ½" x 42 ½" WOF strips, piece as needed.
- (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 44 ½" strips.
- (1) 1 ½" x WOF strip, sub-cut (26) 1 ½" squares.
- (7) 1" x WOF strips, sub-cut (26) 1" x 8 ½" strips.
- (6) 2 ½" x WOF strips for the binding.
- (26) Template 1 shapes.
- (26) Template 3 shapes.
- (26) Template 5 shapes.
- (26) Template 6 shapes.
- (26) Template 8 shapes.
- (26) Template 9 shapes.
- (13) Template 11 triangles.
- (13) Template 13 triangles.

#### **Fabric B (1351-Pewter Just Color! – Pewter), cut:**

- (3) 1 ⅛" x WOF strips, sub-cut (52) 1 ⅛" x 1 ¾" strips.
- (26) Template 2 shapes.
- (26) Template 4 diamonds.
- (26) Template 7 diamonds.
- (26) Template 10 shapes.

#### **Fabric C (5799-11 Birthstone – Aquamarine), cut:**

- (1) 1 ½" x 4 ½" WOF strip.
- (1) Template 12 triangle.

#### **Fabric D (5799-66 Birthstone – Emerald), fussy cut:**

- (1) 1 ½" x WOF strip, sub-cut (2) 1 ½" x 4 ½" strips.
- (2) Template 12 triangles.

#### **Fabric E (5799-89 Birthstone – Garnet), cut:**

- (1) 1 ½" x 4 ½" WOF strip.
- (1) Template 12 triangle.

#### **Fabric F (5799-22 Birthstone – Tourmaline), cut:**

- (1) 1 ½" x 4 ½" WOF strip.
- (1) Template 12 triangle.

#### **Fabric G (5799-55 Birthstone – Amethyst), cut:**

- (1) 1 ½" x 4 ½" WOF strip.
- (1) Template 12 triangle.

#### **Fabric H (5799-43 Birthstone – Citrine), cut:**

- (1) 1 ½" x 4 ½" WOF strip.
- (1) Template 12 triangle.

#### **Fabric I (5799-82 Birthstone – Ruby), cut:**

- (1) 1 ½" x 4 ½" WOF strip.
- (1) Template 12 triangle.

## Cutting - Continued

**Fabric J (5799-64 Birthstone – Peridot), cut:**

- (1) 1 ½" x 4 ½" WOF strip.
- (1) Template 12 triangle.

**Fabric K (5799-51 Birthstone – Alexandrite), cut:**

- (1) 1 ½" x 4 ½" WOF strip.
- (1) Template 12 triangle.

**Fabric L (5799-71 Birthstone – Zircon), cut:**

- (1) 1 ½" x 4 ½" WOF strip.
- (1) Template 12 triangle.

**Fabric M (5799-90 Birthstone – Diamond), cut:**

- (1) 1 ½" x 4 ½" WOF strip.
- (1) Template 12 triangle.

**Fabric N (5799-77 Birthstone – Sapphire), cut:**

- (1) 1 ½" x 4 ½" WOF strip.
- (1) Template 12 triangle.

**Fabric O (5797-98 Large Gemstones – Multi):**

- Apply fusible web to the wrong side of the fabric and fussy cut (24) 3" circles, each centered on a gemstone.

**Fabric P (5798-1 Tossed Gemstones All-Over – White), cut:**

- (3) 4 ½" x WOF strips, sub-cut (24) 4 ½" squares.

**Fabric Q (1351-Pigment White Just Color! – Pigment White), cut:**

- (2) 1 ½" x 40 ½" WOF strips.
- (2) 1 ½" x 42 ½" WOF strips, piece as needed.

**Fabric R (5798-98 Tossed Gemstones All-Over – Black), cut:**

- (1) 4 ½" x WOF strip, sub-cut (4) 4 ½" squares.

**Fabric S (5238-22 Texture – Fuchsia), cut:**

- (2) 2 ½" x WOF strips, sub-cut (11) 2 ½" x 4 ½" strips.

**Fabric T (5238-66 Texture – Jade), cut:**

- (2) 2 ½" x WOF strips, sub-cut (11) 2 ½" x 4 ½" strips.

**Fabric U (5238-44 Texture – Sunshine), cut:**

- (2) 2 ½" x WOF strips, sub-cut (11) 2 ½" x 4 ½" strips.

**Fabric V (5238-55 Texture – Pansy), cut:**

- (2) 2 ½" x WOF strips, sub-cut (11) 2 ½" x 4 ½" strips.

**Fabric W (5238-91 Texture – Gray), cut:**

- (2) 2 ½" x WOF strips, sub-cut (11) 2 ½" x 4 ½" strips.

**Fabric X (5238-64 Texture – Lime), cut:**

- (2) 2 ½" x WOF strips, sub-cut (11) 2 ½" x 4 ½" strips.

**Fabric Y (5238-77 Texture – Lapis), cut:**

- (2) 2 ½" x WOF strips, sub-cut (11) 2 ½" x 4 ½" strips.

**Fabric Z (5238-88 Texture – Ruby), cut:**

- (2) 2 ½" x WOF strips, sub-cut (11) 2 ½" x 4 ½" strips.

**Backing (5798-98 Tossed Gemstones All-Over – Black), cut:**

- (2) 60" x WOF strips. Sew the strips together and trim to 60" x 60" to make the back.

## Sewing

Sew using a  $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

### Block Assembly

**Note: Pay attention to the unit orientations when assembling the various components.**

1. Sew (1) Fabric A Template 1 shape to the top of (1) Fabric B Template 2 shape to make (1) Unit 1 strip (Fig. 1). Repeat to make (26) Unit 1 strips total.
2. Sew (1) Fabric A Template 3 triangle to the top of (1) Fabric B Template 4 diamond. Sew (1) Fabric A Template 5 triangle to the bottom of the Fabric B diamond to make (1) Unit 2 strip (Fig. 2). Repeat to make (26) Unit 2 strips total.
3. Sew (1)  $1\frac{1}{8}$ " x  $1\frac{3}{4}$ " Fabric B strip to the top of (1)  $1\frac{1}{8}$ " x  $1\frac{3}{4}$ " Fabric A strip lengthwise to make (1)  $1\frac{3}{4}$ " Unit 3 square (Fig. 3). Repeat to make (26) Unit 3 squares total.
4. Sew (1) Fabric A Template 6 triangle to the top of (1) Fabric B Template 7 diamond. Sew (1) Fabric A Template 8 triangle to the bottom of the Fabric B diamond to make (1) Unit 4 strip (Fig. 4). Repeat to make (26) Unit 4 strips total.
5. Sew (1) Fabric A Template 9 shape to the top of (1) Fabric B Template 10 shape to make (1) Unit 5 strip (Fig. 5). Repeat to make (26) Unit 5 strips total.

Unit 1  
make 26




Fig. 1

Unit 2  
make 26




Fig. 2

Unit 3  
make 26




Fig. 3

Unit 4  
make 26




Fig. 4

Unit 5  
make 26




Fig. 5

6. Sew together (1) Unit 1 strip, (1) Unit 2 strip, (1) Unit 3 square, (1) Unit 4 strip and (1) Unit 5 strip, lengthwise and in that order from left to right, to make (1) Unit 6 strip (Fig. 6). Repeat to make (26) Unit 6 strips total.

7. Sew (1)  $1\frac{1}{8}$ " x  $1\frac{3}{4}$ " Fabric B strip to each end of (1)  $1\frac{3}{4}$ " x  $3\frac{1}{4}$ " Fabric A strip. Sew (1) Unit 6 strip to the top and to the bottom of the newly sewn strip lengthwise to make (1)  $4\frac{1}{2}$ " x  $4\frac{1}{4}$ " Unit 7 rectangle (Fig. 7). Repeat to make (13) Unit 7 rectangles total.




Fig. 6




Fig. 7

8. Place (1) 1 ½" Fabric A square on the left side of (1) 1 ½" x 4 ½" Fabric C strip, right sides together (Fig. 8). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 8). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance (Fig. 9).

9. Place another 1 ½" Fabric A square on the right side of the 1 ½" x 4 ½" Fabric C strip, right sides together (Fig. 10). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 10). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) Unit 8 strip (Fig. 11).



Fig. 8



Fig. 9



Fig. 10




Fig. 11

10. Repeat Steps 8-9 and refer to Figures 12-22 for fabric identification, placement, seam direction and orientation to make (2) Unit 9 strips and (1) of each unit strip for Unit 10 through Unit 19.




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22

11. Sew (1) Fabric A Template 11 triangle to the left side of (1) Fabric C Template 12 triangle. Sew (1) Fabric A Template 13 triangle to the right side of the Fabric C Template 12 triangle to make (1) Unit 20 strip (Fig. 23). The unit should measure 4 ½" x 2 ¾".




Fig. 23

12. Repeat Step 11 and refer to Figures 24-34 for fabric identification, placement and orientation to make (2) Unit 21 strips and (1) of each unit strip for Unit 22 through Unit 31.




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34

13. Sew (1) Unit 8 strip to the top of (1) Unit 20 strip lengthwise to make (1) 4 ½" x 3 ¾" Unit 32 rectangle (Fig. 35).




Fig. 35

14. Repeat Step 13 and refer to Figures 36-46 for component identification, placement and orientation to make (2) Unit 33 rectangles and (1) of each unit rectangle for Unit 34 through Unit 43.




Fig. 36




Fig. 37




Fig. 38




Fig. 39




Fig. 40




Fig. 41




Fig. 42




Fig. 43




Fig. 44




Fig. 45




Fig. 46

15. Sew (1) Unit 32 rectangle to the top of (1) Unit 7 rectangle. Sew (1) 2 ½" x 7 ½" Fabric A strip to each side of the newly sewn block to make (1) Unit 44 rectangle (Fig. 47).

16. Sew (1) 1" x 8 ½" Fabric A strip to the top and to the bottom of the Unit 44 rectangle to make (1) Block One square (Fig. 48). The block should measure 8 ½" square.




Fig. 47




Fig. 48

17. Repeat Steps 15-16 and refer to Figures 49-59 for component identification, placement and orientation to make (2) Block Two squares and (1) of each block square for Block Three through Block Twelve.




Fig. 49




Fig. 50




Fig. 51




Fig. 52




Fig. 53




Fig. 54




Fig. 55




Fig. 56




Fig. 57




Fig. 58




Fig. 59





18. Refer to Figure 60 to arrange and press (1) Fabric O circle onto (1) 4 ½" Fabric A square.

19. Finish the raw edges of each circle with a decorative stitch such as a buttonhole or satin stitch to make (1) Unit 45 square.

20. Repeat Steps 18-19 to make (24) Unit 45 squares total.

21. Sew (1) 4 ½" Fabric P square to the left side of (1) Unit 45 square to make the top row. Sew (1) Unit 45 square to the left side of (1) 4 ½" Fabric P square to make the bottom row. Sew the (2) rows together lengthwise to make (1) Block Thirteen square (Fig. 61). The block should measure 8 ½" square. Repeat to make (12) Block Thirteen squares total.



22. Follow Figure 62 and sew together (13) assorted Blocks and (12) Block Thirteen squares into a 5 x 5 matrix to make the Center Block.

23. Follow Figure 63 and sew together lengthwise (22) assorted 2 ½" x 4 ½" strips to make the Left Side Border.

24. Follow Figure 64 and sew together lengthwise (22) assorted 2 ½" x 4 ½" strips to make the Right Side Border.




Fig. 62



Fig. 63




Fig. 64

27. Follow Figure 65 and sew together lengthwise (22) assorted 2 ½" x 4 ½" strips. Sew (1) 4 ½" Fabric R square to each end of the newly sewn strip to make the Top Border.



Fig. 65

25. Follow Figure 66 and sew together lengthwise (22) assorted 2 ½" x 4 ½" strips. Sew (1) 4 ½" Fabric R square to each end of the newly sewn strip to make the Bottom Border.



Fig. 66

## Quilt Top Assembly

*(Follow the Quilt Layout while assembling the quilt top.)*

26. Sew (1) 1 ½" x 40 ½" Fabric Q strip to each side of the Center Block. Sew (1) 1 ½" x 42 ½" Fabric Q strip to the top and to the bottom of the Center Block.

27. Sew (1) 1 ½" x 42 ½" Fabric A strip to each side of the Center Block. Sew (1) 1 ½" x 44 ½" Fabric A strip to the top and to the bottom of the Center Block.

28. Sew the Left Side Border and Right Side Border to the left and right side of the Center Block. Sew the Top Border and Bottom Border to the top and to the bottom of the Center Block to make the quilt top.


## Layering, Quilting and Finishing

29. Press the quilt top and 60" x 60" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

## Binding


30. Cut the ends of the (6) Fabric A binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

31. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.




Quilt Layout


100% Templates



Template 3




Template 6




**NOTE: All templates should be cut from a single layer of fabric.**


Template 1





Template 4




Template 7




Template 9




Template 2



Template 5



Template 8



Template 10

