




Free Project  
NOT FOR RESALE

TABLE RUNNER SET

# Buttermilk Farmstead



Featuring fabrics from the Buttermilk Farmstead collection by Grace Popp for **STUDIO C fabrics**

## Fabric Requirements

(A) 5322-39	1/4 yard	(J) 5330-99	2/3 yard
(B) 5325-99	1/4 yard	(K) Peppered Cottons-98*	1 yard
(C) 5328-39	1/4 yard	(L) 5329-91	1-1/8 yards
(D) 5327-99	1/4 yard	(M) Peppered Cottons-99*	1-1/3 yards
(E) 5321-39	1/3 yard	Backing 5319-39	4-1/2 yards
(F) Peppered Cottons-35	2/3 yard		
(G) 5326-93	2/3 yard		
(H) 5328-99	2/3 yard		
(I) 5320-90	2/3 yard		

\*Includes Binding

## Additional Supplies Needed

Air Lite batting  
 - Runner: 36" x 78"  
 - Placemats: 6 pieces @ 22" x 17"  
 Sewing and Quilting thread  
 Sewing and Quilting supplies  
 Table Runner: 28" x 70"  
 Placemats: 18" x 13"  
 Skill Level: Advanced Beginner  
 Designed by Denise Russell.

## Fabrics in the Collection



5331P-99 30" Panel - Black




5330-99 9" Blocks - Black




5324-99 Farm Stripe - Black



5319-39 Tossed Farm Icons - Ecu




5320-90 Cotton Plant Charcoal



5321-39 Wildflowers Ecu




5322-39 Cows Ecu



5323-99 Gingham Silhouette Animals - Black




5325-99 Words Black




5326-93 Gingham Chickens on Charcoal/Ecu



5327-99 Milk Bottles Black



5328-39 Chicken Wire Ecu



5328-99 Chicken Wire Black


Selected fabrics from the Peppercottons collection



Oyster - 35



Deep Space - 98



True Taupe - 99



5329-91 Landscape Farm - Silver

# Cutting

## Cutting Instructions

*Please note: All strips are cut across the width of the fabric (WOF) from selvage to selvage unless otherwise noted. (WOF = Width of Fabric, LOF = Length of Fabric).*

### **Fabric A (5322-39 Cows - Ecrú), cut:**

\*(1) 4-1/2" x WOF strip. Sub-cut two 4-1/2" squares.

### **Fabric B (5325-99 Words - Black), cut:**

\*(1) 4-7/8" x WOF strip. Sub-cut four 4-7/8" squares; cut once diagonally. (R)

### **Fabric C (5328-39 Chicken Wire - Ecrú), cut:**

\*(1) 2-7/8" x WOF strip. Sub-cut eight 2-7/8" x 5-1/4" rectangles.

### **Fabric D (5327-99 Milk Bottles - Black), cut:**

\*(1) 5-5/8" x WOF strip. Sub-cut four 5-5/8" squares; cut once diagonally. (S)

### **Fabric E (5321-39 Wildflowers - Ecrú), cut:**

\*(1) 7-3/4" x WOF strip. Sub-cut two 7-3/4" squares; cut twice diagonally. (T)

### **Fabric F (Peppered Cottons-35 Oyster), cut:**

\*(2) 2-7/8" x WOF strips. Sub-cut sixteen 2-7/8" squares; cut **eight squares** once diagonally. (U1)

\*(1) 3-5/8" x WOF strip. Sub-cut:

- (4) 3-5/8" squares; cut twice diagonally. (U2)

- (2) 2-1/2" x 12-1/2" sashing strips.

\*(1) 5-1/4" x WOF strip. Sub-cut:

- (2) 5-1/4" squares; cut twice diagonally. (U3)

- (4) 4-7/8" squares; cut once diagonally. (U4)

- (1) 2-1/2" x 12-1/2" sashing strip.

\*(4) 1-1/2" x WOF strips for border 1.

### **Fabric G (5326-93 Chickens on Gingham - Charcoal/Ecrú), cut:**

\*(7) 1-1/2" x WOF strips for border 1 (placemats).

\*(4) 2-1/2" x WOF strips for border 2.

### **Fabric H (5328-99 Chicken Wire - Black), cut:**

\*(6) 2" x WOF strips.

\*(1) 7-3/4" x WOF strip. Sub-cut two 7-3/4" squares; cut twice diagonally. (V)

### **Fabric I (5320-90 Cotton Plant - Charcoal), cut:**

\*(6) 2" x WOF strips.

\*(1) 7-3/4" x WOF strip. Sub-cut two 7-3/4" squares; cut twice diagonally. (W)

### **Fabric J (5330-99 Blocks - Black), trim:**

\*(6) 7" squares.

## Sewing

### Fabric K (Peppered Cottons-98 Deep Space), cut:

- \* (1) 2-1/2" x WOF strip. Sub-cut:
  - Eight 2-1/2" squares.
  - Eight 2-3/8" squares: cut once diagonally. (X1)
- \* (1) 3-5/8" x WOF strip. Sub-cut four 3-5/8" squares; cut twice diagonally. (X2)
- \* (1) 7-3/4" x WOF strip. Sub-cut two 7-3/4" squares; cut twice diagonally. (X3)
- \* (5) 2-1/2" x WOF strips for binding.

### Fabric L (5329-91 Landscape Farm – Silver), cut:

- \* (5) 2" x WOF strips for border 5.
- \* (4) 1-1/2" x WOF strips for border 2, sides (placemats).
- \* (6) 2-3/4" x WOF strips for border 2, top/bottom (placemats).

### Fabric M (Peppered Cottons-99 True Taupe), cut:

- \* (1) 1-1/2" x WOF strip. Sub-cut six 1-1/2" x 7" sashing strips.
- \* (1) 5-1/4" x WOF strip. Sub-cut:
  - (2) 5-1/4" squares: cut twice diagonally. (Y)
  - (4) 2-5/8" squares.
  - (2) 2-7/8" squares.
- \* (5) 1" x WOF strips for border 4.
- \* (12) 2-1/2" x WOF strips for binding (placemats).

## Block Assembly

### TABLE RUNNER

1. Fold a 2-1/2" Fabric K square in half with right sides together. Mark the center on adjacent sides of the square. Fold two Fabric F triangles U1 with wrong sides together and crease to mark the center. Nesting the centers, sew the triangles to adjacent sides of the Fabric K square. Press the seams open. Repeat to make eight units. Then, sew a Fabric B triangle R to each unit (*figure 1*). Press the seams toward the last triangle. The units will measure 4-1/2".





Figure 1 – Make 8.

2. Noting the fabric orientation, join a Fabric F triangle U3 to a Fabric M triangle Y (triangle Y atop the triangle U3). Make four units and press the seam toward the dark fabric. Next, sew four more units – this time with the Fabric F triangle U3 atop the Fabric M triangle Y. Then, sew a Fabric F triangle U4 to each unit and press the seams toward the last triangle (*figure 2, next page*). Make a total of eight 4-1/2" units.

## Sewing



3. Noting the fabric orientation, sew one step 2 Z and one Z1 units to opposite sides of a 4-1/2” Fabric A square (figure 3). Press the seams toward the center. Repeat to make two center strips.



Figure 3 – Make 2.

4. Referring to figure 4 below for patch orientation, sew one step 2 Z and one Z1 unit in between two step 1 units and press the seams away from the center. Repeat to make two top and two bottom strips.



Top strip

Bottom Strip

Figure 4 – Make 2 of each.

5. Assemble two 12-1/2” blocks by sewing the step 4 top and bottom strips to the step 3 center strips (figure 5). Press the seams open and trim blocks to size if necessary.



Figure 5

6. Fold a 2-7/8” Fabric F square in half with right sides together. Mark the center on adjacent sides of the square. Fold two Fabric K triangles X2 with wrong sides together and crease to mark the center. Nesting the centers,

## Sewing

sew the triangles to adjacent sides of the Fabric F square. Press the seams open. Repeat to make eight units. Next, sew a Fabric F triangle U2 to next to each Fabric K triangle. Then, sew a Fabric D triangle S to each unit and press the seams toward the last triangle (*figure 6*). The patches measure 5-1/4".




Figure 6 – Make 8.

7. Sew a 2-7/8" x 5-1/4" Fabric C rectangle in between two step 6 patches and press the seams toward rectangles (*figure 7*). Repeat to make four strips.



Figure 7 – Make 2.

8. Sew a 2-7/8" Fabric M square in between two 2-7/8" x 5-1/4" Fabric C rectangles (*figure 8*). Press the seams toward rectangles. Repeat to make two strips.



Figure 8 – Make 2.

9. Sew a step 7 strip to the top and one to the bottom of the step 8 strips to make two 12-1/2" blocks (*figure 9*). Press the seams toward the center strip. Trim the block to size if necessary.



Figure 9

10. Fold one 2-5/8" Fabric M square in half with right sides together. Mark the center on opposite sides of the square. Fold two Fabric K triangles X1 with wrong sides together and crease to mark the center. Nesting the

## Sewing

centers, sew the Fabric K triangles X1 to opposite sides of the Fabric M square. Press the seams open. In the same manner, sew two more triangles X1 to the other sides of the same square (*figure 10*). Press open and trim ears. Repeat to make four 3-1/2" units.




Figure 10 – Make 4.

11. Sew a 2" Fabric H strip to a 2" Fabric I strip to make a strip set. Press the seams to the dark fabric. Repeat to make six strip sets. Cross-cut strip sets into 112 2" sections. Sew the sections together two by two to make fifty-six 3-1/2" 4-patches (*figure 11*). Press the seams open.




Figure 11 – Make 56.

### Table Runner Assembly

*(Follow the diagram and photograph while assembling the table runner.)*

12. Following the quilt photo for block placement, lay out one column of four blocks and three 2-1/2" x 12-1/2" Fabric F sashing strips. Sew the blocks and sashing strips together in order.

13. For border 1, join the four 1-1/2" Fabric F strips border strips together end to end using diagonal seams. Measure the vertical length of the runner through the center and cut two border strips that length. Sew one strip to each side of it. Measure the width of the runner through the center. Cut two border strips that length and sew one to the top and one to the bottom. Press the seams toward the borders.

14. Repeat step 13 with the four 2-1/2" Fabric G strips to make and add border 2. The table runner measures 18-1/2" x 60-1/2" up to here.

15. For border 3, and referring to the quilt photo for block placement, arrange eighteen step 11 blocks for each side of the runner. Sew blocks together and sew one border strip to each side of the runner. Press the seams toward the center.

16. To finish border 3, make two strips with six step 11 and two step 10 blocks each and sew one strip to the top and one to the bottom of the runner. Press the seams toward the borders.

17. Repeat step 13 with the five 1" Fabric M strips to make and add border 4.

## Sewing

18. Repeat step 13 with the five 2" Fabric L strips to make and add border 5.

### Layering, Quilting, and Finishing

19. Create a quilt sandwich with the batting between the table runner and the backing. Pin or baste layers together, mark quilting design, and quilt by hand or machine. When quilting is complete, remove pins or basting and trim batting and backing even with raw edges of the runner.

### Binding

20. Join the five 2-1/2" Fabric K binding strips together end to end using a diagonal seam to make one long strip. Fold in half lengthwise and press. Sew binding to the edges of the table runner, mitering corners, and overlapping ends. Fold binding to the back of the runner and stitch it in place by hand to finish.

## PLACEMATS

1. Sew a Fabric E triangle T to a Fabric K triangle X3 and press the seam in one direction. Sew a Fabric I triangle W to a Fabric H triangle V and press the seam in the opposite direction. Sew the two units together and press the seam open. Repeat to make six 7" blocks (*figure 1*).



Figure 1 – Make 6.

2. Sew a 1-1/2" x 7" Fabric M sashing strip in between a step 1 block and a 7" Fabric J square (*figure 2*). Press the seams toward the center. Repeat to make six 7" x 14-1/2" center trips.



Figure 2 – Make 6.

### Placemat Assembly

3. For border 1, join the seven 1-1/2" Fabric G strips together end to end using diagonal seams. Sew the strip to the sides of the placemats and trim the extra length. Press the seams toward the borders. Repeat with the top and the bottom of the placemats.

## Sewing


4. For border 2, join the four 1-1/2" Fabric L strips and sew the long strip to the sides only of all the placemats, cutting the extra length after every addition. Press the seams toward borders.
5. Repeat step 4 with the six 2-3/4" Fabric L strips to make and add the top and bottom of border 2.

### Layering, Quilting, and Finishing

6. Create a quilt sandwich with the batting between the placemats and the backing. Pin or baste layers together, mark quilting design, and quilt by hand or machine. When quilting is complete, remove pins or basting and trim batting and backing even with raw edges of the placemats.

### Binding

7. Join the twelve 2-1/2" Fabric M binding strips together end to end using a diagonal seam to make one long strip. Fold in half lengthwise and press. Sew binding to the edges of the placemats, mitering corners, and overlapping ends. Fold binding to the back of the placemats and stitch it in place by hand to finish.



©2020 Studio e Fabrics®

*Every effort has been made to ensure that all projects are error free. All the information is presented in good faith; however, no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check [www.studioefabrics.net](http://www.studioefabrics.net) for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.*

# Diagram

