UPDATED ON AUGUST 28, 2018 STUDIO·€·PROJECTS ● www.studioefabrics.net A Free Project Sheet **A** NOT FOR RESALE QUILT 1

Featuring fabrics from the Christmas Village collection by Art Loft for STUDIO

Fabric Requirements

(H) White Sugar-09**	ʿ1 ⅔ yards
(I) 4249M-99	2 ¼ yards
(J) 4254M-66	5∕% yard*
Backing	
4251M-44	3 ¾ yards

* Includes Binding

** Peppered Cottons Collection

Additional Supplies Needed

Batting 66" x 81" (Recommended: Air Lite® Colour Me 100% Cotton) Piecing and sewing thread Quilting and sewing supplies

Quilt designed by Heidi Pridemore Finished Quilt Size 58" x 73" Skill Level: Intermediate

• STUDIO **e** PROJECTS• www.studioefabrics.net **Fabrics in the Collection**



Village Scenic - White 4248-11



Ornaments - Black 4250M-99



Snowflake Medallions Black - 4252M-99



Poinsettia - Cream 4251M-44



Fir Trees - Black 4253-99



Christmas Labels - Red 4255M-88



Poinsettia Border Stripe Black - 4249M-99



Poinsettia - Black 4251M-99



Christmas Plaid - Green 4254M-66



Seasonal Words - White 4256M-11




Ornaments - Cream 4250M-44



Snowflake Medallions Cream - 4252M-44




Christmas Plaid - Red 4254M-88



White Sugar White Sugar-09



Green Tea Green Tea-22



Garnet Garnet-26



Emerald Emerald-30

Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (4256M-11 Seasonal Words - White), cut:

• (1) 3 ¹/₂" x WOF strip, sub-cut (6) 3 ¹/₂" squares.

Fabric B (4254M-88 Christmas Plaid – Red), cut:

- (1) 4 ¹/₄" x WOF strip, sub-cut (6) 4 ¹/₄" squares. Cut each square across both diagonals to make (24) large triangles.
- (3) 2 ¹/₄" x WOF strips, sub-cut (48) 2 ¹/₄" squares.
- (4) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 60 ½" strips.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 48 ½" strips.

Fabric C (4253-99 Fir Trees – Black), cut:

• (2) 4 ¹/₄" x WOF strips, sub-cut (12) 4 ¹/₄" squares. Cut each square across both diagonals to make (48) large triangles.

Fabric D (4252M-99 Snowflake Medallions - Black), cut:

- (2) 3 ¹/₂" x WOF strips, sub-cut (24) 3 ¹/₂" squares.
- (3) 3 7/8" x WOF strips, sub-cut (24) 3 7/8" squares.

Fabric E (4248-11 Village Scenic – White):

• Fussy cut (6) 9 ¹/₂" squares, each centered on a house.

Fabric F (Garnet-26 Peppered Cottons – Garnet), cut:

- (3) 1" x WOF strips, sub-cut (12) 1" x 10 ½" strips.
- (3) 1" x WOF strips, sub-cut (12) 1" x 9 ½" strips.

Fabric G (Emerald-30 Peppered Cottons - Emerald), cut:

- (2) 2" x WOF strips, sub-cut (24) 2" x 3 ½" strips.
- (3) 3 ¾" x WOF strips, sub-cut (24) 3 ¾" squares. Cut each 3 ¾" square across both diagonals to make (96) triangles.
- (2) 1 1/2" x WOF strips, sub-cut (24) 1 1/2" x 3 1/2" strips.
- (2) 1 ¹/₂" x WOF strips, sub-cut (48) 1 ¹/₂" squares.

Fabric H (White Sugar-09 Peppered Cottons - White Sugar), cut:

- (1) 4 ¹/₄" x WOF strip, sub-cut (6) 4 ¹/₄" squares. Cut each square across both diagonals to make (24) small triangles.
- (3) 2" x WOF strips, cub-cut (48) 2" squares.
- (2) 1" x WOF strips, cub-cut (24) 1" x 3 ½" strips.
- (2) 3 ¹/₂" x WOF strips, sub-cut (24) 3 ¹/₂" squares.
- (3) 3 7/8" x WOF strips, sub-cut (24) 3 7/8" squares.
- (4) 3 3%" x WOF strips, sub-cut (48) 3 3/8" squares. Cut each 3 3%" square across one diagonal to make (96) large triangles.
- (2) 3" x WOF strips, sub-cut (24) 3" squares.

Fabric I (4249M-99 Poinsettia Border Stripe – Black):

- Fussy cut (2) 5 ¹/₂" x 77" LOF strips, each centered on a wide flower stripe.
- Fussy cut (2) 5 ½" x 62" LOF strips, each centered on a wide flower stripe.

Fabric J (4254M-66 Christmas Plaid – Green), cut:

• (7) $2\frac{1}{2}$ x WOF strips for the binding.

Backing (4251M-44 Poinsettia - Cream), cut:

• (2) 66" x WOF strips. Sew the strips together and trim to 66" x 81" to make the back.

Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Block Assembly


1. Sew (2) Fabric C triangles, (1) Fabric H small triangle and (1) Fabric B triangle together to make (1) Unit 1 square (Fig. 1). Trim unit to measure $3\frac{1}{2}$ " square. Repeat to make (24) Unit 1 squares total.

2. Sew (1) $3\frac{1}{2}$ " Fabric D square to each side of (1) Unit 1 square to make the top row. Repeat to make the bottom row. Sew (1) Unit 1 square to each side of (1) $3\frac{1}{2}$ " Fabric A square. Pay attention to the orientation of the units. Sew the (3) rows together to make (1) Unit 2 square (Fig. 2). Pay attention to the orientation of the rows. Repeat to make (6) Unit 2 squares total.


3. Place (1) 2" Fabric H square on the left side of (1) 2" x 3 $\frac{1}{2}$ " Fabric G strip, right sides together (Fig. 3). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 3). Flip open the triangle formed and press (Fig. 4). Trim away the excess fabric from behind the triangle, leaving a $\frac{1}{4}$ " seam allowance.


4. Place another 2" Fabric H square on the right side of the 2" x 3 ½" Fabric G strip, right sides together (Fig. 5). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 5). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) Unit 3 strip (Fig. 6).

5. Repeat Steps 3-4 to make (24) Unit 3 strips total.



7. Place (1) 3 ⁷/₈" Fabric H square on top of (1) 3 ⁷/₈" Fabric D square, right sides together. Draw a line across the diagonal of the top square (Fig. 8). Sew ¹/₄" away from each side of the drawn diagonal line (Fig. 8). Cut the (2) squares apart on the drawn diagonal line (Fig. 9) to make (2) half-square triangles. Trim the half-square triangles to measure 3 ¹/₂" square to make (2) Unit 5 squares (Fig. 10).






8. Place (1) 1 ¹/₂" Fabric G square on the bottom right corner of (1) Unit 5 square, right sides together (Fig. 11). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 11). Flip open the triangle formed and press (Fig. 12). Trim away the excess fabric from behind the triangle ¹/₄" away from the sewn seam to make (1) Unit 6 square.

9. Repeat Steps 7-8 to make (48) Unit 6 squares total.


10. Sew (1) Unit 6 square to each side of (1) Unit 4 square to make (1) Unit 7 strip (Fig. 13). Repeat to make (12) Unit 7 strips total.


11. Sew (1) Unit 6 square to each side of (1) Unit 4 square. Sew (1) 3 ½" Fabric H square to each end of the sewn strip to make (1) Unit 8 strip (Fig. 14). Repeat to make (12) Unit 8 strips total.



12. Sew (1) Unit 7 strip to each side of (1) Unit 2 square. Sew (1) Unit 8 strip to the top and to the bottom of the Unit 2 square to make (1) Block One square (Fig. 15). Repeat to make (6) Block One squares total.

13. Sew (1) 1" x 9 $\frac{1}{2}$ " Fabric F strip to each side of (1) 9 $\frac{1}{2}$ " Fabric E square. Sew (1) 1" x 10 $\frac{1}{2}$ " Fabric F strip to the top and to the bottom of the Fabric E square to make (1) Unit 9 square (Fig. 16). Repeat to make (6) Unit 9 squares total.






14. Sew (1) Fabric G triangle to the upper right side and to the lower left side of (1) 2 ¼" Fabric B square to make (1) Unit 10 strip (Fig. 17). Repeat to make (24) Unit 10 strips total.

15. Sew (1) Fabric G triangle to the upper left side and to the lower right side of (1) 2 ¼" Fabric B square to make (1) Unit 11 strip (Fig. 18). Repeat to make (24) Unit 11 strips total.


16. Sew (1) Fabric H large triangle to opposite long sides of (1) Unit 10 strip to make (1) Unit 12 strip (Fig. 19). Repeat to make (24) Unit 12 strips total.

17. Sew (1) Fabric H large triangle to opposite long sides of (1) Unit 11 strip to make (1) Unit 13 strip (Fig. 20). Repeat to make (24) Unit 13 strips total.




18. Sew (1) Unit 12 strip to the left side of (1) Unit 13 strip to make (1) Unit 14 strip (Fig. 21). Repeat to make (24) Unit 14 strips total.

19. Sew (1) 3" Fabric H square to each end of (1) Unit 14 strip to make (1) Unit 15 strip (Fig. 22). Repeat to make (12) Unit 15 strips total.



20. Sew (1) Unit 14 strip to each side of (1) Unit 9 square. Pay attention to the orientation of the strips. Sew (1) Unit 15 strip to the top and to the bottom of the Unit 9 square to make (1) Block Two square (Fig. 23). Repeat to make (6) Block Two squares total.



Block Two

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)

21. Sew (1) Block One square to each side of (1) Block Two square to make Row One. Repeat to make Row Three.

22. Sew (1) Block Two square to each side of (1) Block One square to make Row Two. Repeat to make Row Four.

23. Sew the (4) Rows together in numerical order to make the Center Block. Sew (1) $2^{"} \times 60^{\frac{1}{2}"}$ Fabric B strip to each side of the Center Block. Sew (1) $2^{"}$ x 48 $\frac{1}{2}^{"}$ Fabric B strip to the top and to the bottom of the Center Block.

24. Center (1) 5 ¹/₂" x 77" Fabric I strip on (1) side of the Center Block and pin in place. Start sewing the strip a ¼" from the top edge of the block and stop a ¼" from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

25. Repeat Step 24 to sew (1) 5 ¹/₂" x 62" Fabric I strip to the top and to the bottom of the Center Block, making sure to stop and start 1/4" away from each end of the block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 24).

Lunt of of nat QuitTOP Fig. 24

26. Starting at the sewn seam (represented by the arrow in Figure 24), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a ¹/₄" seam. Repeat this step with the remaining corners to make the quilt top.


Layering, Quilting and Finishing


27. Press the quilt top and 66" x 81" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

28. Cut the ends of the (7) Fabric J binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

29. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.







Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check <u>www.studioefabrics.net</u> for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.