

Essential Heroes

A Free Project Sheet NOT FOR RESALE



QUILT 1

Featuring fabrics from the **Essential Heroes** collection by **Chelsea DesignWorks** for **S-T-U-D-I-O**

Fabric Requirements

rabite nequirements	
(A) 5659P-78	1 panel
(B) 1351-Navy**	⅓ yard
(C) 5658-1W	1 1/8 yards
(D) 5650-78	¼ yard
(E) 5649-9	¼ yard
(F) 5652-78	½ yard
(G) 5656-71	¼ yard
(H) 5653-88	⅓ yard

¼ yard
1 ⅔ yard
* 5⁄8 yard*
3 ¾ yards

^{*} Includes Binding
** Just Color! Collection

Additional Supplies Needed

Batting 65" x 80" (Recommended: Air Lite® Colour Me 100% Cotton) Piecing and sewing thread Quilting and sewing supplies


Quilt designed by Heidi Pridemore Finished Quilt Size 57" x 72" Skill Level: Advanced Beginner

•STUDIO e PROJECTS• www.studioefabrics.net

Fabrics in the Collection



Essential Workers Gray – 5649-9



Essential Vehicles Patriotic – 5650-78



Thank You Stripe Patriotic – 5651-78



Waving Flags Patriotic – 5652-78




Face Masks Light Blue – 5653-18



Face Masks Red – 5653-88



Words of Thanks Patriotic – 5654-78



Stethoscopes White – 5655-1



Clapping Hands Medium Blue – 5656-71



Essential Symbols Medium Blue – 5657-71



Helping Hands Flag Panel Patriotic – 5659P-78



Small Stars Pigment White – 5658-1W





Burgundy 1351-Burgundy



Navy 1351-Navy



Pewter 1351-Pewter

• STUDIO **e** PROJECTS • www.studioefabrics.net

Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (5659P-78 Helping Hands Flag Panel - Patriotic):

• Fussy cut (1) 28 ½" x 42 ½" rectangle, centered on the panel.

Fabric B (1351-Navy Just Color! – Navy), cut:

- (2) 2 ½" x 31 ½" WOF strips.
- (2) $2'' \times 42 \frac{1}{2}''$ WOF strips, piece as needed.

Fabric C (5658-1W Small Stars – Pigment White), cut:

- (5) 3" x WOF strips, sub-cut (60) 3" squares.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 55 ½" strip.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 43 ½" strip.
- (5) 1 ½" x WOF strips, sub-cut (120) 1 ½" strips.

Fabric D (5650-78 Essential Vehicles - Patriotic), cut:

• (1) 5 ½" x WOF strip, sub-cut (4) 5 ½" squares.

Fabric E (5649-9 Essential Workers - Gray), cut:

- (1) 3" x WOF strip, sub-cut (6) 3" x 5 ½" strips.
- (1) 3" x WOF strip, sub-cut (12) 3" squares.

Fabric F (5652-78 Waving Flags - Patriotic), cut:

- (1) 7 ½" x WOF strip, sub-cut (4) 7 ½" squares.
- (1) 3" x WOF strip, sub-cut (6) 3" x 5 ½" strips.
- (1) 3" x WOF strip, sub-cut (12) 3" squares.

Fabric G (5656-71 Clapping Hands – Medium Blue), cut:

- (1) 3" x WOF strip, sub-cut (6) 3" x 5 ½" strips.
- (1) 3" x WOF strip, sub-cut (12) 3" squares.

Fabric H (5653-88 Face Masks - Red), cut:

- (2) 3" x WOF strips, sub-cut (8) 3" x 5 $\frac{1}{2}$ " strips.
- (2) 3" x WOF strips, sub-cut (16) 3" squares.

Fabric I (5657-71 Essential Symbols - Medium Blue), cut:

- (1) 3" x WOF strip, sub-cut (4) 3" x 5 ½" strips.
- (1) 3" x WOF strip, sub-cut (8) 3" squares.

Fabric J (5651-78 Thank You Stripe - Patriotic), cut:

- (2) 7 ½" x 58 ½" LOF strips.
- (2) 7 ½" x 43 ½" LOF strips.

Fabric K (1351-Burgundy Just Color! - Burgundy), cut:

• (7) 2 ½" x WOF strips for the binding.

Backing (5654-78 Words of Thanks - Patriotic), cut:

• (2) 65" x WOF strips. Sew the strips together and trim to 65" x 80" to make the back.




Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

- 1. Sew (1) 2" x 42 $\frac{1}{2}$ " Fabric B strip to each side of the 28 $\frac{1}{2}$ " x 42 $\frac{1}{2}$ " Fabric A panel. Sew (1) 2 ½" x 31 ½" Fabric B strip to the top and to the bottom of the Fabric A panel to make the Center Block (Fig. 1). **Trim the block to measure 30 ½" x 45 ½".**
- 2. Place (1) 3" Fabric C square on the left side of (1) 3" x 5 ½" Fabric H strip, right sides together (Fig. 2). Sew across the diagonal of the square from the upper left corner to the lower roght corner. Flip open the triangle formed and press (Fig. 3). Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance (Fig. 3).
- 3. Place another 3" Fabric C square on the right side of the 3" x 5 ½" Fabric H strip, right sides together (Fig. 4). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 4). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to make (1) Unit 1 strip (Fig. 5).



В Fig. 1

4. Repeat Steps 2-3 to make (8) Unit 1 strips total.



Fig. 2



Fig. 3



Fig. 4



5. Repeat Steps 2-3 and refer to Figures 6-9 for fabric identification, location and seam direction to make (6) Unit 2 strips, (4) Unit 3 strips (6) Unit 4 strips and (6) Unit 5 strips.



Fig. 6



Fig. 7



Fig. 8



Fig. 9

- 6. Place (1) 1 1/2" Fabric C square on the top left corner of (1) 3" Fabric H square, right sides together (Fig. 10). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 10). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle 1/4" away from the sewn seam (Fig. 11).
- 7. Follow Figure 12 for the seam direction to add a 1 ½" Fabric C square to the upper right corner of the 3" Fabric H square to make (1) Unit 6 square (Fig. 13).





Unit 6

Fig. 11

Fig. 12 Fig. 13

• STUDIO e PROJECTS • www.studioefabrics.net

9. Repeat Steps 6-7 and refer to Figures 14-17 for fabric identification, location and seam direction to make (12) Unit 7 squares, (8) Unit 8 squares, (12) Unit 9 squares and (12) Unit 10 squares.



make 8

Unit 8

Unit 9 make 12

Fig. 16



Fig. 14

14 Fig. 15


Fig. 17


10. Sew together (2) Unit 6 squares. Sew (1) Unit 1 strip to the bottom of the newly sewn strip to make (1) Block One square (Fig. 18). The block should measure $5\frac{1}{2}$ " x $5\frac{1}{2}$ ". Repeat to make (8) Block One squares total.


Block One make 8 Unit Unit 6 6

11. Repeat Step 10 and refer to Figures 19-22 for component identification, location and orientation to make (6) Block Two squares, (4) Block Three squares, (6) Block Four squares and (6) Block Five squares.

Fig. 18










Fig. 22

- 12. Follow Figure 23 and sew together (9) assorted Block squares to make the Left Side Border.
- 13. Follow Figure 24 and sew together (9) assorted Block squares to make the Right Side Border.
- 14. Follow Figure 25 and sew together (6) assorted Block squares. Sew (1) 5 ½" Fabric D square to each end of the newly sewn strip to make the Top Border.
- 15. Follow Figure 26 and sew together (6) assorted Block squares. Sew (1) 5 ½" Fabric D square to each end of the newly sewn strip to make the Bottom Border.








Fig. 26

Fig. 23

Fig. 24

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)


- 16. Sew the Left Side Border and Right Side Border to the left and to the right side of the Center Block.
- 17. Sew the Top Border and Bottom Border to the top and to the bottom of the Center Block.
- 18. Sew (1) 2" x 55 ½" Fabric C strip to each side of the Center Block. Sew (1) 2" x 43 ½" Fabric C strip to the top and to the bottom of the Center Block.
- 19. Sew (1) 7 ½" x 58 ½" Fabric J strip to each side of the Center Block. Sew (1) 7 ½" Fabric F square to each end of (1) 7 ½" x 43 ½" Fabric J strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Center Block to make the quilt top.

Layering, Quilting and Finishing

20. Press the quilt top and 65" x 80" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

- 21. Cut the ends of the (7) Fabric K binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.
- 22. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.studioefabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.