


Fall into Autumn

• A Free Project Sheet •
• NOT FOR RESALE •

QUILT 1



Featuring fabrics from the **Fall into Autumn** collection by **Art Loft** for **STUDIO e fabrics**

Fabric Requirements

(A) 7259P-38	1 panel
(B) 7255-88	1 ½ yards*
(C) 7254-38	¾ yard
(D) Marine Blue-11**	1 ⅛ yards
(E) 7251-33	¾ yard
(F) 7253-88	⅞ yard
(G) 7251-68	⅞ yard
(H) 7252-35	⅜ yard

(I) Vanilla-46**	⅝ yard
(J) 7257-33	2 ¾ yards
Backing	
7249-33	5 ¾ yards

* Includes Binding

** Peppercottons Collection

Additional Supplies Needed

Batting 80" x 100" (Recommended:
Air Lite® Colour Me 100% Cotton)
Piecing and sewing thread
Quilting and sewing supplies

Quilt designed by Heidi Pridemore
Finished Quilt Size 72" x 92"
Skill Level: Intermediate

Please check our website for pattern updates before starting this project.

Fabrics in the Collection



Tossed Autumn Crates
Cream – 7249-33



Harvest Toss
Brown – 7250-38



Tossed Leaves
Cream – 7251-33



Tossed Leaves
Forest – 7251-68



Paisley
Rust – 7252-35



Medallion
Red – 7253-88



Flourish
Brown – 7254-38



Flourish Mini
Gold – 7255-44



Flourish Mini
Red – 7255-88



Sunflowers
Gold – 7256-44



Border Stripe
Cream – 7257-33



Placemat
Cream – 7258P-33



Harvest Panel 24 Inches x 44 Inches
Brown – 7259P-38

Select Fabrics from
Peppered Cottons



Green Tea
Green Tea-22



Marine Blue
Marine Blue-11



Vanilla
Vanilla-46

Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (7259P-38 Harvest Panel 24 Inches x 44 Inches – Brown):

- Fussy cut (1) 22 ½" x 42 ½" rectangle, centered on the panel.

Fabric B (7255-88 Flourish Mini – Red), cut:

- (2) 3" x 42 ½" WOF strips, piece as needed.
- (2) 2 ½" x 27 ½" WOF strips.
- (4) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 76 ½" strips.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 59 ½" strips.
- (9) 2 ½" x WOF strips for the binding.

Fabric C (7254-38 Flourish – Brown), cut:

- (5) 2 ½" x WOF strips, sub-cut (80) 2 ½" squares.
- (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 45 ½" strips.
- (2) 2" x 28 ½" WOF strips.

Fabric D (Marine Blue-11 Peppered Cottons – Marine Blue), cut:

- (5) 4 ½" x WOF strips, sub-cut (42) 4 ½" squares.
- (4) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 66 ½" strips.
- (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 48 ½" strips.

Fabric E (7251-33 Tossed Leaves – Cream), cut:

- (6) 2 ½" x WOF strips, sub-cut (88) 2 ½" squares.
- (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 56 ½" strips.
- (2) 1 ½" x 38 ½" WOF strips.

Fabric F (7253-88 Medallion – Red), cut:

- (3) 4 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 4 ½" x 58 ½" strips.
- (3) 4 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 4 ½" x 46 ½" strips.

Fabric G (7251-68 Tossed Leaves – Forest), cut:

- (4) 4 ⅞" x WOF strips, sub-cut (28) 4 ⅞" squares. Cut the squares across (1) diagonal to make (56) 4 ⅞" triangles.
- (1) 5 ¼" square. Cut the square across both diagonals to make (4) 5 ¼" triangles. (You will only use 2.)

Fabric H (7252-35 Paisley – Rust), cut:

- (2) 5 ¼" x WOF strips, sub-cut (15) 5 ¼" squares. Cut the squares across both diagonals to make (60) 5 ¼" triangles.

Fabric I (Vanilla-46 Peppered Cottons – Vanilla), cut:

- (2) 5 ¼" x WOF strips, sub-cut (15) 5 ¼" squares. Cut the squares across both diagonals to make (60) 5 ¼" triangles. (You will only use 58).
- (1) 4 ½" x WOF strip, sub-cut (4) 4 ½" squares.

Fabric J (7257-33 Border Stripe – Cream), cut:

- (2) 7" x 96" LOF strips.
- (2) 7" x 76" LOF strips.

Backing (7249-33 Tossed Autumn Crates – Cream), cut:

- (2) 100" x WOF strips. Sew the strips together and trim to 80" x 100" to make the back.

Sewing

Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

1. Sew (1) $3'' \times 42\frac{1}{2}''$ Fabric B strip to each side of the $22\frac{1}{2}'' \times 42\frac{1}{2}''$ Fabric A rectangle. Sew (1) $2\frac{1}{2}'' \times 27\frac{1}{2}''$ Fabric B strip to the top and to the bottom of the Fabric A rectangle to make the Center Block (Fig. 1). **Trim the block to measure $26\frac{1}{2}'' \times 45\frac{1}{2}''$.**




Fig. 1 B

2. Place (1) $2\frac{1}{2}''$ Fabric E square on the top left corner of (1) $4\frac{1}{2}''$ Fabric D square, right sides together (Fig. 2). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 2). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle $\frac{1}{4}''$ away from the sewn seam (Fig. 3).

3. Follow Figure 4 for the seam direction to add a $2\frac{1}{2}''$ Fabric E square to the upper right corner and $2\frac{1}{2}''$ Fabric C squares to the lower left and lower right corners of the $4\frac{1}{2}''$ Fabric D square to make (1) Block One square (Fig. 5).

4. Repeat Steps 2-3 to make (38) Block One squares total.

5. Repeat Steps 2-3 and refer to Figure 6 for fabric identification, placement, seam direction and orientation to make (4) Block Two squares.




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

6. Sew together (12) Block One squares to make the Inner Left Side Border (Fig. 7).

7. Sew together (12) Block One squares to make the Inner Right Side Border (Fig. 8).

Inner Left
Side Border



Fig. 7

Inner Right
Side Border



Fig. 8

8. Sew together (7) Block One squares. Sew (1) Block Two square to each end of the newly sewn strip to make the Inner Top Border (Fig. 9).




Fig. 9

9. Sew together (7) Block One squares. Sew (1) Block Two square to each end of the newly sewn strip to make the Inner Bottom Border (Fig. 10).



Fig. 10

10. Sew together (1) 5 1/4" Fabric I triangle and (1) 5 1/4" Fabric H triangle along short sides. Sew (1) 4 7/8" Fabric G triangle to the long side of the newly sewn triangle to make (1) 4 1/2" Unit 1 square (Fig. 11). Repeat to make (28) Unit 1 squares total.



Fig. 11




Fig. 12

11. Repeat Step 10 and refer to Figure 12 for fabric identification, placement and orientation to make (28) Unit 2 squares.

12. Sew (1) Unit 1 square to the left side of (1) Unit 2 square, along the Fabric H sides, to make (1) Block Three rectangle (Fig. 13). Repeat to make (28) Block Three rectangles total.




Fig. 13

13. Follow Figure 14 and sew together (1) 5 1/4" Fabric I triangle, (2) 5 1/4" Fabric H triangles and (1) 5 1/4" Fabric G triangle to make (1) 4 1/2" Block Four square.




Fig. 14

14. Follow Figure 15 and sew together (1) 5 1/4" Fabric G triangle, (2) 5 1/4" Fabric H triangles and (1) 5 1/4" Fabric I triangle to make (1) 4 1/2" Block Five square.




Fig. 15

15. Sew together (4) Block Three rectangles, (1) Block Four square and (4) Block Three rectangles, end to end and in that order from top to bottom, to make the Outer Left Side Border (Fig. 16).

Outer Left
Side Border



Fig. 16

16. Sew together (4) Block Three rectangles, (1) Block Five square and (4) Block Three rectangles, end to end and in that order from top to bottom, to make the Outer Right Side Border (Fig. 17).

Outer Right
Side Border



Fig. 17

17. Sew together (6) Block Three rectangles end to end. Sew (1) 4 ½ Fabric I square to each end of the newly sewn strip to make the Outer Top Border (Fig. 18).



Fig. 18

18. Sew together (6) Block Three rectangles end to end. Sew (1) 4 ½ Fabric I square to each end of the newly sewn strip to make the Outer Bottom Border (Fig. 19).




Fig. 19

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)

19. Sew (1) 1 ½" x 45 ½" Fabric C strip to each side of the Center Block. Sew (1) 2" x 28 ½" Fabric C strip to the top and to the bottom of the Center Block.
20. Sew the Inner Left Side Border and Inner Right Side Border to the left and to the right sides of the Center Block.
21. Sew the Inner Top Border and the Inner Bottom Border to the top and to the bottom of the Center Block.
22. Sew (1) 1 ½" x 56 ½" Fabric E strip to each side of the Center Block. Sew (1) 1 ½" x 38 ½" Fabric E strip to the top and to the bottom of the Center Block.
23. Sew (1) 4 ½" x 58 ½" Fabric F strip to each side of the Center Block. Sew (1) 4 ½" x 46 ½" Fabric F strip to the top and to the bottom of the Center Block.
24. Sew (1) 1 ½" x 66 ½" Fabric D strip to each side of the Center Block. Sew (1) 1 ½" x 48 ½" Fabric D strip to the top and to the bottom of the Center Block.
25. Sew the Outer Left Side Border and Outer Right Side Border to the left and to the right sides of the Center Block.
26. Sew the Outer Top Border and the Outer Bottom Border to the top and to the bottom of the Center Block.
27. Sew (1) 2" x 76 ½" Fabric B strip to each side of the Center Block. Sew (1) 2" x 59 ½" Fabric B strip to the top and to the bottom of the Center Block.
28. Center (1) 7" x 96" Fabric J strip on (1) side of the Center Block and pin in place. Start sewing the strip a ¼" from the top edge of the block and stop a ¼" from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

29. Repeat Step 28 to sew (1) 7" x 76" Fabric J strip to the top and to the bottom of the Center Block, making sure to stop and start ¼" away from each end of the block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 20).

30. Starting at the sewn seam (represented by the arrow in Figure 20), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a ¼" seam. Repeat this step with the remaining corners to make the quilt top.




Fig. 20


Layering, Quilting and Finishing

31. Press the quilt top and 80" x 100" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

32. Cut the ends of the (9) Fabric B binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

33. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



*Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.studioefabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.*