■ STUDIO · C · PROJECTS www.studioefabrics.net

A Free Project Sheet
NOT FOR RESALE

Hello Alou

TABLE SET











Featuring fabrics from the **Hello Glow** collection by **Victoria Hutto** for **STUDIO**

Table Topper Fabric Requirements

6997G-33 2 3/4 yards

Place Mat Fabric Requirements

That I as it it qui ements	
(A) 6993G-93	⅔ yard
(B) 6996G-99	½ yard
(C) 7001G-99	¼ yard
(D) 6998G-66	¼ yard
(E) 7000G-93	¼ yard
(F) 1351-Orange**	¼ yard
(G) 6994G-66	¼ yard
(H) 6994G-99*	5⁄8 yard
Backing	
6997G-33	1 yard

Additional Supplies Needed

Batting (1) 46" x 46", (4) 21" x 16" (Recommended:

Air Lite® Colour Me 100% Cotton)
Piecing and sewing thread
Quilting and sewing supplies

Quilt designed by Heidi Pridemore Finished Table Topper Size 38" x 38" Finished Place Mat Size 17" x 12" Skill Level: Advanced Beginner

^{*} Includes Binding

^{**} Just Color! Collection

Fabrics in the Collection



24 Inch Block Repeat Glow in the Dark Multi – 6993G-93



Monotone Glow in the Dark Trees Green – 6994G-66



Ghosts Glow in the Dark Orange – 6997G-33



Skeleton Glow in the Dark Black – 7001G-99



Monotone Glow in the Dark Trees Black - 6994G-99



Bats Glow in the Dark Green – 6998G-66



Skulls Glow in the Dark Black – 7002G-99




Black Cats Glow in the Dark Orange – 6995G-33



Spiders Glow in the Dark Orange – 6999G-33



Novelty Stripe Glow in the Dark Multi – 7003G-39



Spiderweb Glow in the Dark Black – 6996G-99



Motifs in Circles Glow in the Dark Orange – 7000G-93






Grass 1351-Grass



Orange 1351-Orange



Pigment White 1351-Pigment White

STUDIO e PROJECTS www.studioefabrics.net

Table Topper Cutting

Table Topper Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (6993G-93 24 Inch Block Repeat Glow in the Dark - Multi):

• Fussy cut (4) 10" x 10 ½" rectangles, each centered on a block.

Fabric B (6994G-99 Monotone Glow in the Dark Trees - Black), cut:

- (2) 2 ¼" x WOF strips, sub-cut (8) 2 ¼" x 10 ½" strips.
- (3) 2" x WOF strips, sub-cut (8) 2" x 13 ½" strips.
- (4) 2 ½" x WOF strips for the binding.

Fabric C (7001G-99 Skeleton Glow in the Dark - Black), cut:

• (1) 4 ½" x WOF strip, sub-cut (4) 4 ½" squares.

Fabric D (6998G-66 Bats Glow in the Dark - Green), cut:

• (1) 4 ½" x WOF strip, sub-cut (5) 4 ½" squares.

Fabric E (7000G-93 Motifs in Circles Glow in the Dark - Black), cut:

• (1) 4 ½" x WOF strip, sub-cut (4) 4 ½" squares.

Fabric F (1351-Orange Just Color! - Orange), cut:

• (2) 2 ½" x WOF strips, sub-cut (32) 2 ½" squares.

Fabric G (6996G-99 Spiderweb Glow in the Dark - Black), cut:

- (2) 2 ½" x WOF strips, sub-cut (20) 2 ½" squares.
- (2) 1 ½" x 30 ½" WOF strips. (2) 1 ½" x 32 ½" WOF strips.

Fabric H (6994G-66 Monotone Glow in the Dark Trees - Green), cut:

- (2) 1 ½" x 28 ½" WOF strips.
- (2) 1 ½" x 30 ½" WOF strips.

Fabric I (6995G-33 Black Cats Glow in the Dark - Orange), cut:

- (2) 3 ½" x 32 ½" WOF strips.
- (2) 3 ½" x 38 ½" WOF strips.

Backing (6997G-33 Ghosts Glow in the Dark - Orange), cut:

• (2) 46" x WOF strips for the backing. Sew the strips together and trim to make the 46" x 46" back.


Table Topper Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Table Topper Block Assembly

Note: Pay attention to the unit orientations when assembling the various components.

1. Sew (1) $2\frac{1}{4}$ " x $10\frac{1}{2}$ " Fabric B strip to each side of (1) 10" x $10\frac{1}{2}$ " Fabric A strip. Sew (1) 2" x 13 1/2" Fabric B strip to the top and to the bottom of the Fabric A strip to make (1) Block One square (Fig. 1). **Trim the block to measure 12** ½" x **12** ½". Repeat to make (4) Block One squares total.



- 2. Place (1) 2 ½" Fabric F square on the top left corner of (1) 4 ½" Fabric C square, right sides together (Fig. 2). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 2). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle away from the sewn seam (Fig. 3).
- 3. Follow Figure 4 for the seam direction to add a 2 ½" Fabric F square to each of the remaining corners of the 4 ½" Fabric C square to make (1) Unit 1 square (Fig. 5).
- 4. Repeat Steps 2-3 to make (4) Unit 1 squares total.
- 5. Repeat Steps 2-3 and refer to Figures 6-7 for fabric identification, placement and seam direction to make (5) Unit 2 squares and (4) Unit 3 squares.







Fig. 3



Fig. 4



Fig. 5



Fig. 6




Fig. 7

6. Sew together (1) Unit 1 square, (1) Unit 2 square and (1) Unit 3 square, in that order from top to bottom, to make (1) Block Two strip (Fig. 8). Repeat to make (4) Block Two strips total.



Fig. 8

• STUDIO e PROJECTS • www.studioefabrics.net

7. Sew (1) Block One square to each side of (1) Block Two strip to make the top row. Repeat to make the bottom row. Sew (1) Block Two strip to each side of (1) Unit 2 square to make the middle row. Sew together the (3) rows lengthwise to make the $28 \frac{1}{2}$ " x $28 \frac{1}{2}$ " Center Block (Fig. 9).




Fig. 9

Table Topper Assembly

(Follow the Table Topper Layout in Figure 10 while assembling the table topper top.)

- 8. Sew (1) 1 $\frac{1}{2}$ " x 28 $\frac{1}{2}$ " Fabric H strip to each side of the Center Block. Sew (1) 1 $\frac{1}{2}$ " x 30 $\frac{1}{2}$ " Fabric H strip to the top and to the bottom of the Center Block.
- 9. Sew (1) 1 $\frac{1}{2}$ " x 30 $\frac{1}{2}$ " Fabric G strip to each side of the Center Block. Sew (1) 1 $\frac{1}{2}$ " x 32 $\frac{1}{2}$ " Fabric G strip to the top and to the bottom of the Center Block.
- 10. Sew (1) $3 \frac{1}{2}$ " x $32 \frac{1}{2}$ " Fabric I strip to each side of the Center Block. Sew (1) $3 \frac{1}{2}$ " x $38 \frac{1}{2}$ " Fabric I strip to the top and to the bottom of the Center Block to make the Table Topper top.

Table Topper Layering, Quilting and Finishing

11. Press the quilt top and 46" x 46" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Table Topper Binding

- 12. Cut the ends of the (4) Fabric B binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.
- 13. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.




Fig. 10

• STUDIO **e** PROJECTS • www.studioefabrics.net

Place Mat Cutting

Place Mat Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted. WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (6993G-93 24 Inch Block Repeat Glow in the Dark - Multi), cut:

• (4) 10" x 10 ½" rectangles, each centered on a block.

Fabric B (6996G-99 Spiderweb Glow in the Dark - Black), cut:

- (1) 2 ½" x WOF strip, sub-cut (16) 2 ½" squares.
- (2) 2 ¼" x WOF strips, sub-cut (8) 2 ¼" x 10 ½" strips.
- (3) 2" x WOF strips, sub-cut (8) 2" x 13 ½" strips.

Fabric C (7001G-99 Skeleton Glow in the Dark - Black), cut:

• (1) 4 ½" x WOF strip, sub-cut (4) 4 ½" squares.

Fabric D (6998G-66 Bats Glow in the Dark - Green), cut:

• (1) 4 ½" x WOF strip, sub-cut (4) 4 ½" squares.

Fabric E (7000G-93 Motifs in Circles Glow in the Dark - Black), cut:

• (1) 4 ½" x WOF strip, sub-cut (4) 4 ½" squares.

Fabric F (1351-Orange Just Color! - Orange), cut:

• (2) 2 ½" x WOF strips, sub-cut (32) 2 ½" squares.

Fabric G (6994G-66 Monotone Glow in the Dark Trees - Green), cut:

• (2) 1 ½" x WOF strips, sub-cut (4) 1 ½" x 12 ½" strips.

Fabric H (6994G-99 Monotone Glow in the Dark Trees - Black), cut:

• (7) 2 ½" x WOF strips for the binding.

Backing (6997G-33 Ghosts Glow in the Dark - Orange), cut:

• (2) 16" x WOF strips, sub-cut (4) 16" x 21" rectangles for the backings.


Place Mat Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Place Mat Block Assembly

Note: Pay attention to the unit orientations when assembling the various components.

14. Sew (1) $2\frac{1}{4}$ " x $10\frac{1}{2}$ " Fabric B strip to each side of (1) 10" x $10\frac{1}{2}$ " Fabric A strip. Sew (1) 2" x 13 1/2" Fabric B strip to the top and to the bottom of the Fabric A strip to make (1) Block Three square (Fig. 11). **Trim the block to measure 12 ½" x 12 ½".** Repeat to make (4) Block Three squares total.



- 15. Place (1) 2 ½" Fabric F square on the top left corner of (1) 4 ½" Fabric C square, right sides together (Fig. 12). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 12). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle 1/4" away from the sewn seam (Fig. 13).
- 16. Follow Figure 14 for the seam direction to add a 2 1/2" Fabric F square to each of the remaining corners of the 4 ½" Fabric C square to make (1) Unit 4 square (Fig. 15).
- 17. Repeat Steps 15-16 to make (4) Unit 4 squares total.
- 18. Repeat Steps 15-16 and refer to Figures 16-17 for fabric identification, placement and seam direction to make (4) Unit 5 squares and (4) Unit 6 squares.



Fig. 12





Fig. 13



Fig. 14



Fig. 15



Fig. 16




Fig. 17

19. Sew together (1) Unit 4 square, (1) Unit 5 square and (1) Unit 6 square, in that order from top to bottom, to make (1) Block Four strip (Fig. 18). Repeat to make (4) Block Four strips total.



Fig. 18

Place Mat Assembly

(Follow the Place Mat Layout in Figure 19 while assembling the place mats tops.)


20. Sew together (1) Block Four strip, (1) 1 ½" x 12 ½" Fabric G strip and (1) Block Three square, in that order from left to right, to make (1) Place Mat top (Fig. 19). Repeat to make (4) Place Mat tops total.

Place Mat Layering, Quilting and Finishing

21. Press the quilt top and 16" x 21" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Place Mat Binding

- 22. Cut the ends of the (7) Fabric H binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together. Cut the strip into (4) equal pieces.
- 23. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.studioefabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.