


A Free Project Sheet  
NOT FOR RESALE

# Laundry Room

QUILT 1



Featuring fabrics from the **Laundry Room** collection by **Chelsea DesignWorks** for **STUDIO e fabrics**

## Fabric Requirements

(A) 5967P-99 ..... 1 panel  
(B) 5964-90 ..... ½ yard  
(C) 1351-Pigment White\*\* ⅓ yard  
(D) 5962-99 ..... ⅞ yard\*  
(E) 5960-93 ..... ⅝ yard  
(F) 5954-99 ..... ⅞ yard  
(G) 5955-90 ..... ¼ yard

(H) 5952-93 ..... ⅞ yard  
Backing  
5965-93 ..... 3 ¼ yards


\* Includes Binding  
\*\* Just Color! Collection

## Additional Supplies Needed

Batting 56" x 77" (Recommended:  
Air Lite® Colour Me 100% Cotton)  
Piecing and sewing thread  
Quilting and sewing supplies  
Quilt designed by Heidi Pridemore  
Finished Quilt Size 48" x 69"  
Skill Level: Advanced Beginner

Please check our website for pattern updates before starting this project.

## Fabrics in the Collection



Folded Laundry  
Black - 5951-99




Ironing Boards and Supplies  
Warm Gray - 5952-93



Large Floral  
Black - 5953-99




Cotton Plant  
Black - 5954-99




Tossed Irons  
Light Gray - 5955-90



Tossed Underwear  
Light Gray - 5956-9



Hangers  
Light Gray - 5957-90




Tossed Lost Socks  
Black - 5958-99



Large Tossed Clothespins  
Black - 5959-99



Small Tossed Clothespins  
Warm Gray - 5960-93




Mini Ironing Boards Ditsy  
Light Gray - 5961-9




Laundry Symbols  
Black - 5962-99




Stain Removal Instructions  
White - 5963-9




Check  
Black and White - 5964-90



Soap Bubbles  
Warm Gray - 5965-93



Soap Bubbles  
Black - 5965-99



Laundry Room Stripe  
Black - 5966-99



Laundry Room Panel  
Black - 5967P-99

Select Fabrics from  
Just Color!



Pigment White  
1351-Pigment White

## Cutting

### Cutting Instructions

*Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

#### **Fabric A (5967P-99 Laundry Room Panel – Black):**

- Fussy cut (1) 20 ½" x 41 ½" rectangle, centered on the panel.

#### **Fabric B (5964-90 Check – Black and White), cut:**

- (2) 2" x 41 ½" WOF strips.
- (2) 2 ½" x 23 ½" WOF strips.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 48 ½" strips.

#### **Fabric C (1351-Pigment White Just Color! – Pigment White), cut:**

- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 43 ½" strips.
- (2) 1 ½" x 25 ½" WOF strips.

#### **Fabric D (5962-99 Laundry Symbols – Black), cut:**

- (2) 6 ¼" x WOF strips, sub-cut (7) 6 ¼" squares. Cut the squares across both diagonals to make (28) 6 ¼" triangles.
- (6) 2 ½" x WOF strips for the binding.

#### **Fabric E (5960-93 Small Tossed Clothespins – Warm Gray), cut:**

- (3) 6 ¼" x WOF strips, sub-cut (14) 6 ¼" squares. Cut the squares across both diagonals to make (56) 6 ¼" triangles.

#### **Fabric F (5954-99 Cotton Plant – Black), cut:**

- (2) 6 ¼" x WOF strips, sub-cut (7) 6 ¼" squares. Cut the squares across both diagonals to make (28) 6 ¼" triangles.
- (3) 3" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 3" x 55 ½" strips.
- (2) 3" x 40 ½" WOF strips.

#### **Fabric G (5955-90 Tossed Irons – Light Gray), cut:**

- (1) 5 ½" x WOF strip, sub-cut (4) 5 ½" squares.

#### **Fabric H (5952-93 Ironing Boards and Supplies – Warm Gray), cut:**

- (3) 4 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 4 ½" x 60 ½" strips.
- (3) 3 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 3 ½" x 48 ½" strips.

#### **Backing (5965-93 Soap Bubbles – Warm Gray), cut:**

- (2) 56" x WOF strips. Sew the strips together and trim to 56" x 77" to make the back.



## Sewing

Sew using a  $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.



### Block Assembly

**Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.**

1. Sew (1)  $2'' \times 41 \frac{1}{2}''$  Fabric B strip to each side of the  $20 \frac{1}{2}'' \times 41 \frac{1}{2}''$  Fabric A panel. Sew (1)  $2 \frac{1}{2}'' \times 23 \frac{1}{2}''$  Fabric B strip to the top and to the bottom of the Fabric A panel to make the Center Block (Fig. 1).

**Trim the block to measure  $22 \frac{1}{2}'' \times 43 \frac{1}{2}''$ .**

2. Sew (1)  $6 \frac{1}{4}''$  Fabric E triangle and (1)  $6 \frac{1}{4}''$  Fabric D triangle together along short sides to make (1) ED triangle. Sew (1)  $6 \frac{1}{4}''$  Fabric F triangle and (1)  $6 \frac{1}{4}''$  Fabric E triangle together along short sides to make (1) FE triangle. Sew the ED and FE triangles together along their long sides to make (1)  $5 \frac{1}{2}''$  Block One square (Fig. 2). Repeat to make (28) Block One squares total.







3. Follow Figure 3 and sew together (9) Unit 1 squares to make the Left Side Border.

4. Follow Figure 4 and sew together (9) Unit 1 squares to make the Right Side Border.

5. Follow Figure 5 and sew together (5) Unit 1 squares. Sew (1)  $5 \frac{1}{2}''$  Fabric G square to each end of the newly sewn strip to make the Top Border.

6. Follow Figure 6 and sew together (5) Unit 1 squares. Sew (1)  $5 \frac{1}{2}''$  Fabric G square to each end of the newly sewn strip to make the Bottom Border.



## Quilt Top Assembly

*(Follow the Quilt Layout while assembling the quilt top.)*


7. Sew (1) 2" x 43 1/2" Fabric C strip to each side of the Center Block. Sew (1) 1 1/2" x 25 1/2" Fabric C strip to the top and to the bottom of the Center Block.
8. Sew the Left Side Border and Right Side Border to the left and to the right sides of the Center Block.
9. Sew the Top Border and Bottom Border to the top and to the bottom of the Center Block.
10. Sew (1) 3" x 55 1/2" Fabric F strip to each side of the Center Block. Sew (1) 3" x 40 1/2" Fabric F strip to the top and to the bottom of the Center Block.
11. Sew (1) 4 1/2" x 60 1/2" Fabric H strip to each side of the Center Block.
12. Sew (1) 2" x 48 1/2" Fabric B strip to the top and to the bottom of the Center Block.
13. Sew (1) 3 1/2" x 48 1/2" Fabric H strip to the top and to the bottom of the Center Block to make the quilt top.

## Layering, Quilting and Finishing

14. Press the quilt top and 56" x 77" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

## Binding

15. Cut the ends of the (6) Fabric D binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.
16. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout

*Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check [www.studioefabrics.net](http://www.studioefabrics.net) for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.*