

# Midnight Magic

Table Set

A Free Project Sheet  
NOT FOR RESALE



Featuring fabrics from the **Midnight Magic** collection by **Grace Popp** for **STUDIO e fabrics**

## Table Topper Fabric Requirements

(A) 6404-93 .....	1 1/8 yards
(B) 1351-Iron** .....	1/4 yard
(C) 6394-99 .....	1/4 yard
(D) 6399-39 .....	5/8 yard*
(E) 6396-90 .....	1/4 yard
(F) 6393-93 .....	1/4 yard
(G) 6403-79 .....	1/4 yard
(H) 6401-93 .....	1/4 yard
(I) 6400-99 .....	1/4 yard
Backing 6397-9 .....	2 1/2 yards

## Place Mat Fabric Requirements (makes 4)

(A) 6404-93 .....	5/8 yard
(B) 6398-39 .....	1/4 yard
(C) 6402-90 .....	3/8 yard
(D) 6395-94 .....	5/8 yard*
Backing 6405-93 .....	1 1/8 yards

\* Includes Binding  
\*\* Just Color! Collection

## Additional Supplies Needed

Batting (1) 44" x 46", (4) 20" x 18"  
(Recommended:  
Air Lite® Colour Me 100% Cotton)  
Piecing and sewing thread  
Quilting and sewing supplies

Project designed by Heidi Pridemore  
Finished Table Topper Size 36" x 38"  
Finished Place Mat Size 16" x 14"  
Skill Level: Advanced Beginner


# Fabrics in the Collection



Large Pumpkins  
Black/Multi - 6393-93



Tossed Black Cats  
Black/Charcoal - 6394-99




Stars  
Charcoal/Multi - 6395-94




Flying Crows  
Gray/Black - 6396-90




Tossed Mini Pumpkins  
Light Gray/Multi - 6397-9



Tossed Mini Pumpkins  
Black/Multi - 6397-93



Mini Stripe  
Orange - 6398-39



Mini-Check  
Orange - 6399-39




Graveyard  
Black/Charcoal - 6400-99



Hexie  
Black/Multi - 6401-93



Word Pattern  
Gray/Black - 6402-90



Cobwebs  
Midnight - 6403-79



Witch Legs Border Stripe  
Black/Multi - 6404-93



Tossed Pumpkins  
Black/Multi - 6405-93



24-inch Panel  
Black/Multi - 6406P-93

Select Fabrics from  
Just Color!



Iron  
1351-Iron



Pewter  
1351-Pewter

## Table Topper Cutting

### Table Topper Cutting Instructions

*Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

#### **Fabric A (6404-93 Witch Legs Border Stripe – Black/Multi):**

- Fussy cut (2) 8 ½" x 36 ½" LOF strips, each centered on a stripe of legs.

#### **Fabric B (1351-Iron Just Color! – Iron), cut:**

- (4) 1 ½" x 36 ½" WOF strips.

#### **Fabric C (6394-99 Tossed Black Cats – Black/Charcoal), cut:**

- (1) 6 ½" x WOF strip, sub-cut (4) 6 ½" squares.

#### **Fabric D (6399-39 Mini-Check – Orange), cut:**

- (2) 3 ½" x WOF strips, sub-cut (18) 3 ½" squares.
- (4) 2 ½" x WOF strips for the binding.

#### **Fabric E (6396-90 Flying Crows – Gray/Black), cut:**

- (2) 3 ½" x WOF strips, sub-cut (18) 3 ½" squares.

#### **Fabric F (6393-93 Large Pumpkins – Black/Multi), cut:**

- (1) 6 ½" x WOF strip, sub-cut (4) 6 ½" squares.

#### **Fabric G (6403-79 Cobwebs – Midnight), cut:**

- (1) 6 ½" x WOF strip, sub-cut (4) 6 ½" squares.

#### **Fabric H (6401-93 Hexie – Black/Multi), cut:**

- (1) 6 ½" x WOF strip, sub-cut (4) 6 ½" squares.

#### **Fabric I (6400-99 Graveyard – Black/Charcoal), cut:**

- (1) 6 ½" x WOF strip, sub-cut (2) 6 ½" squares.

#### **Backing (6397-9 Tossed Mini Pumpkins – Light Gray/Multi), cut:**

- (2) 44" x WOF strips. Sew the strips together and trim to 44" x 46" to make the back.

## Table Topper Sewing

Sew using a  $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

### Table Topper Block Assembly

**Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.**

1. Sew  $1\frac{1}{2}$ " x  $36\frac{1}{2}$ " Fabric B strip to the top and to the bottom of (1)  $8\frac{1}{2}$ " x  $36\frac{1}{2}$ " Fabric A strip lengthwise to make (1)  $10\frac{1}{2}$ " x  $36\frac{1}{2}$ " Block One strip (Fig. 1). Repeat to make a second Block One strip.




Fig. 1

2. Place (1)  $3\frac{1}{2}$ " Fabric E square on the top left corner of (1)  $6\frac{1}{2}$ " Fabric C square, right sides together (Fig. 2). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 2). Flip open the triangle formed and press (Fig. 3). Trim away the excess fabric from behind the triangle  $\frac{1}{4}$ " away from the sewn seam.

3. Follow Figure 4 for the seam direction to add (1)  $3\frac{1}{2}$ " Fabric D square to the lower right corner of the  $6\frac{1}{2}$ " Fabric C square to make (1) Unit 1 square (Fig. 5).

4. Repeat Steps 2-3 to make (4) Unit 1 squares total.




Fig. 2

Fig. 3

Fig. 4

Fig. 5

5. Repeat Steps 2-3 and refer to Figures 6-12 for fabric identification, placement, seam direction and orientation to make the designated number of unit squares for Unit 2 through Unit 8.




Fig. 6

Fig. 7

Fig. 8

Fig. 9

Fig. 10

Fig. 11

Fig. 12

6. Sew (2) Unit 1 squares together to make (1) Block Two rectangle (Fig. 13). Repeat to make a second Block Two rectangle.




Fig. 13

7. Repeat Step 6 and refer to Figures 14-17 for component identification, placement and orientation to make (2) Block Three strips, (2) Block Four strips, (2) Block Five strips and (1) Block Six strip.




Fig. 14




Fig. 15




Fig. 16




Fig. 17

## Table Topper Assembly

*(Follow the Topper Layout while assembling the topper.)*

8. Sew (1) Block Two rectangle, (1) Block Three rectangle and (1) Block Four rectangle together end to end and in that order from left to right to make Row One.

9. Sew (1) Block Five rectangle, (1) Block Six rectangle and (1) Block Five rectangle together end to end and in that order from left to right to make Row Two.

10. Sew (1) Block Four rectangle, (1) Block Three rectangle and (1) Block Two rectangle together end to end and in that order from left to right to make Row Three.

11. Sew the (3) Pieced Rows from Steps 8-10, in numerical order and the (2) Block One strips together lengthwise, alternating them from the top to the bottom, to make the Topper top (Fig. 18).

## Table Topper Layering, Quilting and Finishing

12. Press the topper and 44" x 46" backing well. Layer backing (wrong side up), batting, pressed topper (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

## Table Topper Binding

13. Cut the ends of the (4) Fabric D binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

14. Sew the binding to the front of the topper, raw edges together. Turn the folded edge to the back, and hand stitch in place.




Fig. 18

## Place Mat Cutting

### Place Mat Cutting Instructions

*Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

#### Fabric A (6404-93 Witch Legs Border Stripe – Black/Multi), fussy cut:

- (1) 16 ½" x WOF strip, sub-cut (4) 8 ½" x 16 ½" strips, each centered on a stripe of legs.

#### Fabric B (6398-39 Mini Stripe – Orange), cut:

- (4) 1 ½" x WOF strips, sub-cut (8) 1 ½" x 16 ½" strips.

#### Fabric C (6402-90 Word Pattern – Gray/Black) cut:

- (4) 2 ½" x WOF strips, sub-cut (8) 2 ½" x 16 ½" strips.

#### Fabric D (6395-94 Stars – Charcoal/Multi), cut:

- (7) 2 ½" x WOF strips for the binding.

#### Backing (6405-93 Tossed Pumpkins – Black/Multi), cut:

- (2) 18" x WOF strips, sub-cut (4) 18" x 20" rectangles for the backs.

## Place Mat Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

### Place Mat Assembly

**Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.**

15. Sew 1 ½" x 16 ½" Fabric B strip to the top and to the bottom of (1) 8 ½" x 16 ½" Fabric A strip lengthwise. Sew (1) 2 ½" x 16 ½" Fabric C strip to the top and to the bottom of the newly sewn strip lengthwise to make (1) Place Mat top (Fig. 19). Repeat to make (4) Place Mat tops total.

### Place Mat Layering, Quilting and Finishing

16. Press the (4) place mats and (4) 20" x 18" backings well. Layer backing (wrong side up), batting, pressed place mat (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

### Place Mat Binding

17. Cut the ends of the (7) Fabric D binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together. Cut the strip into (4) equal pieces.

18. Sew the binding to the front of each place mat, raw edges together. Turn the folded edge to the back, and hand stitch in place.




Fig. 19

*Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check [www.studioefabrics.net](http://www.studioefabrics.net) for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.*