■ STUDIO · ② · PROJECTS ●

www.studioefabrics.net

Paws for America


A Free Project Sheet
NOT FOR RESALE







(Table Set









Featuring fabrics from the **Paws for America** collection by **Jill Meyer** for **STUDIO**

Runner Fabric Requirements

Rummer Tubite Requirements	
(A) 7066-78	¼ yard
(B) 7067-78	⅓ yard
(C) 7074-80	¼ yard
(D) 7070-78	¼ yard
(E) 7072-80	¼ yard
(F) 7074-77	¼ yard
(G) 1351-Navy**	⅔ yard*
(H) 7069-78	⅔ yard
Backing	
7068-78	1 ¾ yards

Place Mat Fabric Requirements (makes 6)

(A) /0/6-/8	⅓ yara
(B) 1351-Navy**	1 ¼ yards*
(C) 7072-80	¼ yard
(D) 7074-80	¼ yard
(E) 7073-07	⅓ yard
Backing	
7069-78	1 ½ yards

^{*} Includes Binding

Additional Supplies Needed

Batting (1) 63" x 33", (6) 20" x 16" (Recommended:

Air Lite® Colour Me 100% Cotton) Piecing and sewing thread Quilting and sewing supplies

Quilt designed by Heidi Pridemore Finished Runner Size 55" x 25" Finished Place Mat Size 16" x 12" Skill Level: Advanced Beginner

^{**} Just Color! Collection

•STUDIO e PROJECTS• www.studioefabrics.net


Fabrics in the Collection



Tossed Balloons



Set Stars Blue – 7074-77



Patriotic Paw Prints Multi – 7067-78



Patriotic Tossed Stars Multi – 7071-78



Set Stars Red – 7074-80



Dogs with Balloons Multi – 7068-78




Paisley Red – 7072-80



Border Stripe Multi – 7075-87



Patriotic Tossed Bones Multi – 7069-78



Tossed Small Stars Multi – 7073-07



10 In x 10 In Blocks Multi – 7076-78

Select Fabrics from Just Color!



Navy 1351-Navy



Panel 24 In x 44 In Multi – 7077P-78

• STUDIO **e** PROJECTS • www.studioefabrics.net

Runner Cutting

Runner Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted. WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (7066-78 Packed Dogs - Multi), cut:

• (1) 5 ½" x WOF strip, sub-cut (3) 5 ½" squares.

Fabric B (7067-78 Patriotic Paw Prints - Multi), cut:

• (2) 5 ½" x WOF strips, sub-cut (12) 5 ½" squares.

Fabric C (7074-80 Set Star - Red), cut:

• (2) 3" x WOF strips, sub-cut (24) 3" squares.

Fabric D (7070-78 Tossed Balloons - Multi), cut:

• (2) 3" x WOF strips, sub-cut (24) 3" squares.

Fabric E (7072-80 Paisley - Red) cut:

• (1) 3 3/8" x WOF strip, sub-cut (12) 3 3/8" squares.

Fabric F (7074-77 Set Star - Blue), cut:

• (1) 3 %" x WOF strip, sub-cut (12) 3 %" squares.

Fabric G (1351-Navy Just Color! - Navy), cut:

- (1) 1 ½" x WOF strip, sub-cut (2) 1 ½" x 15 ½" strips.
- (3) 1 $\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 $\frac{1}{2}$ " x 47 $\frac{1}{2}$ " strips.
- (5) 2 ½" x WOF strips for the binding.

Fabric H (7069-78 Patriotic Tossed Bones - Multi), cut:

- (1) 4 ½" x WOF strip, sub-cut (2) 4 ½" x 17 ½" strips.
- (3) $4\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) $4\frac{1}{2}$ " x 55 $\frac{1}{2}$ " strips.

Backing (7068-78 Dogs with Balloons - Multi), cut:

• (1) 63" x 33" WOF strip for the back.

• STUDIO e PROJECTS• www.studioefabrics.net

Runner Sewing


Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Runner Block Assembly

(24) Unit 2 squares total.

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

- 1. Place (1) 3" Fabric C square on the bottom left corner of (1) 5 ½" Fabric B square, right sides together (Fig. 1). Sew across the diagonal of the smaller square from the upper left corner to the lower right corner (Fig. 1). Flip open the triangle formed and press (Fig. 2). Trim away the excess fabric from behind the triangle 1/4" away from the sewn seam.
- 2. Follow Figure 3 for the seam direction to add a 3" Fabric C square to the lower right corner of the 5 ½" Fabric B square to make (1) Unit 1 square (Fig. 4).
- 3. Repeat Steps 1-2 to make (12) Unit 1 squares total.



4. Place (1) 3 %" Fabric E square on top of (1) 3 %" Fabric F square, right sides together. Draw a line across the diagonal of the top square (Fig. 5). Sew 1/4" away from each side of the drawn diagonal line (Fig. 5). Cut the (2) squares apart on the drawn diagonal line (Fig. 6) to make (2) half-square triangles. Trim the half-square triangles to measure 3" square to make (2) Unit 2 squares (Fig. 7). Repeat to make



Unit 1





Unit 2

Fig. 5 Fig. 6

5. Sew (1) 3" Fabric D square to the left side of (1) Unit 2 square along the Fabric E side to make the top row. Sew (1) 3" Fabric D square to the right side of (1) Unit 2 square along the Fabric E side to make the bottom row. Sew together the (2) rows lengthwise to make (1) 5 1/2" Unit 3 square (Fig. 8). Repeat to make (12) Unit 3 squares total.

Unit 3 make 12

Fig. 8

6. Sew (1) Unit 3 square to each side of (1) Unit 1 square to make the top row. Repeat to make the bottom row. Sew (1) Unit 1 square to each side of (1) $5 \frac{1}{2}$ " Fabric A square to make the middle row. Sew together the (3) rows lengthwise to make (1) 15 ½" Block One square (Fig. 9). Repeat to make (3) Block One squares total.




Fig. 9

Runner Assembly

(Follow the Runner Layout in Figure 10 while assembling.)

- 7. Sew together the (3) Block One squares to make the Runner Center Block.
- 8. Sew (1) 1 $\frac{1}{2}$ " x 15 $\frac{1}{2}$ " Fabric G strip to each side of the Runner Center Block. Sew (1) 1 $\frac{1}{2}$ " x 47 $\frac{1}{2}$ " Fabric G strip to the top and to the bottom of the Runner Center Block.
- 9. Sew (1) $4\frac{1}{2}$ " x 17 $\frac{1}{2}$ " Fabric H strip to each side of the Runner Center Block. Sew (1) $4\frac{1}{2}$ " x 55 $\frac{1}{2}$ " Fabric H strip to the top and to the bottom of the Runner Center Block to make the Runner top.




Fig. 10

Runner Layering, Quilting and Finishing

10. Press the runner and 63" x 33" backing well. Layer backing (wrong side up), batting, pressed runner (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Runner Binding

- 11. Cut the ends of the (5) Fabric G binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.
- 12. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.

Place Mat Cutting

Place Mat Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted. WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (7076-78 10 In x 10 In Blocks - Multi):

• Fussy cut (6) 10 ½" squares, each centered on a block.

Fabric B (1351-Navy Just Color! - Navy), cut:

- (3) 2" x WOF strips, sub-cut (12) 2" x 10 ½" strips.
- (4) 2" x WOF strips, sub-cut (12) 2" x 13 ½" strips.
- (10) 2 ½" x WOF strips for the binding.

Fabric C (7072-80 Paisley - Red) cut:

• (2) 2 ½" x WOF strips, sub-cut (18) 2 ½" squares.

Fabric D (7074-80 Set Star - Red), cut:

• (2) 2 ½" x WOF strips, sub-cut (18) 2 ½" squares.

Fabric E (7073-07 Tossed Small Stars - Multi), cut:

• (3) 2 ½" x WOF strips, sub-cut (36) 2 ½" squares.

Backing (7069-78 Patriotic Tossed Bones - Multi), cut:

• (3) 16" x WOF strips, sub-cut (6) 16" x 20" strips for the backs.

Place Mat Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Place Mat Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

13. Sew (1) 2" x 10 $\frac{1}{2}$ " Fabric B strip to each side of (1) 10 $\frac{1}{2}$ " Fabric A square. Sew (1) 2" x 13 $\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the Fabric A square. Trim the block to measure 12 $\frac{1}{2}$ " x 12 $\frac{1}{2}$ " to make (1) Block Two square (Fig. 11). Repeat to make (6) Block Two squares total.




Fig. 11

- 14. Sew (1) 2 ½" Fabric C square to the left side of (1) 2 ½" Fabric E square to make (1) Unit 4 strip (Fig. 12). Papeat to make (18) Unit 4 strips total
- (1) Unit 4 strip (Fig. 12). Repeat to make (18) Unit 4 strips total.
- 15. Sew (1) 2 ½" Fabric E square to the left side of (1) 2 ½" Fabric D square to make
- (1) Unit 5 strip (Fig. 13). Repeat to make (18) Unit 5 strips total.

Unit 4 Unit 5
make 18
C E E DA
Fig. 12 Fig. 13

•STUDIO e PROJECTS• www.studioefabrics.net

16. Sew (3) Unit 4 strips and (3) Unit 5 strips together lengthwise and alternating them from top to bottom to make (1) $4\frac{1}{2}$ " x $12\frac{1}{2}$ " Block Three strip (Fig. 14). Repeat to make (6) Block Three strips total.

Block Three make 6 Unit 4 Unit 5 Unit 4 Unit 5 Unit 4 Unit 5

Fig. 14

Place Mat Assembly

(Follow the Place Mat Layout while assembling.)

17. Sew (1) Block Three strip to the right side of (1) Block Two square to make (1) Place Mat top (Fig. 15). Repeat to make (6) Place Mat tops total.




Fig. 15

Place Mat Layering, Quilting and Finishing

18. Press the place mats and 20" x 16" backings well. Layer backings (wrong side up), batting, pressed place mats (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Place Mat Binding

- 19. Cut the ends of the (10) Fabric B binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together. Cut the strip into (6) equal pieces.
- 20. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.