

A Free Project Sheet
NOT FOR RESALE

Spooky Friends

Table Set



Featuring fabrics from the **Spooky Friends** collection by **Sharla Fults** for **STUDIO e fabrics**

Table Topper Fabric Requirements

(A) 7063PG-93	1 panel
(B) 1351-Grape**....	3/8 yard
(C) 1351-Green**....	1/2 yard
(D) 1351-Orange**..	7/8 yard
(E) 7053G-90	1/4 yard
(F) 7055G-53	1 yard
(G) 7056G-95	1/4 yard
(H) 7057G-59	1/4 yard
(I) 7058G-93	1/4 yard
(J) 7051G-93	1/4 yard
(K) 7054G-94	1/4 yard
(L) 7061G-93	1 1/4 yards
(M) 7052G-35	1/2 yard*
Backing	
7060G-90	3 1/4 yards

Place Mat Fabric Requirements (makes 6)

(A) 7062G-93	2/3 yard
(B) 7052G-35	1/2 yard
(C) 7060G-90	1/4 yard
(D) 7054G-94	1/4 yard
(E) 1351-Orange**..	1/3 yard
(F) 1351-Iron**.....	3/4 yard*
(G) 1351-Grape**....	1/3 yard
Backing	
7059G-39	1 1/2 yards

* Includes Binding

** Just Color! Collection

Additional Supplies Needed

Batting (1) 56" x 72", (6) 20" x 16"
(Recommended:
Air Lite® Colour Me 100% Cotton)
Piecing and sewing thread
Quilting and sewing supplies
Fusible web

Quilt designed by Heidi Pridemore
Finished Table Topper Size 48" x 64"
Finished Place Mat Size 16" x 12"
Skill Level: Advanced Beginner

Fabrics in the Collection



Spooky Scenery
Multi – 7051G-93



Vertical Stripe
Multi – 7052G-35



Tossed Ghost
Black – 7053G-90




Tossed Moon and Stars
Black – 7054G-94



Tossed Pumpkin
Multi – 7055G-53



Tossed Owl
Multi – 7056G-95



Tossed Bat
Multi – 7057G-59



Tossed Candy
Multi – 7058G-93



Tossed Spider
Orange – 7059G-39



Spider Web
Multi – 7060G-90



Border Stripe
Multi – 7061G-93



10 In x 10 In Blocks
Multi – 7062G-93



Panel 24 In x 44 In
Multi – 7063PG-93

Select Fabrics from Just Color!



Grape
1351-Grape



Green
1351-Green



Iron
1351-Iron



Orange
1351-Orange

Table Topper Cutting

Table Topper Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (7063PG-93 Panel 24 In x 44 In – Multi):

- Fussy cut (1) 22 ½" x 42 ½" rectangle, centered on the panel.

Fabric B (1351-Grape Just Color! – Grape), cut:

- (2) 2" x 42 ½" WOF strips, piece as needed.
- (2) 2" x 25 ½" WOF strips.

Fabric C (1351-Green Just Color! – Green), cut:

- (2) 1 ½" x 40 ½" WOF strips.
- (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 56 ½" strips.
- (2) 1 ½" x 42 ½" WOF strips, piece as needed.

Fabric D (1351-Orange Just Color! – Orange), cut:

- (3) 8 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 8 ½" x 44 ½" strips.

Fabric E (7053G-90 Tossed Ghost – Black), cut:

- See instructions to cut (2) 6" circles.

Fabric F (7055G-53 Tossed Pumpkin – Multi), cut:

- (3) 3 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 3 ½" x 58 ½" strips.
- (3) 3 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 3 ½" x 48 ½" strips.
- See instructions to cut (3) 6" circles.

Fabric G (7056G-95 Tossed Owl – Multi), cut:

- See instructions to cut (1) 6" circle.

Fabric H (7057G-59 Tossed Bat – Purple), cut:

- See instructions to cut (3) 6" circles.

Fabric I (7058G-93 Tossed Candy – Multi), cut:

- See instructions to cut (1) 6" circle.

Fabric J (7051G-93 Spooky Scenery – Multi), cut:

- See instructions to cut (1) 6" circle.

Fabric K (7054G-94 Tossed Moon and Stars – Black), cut:

- See instructions to cut (1) 6" circle.

Fabric L (7061G-93 Border Stripe – Multi), cut:

- (2) 5 ½" x 40 ½" LOF strips.

Fabric M (7052G-35 Vertical Stripe – Multi), cut:

- (6) 2 ½" x WOF strips for the binding.

Backing (7060G-90 Spider Web – Multi), cut:

- (2) 56" x WOF strips. Sew the strips together and trim to 56" x 72" to make the back.

Table Topper Sewing

Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Table Topper Block Assembly

Note: *The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.*

1. Sew (1) 2" x 42 $\frac{1}{2}$ " Fabric B strip to each side of (1) 22 $\frac{1}{2}$ " x 42 $\frac{1}{2}$ " Fabric A rectangle. Sew (1) 2" x 25 $\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the Fabric A rectangle to make the Center Block (Fig. 1). **Trim the block to measure 24 $\frac{1}{2}$ " x 44 $\frac{1}{2}$ ".**




Fig. 1 B

2. Following the manufacturer's instructions, trace the listed number of each template onto the paper side of the fusible web. Roughly cut out each template about $\frac{1}{8}$ " outside the drawn lines.

3. Press each template onto the wrong side of the fabrics as listed on the templates. Cut out each template on the drawn lines.

4. Refer to Figure 2 to arrange and press the (6) assorted 6" circles onto (1) 8 $\frac{1}{2}$ " x 44 $\frac{1}{2}$ " Fabric D strip.

5. Finish the raw edges of each circle with a decorative stitch such as a buttonhole or satin stitch to make the Left Side Border.

6. Repeat Steps 4-5 to make the Right Side Border.

Left Side
Border




Fig. 2

Right Side
Border




Fig. 3

Table Topper Assembly

(Follow the Table Topper Layout in Figure 4 while assembling.)

7. Sew the Left Side Border and Right Side Border to the left and to the right sides of the Center Block.
8. Sew (1) 1 ½" x 40 ½" Fabric C strip to the top and to the bottom of the Center Block.
9. Sew (1) 5 ½" x 40 ½" Fabric L strip to the top and to the bottom of the Center Block.
10. Sew (1) 1 ½" x 56 ½" Fabric C strip to each side of the Center Block. Sew (1) 1 ½" x 42 ½" Fabric L strip to the top and to the bottom of the Center Block.
11. Sew (1) 3 ½" x 58 ½" Fabric F strip to each side of the Center Block. Sew (1) 3 ½" x 48 ½" Fabric F strip to the top and to the bottom of the Center Block to make the Table Topper top.

Table Topper Layering, Quilting and Finishing

12. Press the table topper and 56" x 72" backing well. Layer backing (wrong side up), batting, pressed table topper (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Table Topper Binding

13. Cut the ends of the (6) Fabric M binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.
14. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.




Fig. 4

Place Mat Cutting

Place Mat Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (7062G-93 10 In x 10 In Blocks – Multi):

- Fussy cut (6) 10 ½" squares, each centered on a block.

Fabric B (7052G-35 Vertical Stripe – Multi), cut:

- (3) 2" x WOF strips, sub-cut (12) 2" x 10 ½" strips.
- (4) 2" x WOF strips, sub-cut (12) 2" x 13 ½" strips.

Fabric C (7060G-90 Spider Web – Multi), cut:

- (2) 2 ½" x WOF strips, sub-cut (18) 2 ½" x 4 ½" strips.

Fabric D (7054G-94 Tossed Moon and Stars – Black), cut:

- (2) 2 ½" x WOF strips, sub-cut (18) 2 ½" x 4 ½" strips.

Fabric E (1351-Orange Just Color! – Orange), cut:

- (3) 2 ½" x WOF strips, sub-cut (36) 2 ½" squares.

Fabric F (1351-Iron Just Color! – Iron), cut:

- (10) 2 ½" x WOF strips for the binding.

Fabric G (1351-Grape Just Color! – Grape), cut:

- (3) 2 ½" x WOF strips, sub-cut (36) 2 ½" squares.

Backing (7059G-39 Tossed Spider – Orange), cut:

- (3) 16" x WOF strips, sub-cut (6) 16" x 20" rectangles for the backs.

Place Mat Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Place Mat Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

15. Sew (1) 2" x 10 ½" Fabric B strip to each side of (1) 10 ½" Fabric A square. Sew (1) 2" x 13 ½" Fabric B strip to the top and to the bottom of the Fabric A square to make (1) Block One square (Fig. 5). **Trim the block to measure 12 ½" x 12 ½".** Repeat to make (6) Block One squares total.




Fig. 5

16. Place (1) 2 ½" Fabric G square on the left side of (1) 2 ½" x 4 ½" Fabric C strip, right sides together (Fig. 6). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 6). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance (Fig. 7).

17. Place (1) 2 ½" Fabric E square on the right side of the 2 ½" x 4 ½" Fabric C strip, right sides together (Fig. 8). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 8). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) Unit 1 strip (Fig. 9).

18. Repeat Steps 16-17 to make (18) Unit 1 strips total.

19. Repeat Steps 16-17 and refer to Figure 10 for fabric identification, placement and seam direction to make (18) Unit 2 strips.




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10

20. Sew (1) Unit 1 strip to the left side of (1) Unit 2 strip lengthwise to make (1) 4 ½" Block Two square (Fig. 11). Repeat to make (18) Block Two squares total.




Fig. 11

Place Mat Assembly

(Follow the Place Mat Layout in Figure 12 while assembling.)

21. Sew (3) Block Two squares together. Sew the newly sewn strip to the right side of (1) Block One square to make (1) Place Mat top (Fig. 12). Repeat to make (6) Place Mat tops total.

Place Mat Layering, Quilting and Finishing

22. Press the place mats and 16" x 20" backings well. Layer backing (wrong side up), batting, pressed place mats (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Place Mat Binding

23. Cut the ends of the (10) Fabric F binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise, press wrong sides together and cut (6) equal lengths.

24. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.





Fig. 12

100% Template



6" Circle
Template