

SPOOKY NIGHT

A Free Project Sheet
NOT FOR RESALE

Table Set



Featuring fabrics from the **Spooky Night** collection by **Grace Popp** for **STUDIO·e·fabrics**

Runner Fabric Requirements

(A) 5723-97	¼ yard
(B) 5720-99	½ yard*
(C) 5721-33	¼ yard
(D) 5718-99	¼ yard
(E) 5724-79	¼ yard
(F) 1351-Stone**	⅓ yard
(G) 5720-33	⅛ yard
(H) 5719-33	¼ yard
(I) 5726-97	¼ yard
(J) 5725-33	¼ yard
(K) 5727-93	1 ⅝ yards
Backing	
5725-19	1 ⅔ yards

Place Mat Fabric Requirements (makes 6)

(A) 5728-93	¾ yard
(B) 5720-99	1 ⅜ yards*
(C) 5724-79	⅜ yard
(D) 5725-33	⅝ yard
Backing	
5721-99	2 yards

* Includes Binding
** Just Color! Collection

Additional Supplies Needed

Batting (1) 58" x 34", (6) 22" x 18"
(Recommended:
Air Lite® Colour Me 100% Cotton)
Piecing and sewing thread
Quilting and sewing supplies

Quilt designed by Heidi Pridemore
Finished Runner Size 50" x 26"
Finished Place Mat Size 18" x 14"
Skill Level: Advanced Beginner

Fabrics in the Collection



Damask Pumpkins
Black/Orange – 5717-93



Spooky Damask Stripe
Black – 5718-99



Tossed Pumpkins and Crows
Ecru/Orange – 5719-33



Spooky Small Damask
Orange – 5720-33



Spooky Small Damask
Black – 5720-99



Damask Candy Corn
Orange – 5721-33



Damask Candy Corn
Black – 5721-99



Tossed Crows
Gray – 5722-91



Spooky Houses
Midnight – 5723-97



Tossed Bats
Ink – 5724-79



Pumpkin Vine
Gray – 5725-19



Pumpkin Vine
Orange – 5725-33



Moonlight Trees
Midnight – 5726-97



Spooky Night Border
Black/Orange – 5727-93



Spooky Night Blocks
Black/Orange – 5728-93



Spooky Night Panel
Black/Orange – 5729P-93

Select Fabrics from Just Color! and Peppered Cottons



Just Color!
Stone
1351-Stone



Peppered Cottons
Granite
Granite-10



Peppered Cottons
Coffee Bean
Coffee Bean-50

Runner Cutting

Runner Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (5723-97 Spooky Houses – Midnight), cut:

- (1) 5 ½" x WOF strip, sub-cut (2) 5 ½" squares.

Fabric B (5720-99 Spooky Small Damask – Black), cut:

- (1) 2" x WOF strip, sub-cut (8) 2" squares.
- (1) 1" x WOF strip, sub-cut (4) 1" x 5 ½" strips.
- (2) 1" x WOF strips, sub-cut (4) 1" x 6 ½" strips.
- (4) 2 ½" x WOF strips for the binding.

Fabric C (5721-33 Damask Candy Corn – Orange), cut:

- (2) 3 ½" x WOF strips, sub-cut (8) 3 ½" x 6 ½" strips.

Fabric D (5718-99 Spooky Damask Stripe – Black), cut:

- (2) 3 ½" x WOF strips, sub-cut (16) 3 ½" squares.

Fabric E (5724-79 Tossed Bats – Ink), cut:

- (1) 3 ⅞" x WOF strip, sub-cut (4) 3 ⅞" squares. Cut the squares across (1) diagonal to make (8) 3 ⅞" triangles.

Fabric F (1351-Stone Just Color! – Stone), cut:

- (1) 2 ⅜" x WOF strip, sub-cut (12) 2 ⅜" squares. Cut the squares across (1) diagonal to make (24) 2 ⅜" triangles.
- (1) 1 ½" x WOF strip, sub-cut (2) 1 ½" x 12 ½" strips.
- (2) 1 ½" x 38 ½" WOF strips.

Fabric G (5720-33 Spooky Small Damask – Orange), cut:

- (1) 2" x WOF strip, sub-cut (8) 2" squares.

Fabric H (5719-33 Tossed Pumpkins and Crows – Ecru/Orange), cut:

- (1) 6 ½" square.

Fabric I (5726-97 Moonlight Trees – Midnight), cut:

- (1) 6 ½" x WOF strip, sub-cut the strip into (2) 6 ½" x 3 ½" strips and (2) 3 ½" x 6 ½" strips.

Fabric J (5725-33 Pumpkin Vine – Orange), cut:

- (1) 3 ⅞" x WOF strip, sub-cut (2) 3 ⅞" squares. Cut the squares across (1) diagonal to make (4) 3 ⅞" triangles.

Fabric K (5727-93 Spooky Night Border – Black/Orange), cut:

- (2) 6 ½" x 30" LOF strips.
- (2) 6 ½" x 54" LOF strips.

Backing (5725-19 Pumpkin Vine – Gray), cut:

- (1) 58" x 34" WOF strip to make the back.


Runner Sewing

Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Runner Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

1. Sew (1) $1" \times 5\frac{1}{2}"$ Fabric B strip to each side of (1) $5\frac{1}{2}"$ Fabric A square. Sew (1) $1" \times 6\frac{1}{2}"$ Fabric B strip to the top and to the bottom of the Fabric A square to make (1) Unit 1 square (Fig. 1). Repeat to make a second Unit 1 square.



2. Place (1) $2"$ Fabric B square on the top left corner of (1) $6\frac{1}{2}"$ Fabric H square, right sides together (Fig. 2). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 2). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle $\frac{1}{4}"$ away from the sewn seam (Fig. 3).




Fig. 2




Fig. 3




Fig. 4




Fig. 5

4. Place (1) $3\frac{1}{2}"$ Fabric D square on the left side of (1) $3\frac{1}{2}" \times 6\frac{1}{2}"$ Fabric C strip, right sides together (Fig. 6). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 6). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a $\frac{1}{4}"$ seam allowance (Fig. 7).



Fig. 6



Fig. 7



Fig. 8




Fig. 9

5. Place another $3\frac{1}{2}"$ Fabric D square on the right side of the $3\frac{1}{2}" \times 6\frac{1}{2}"$ Fabric C strip, right sides together (Fig. 8). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 8). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a $\frac{1}{4}"$ seam allowance to make (1) Unit 3 strip (Fig. 9).

6. Repeat Steps 4-5 to make (8) Unit 3 strips total.

7. Sew (1) 2 3/8" Fabric F triangle to adjacent sides of (1) 2" Fabric G square. Sew (1) 3 7/8" Fabric E triangle to the long side of the newly sign triangle to make (1) Unit 4 square. The unit should measure 3 1/2" square. Repeat to make (8) Unit 4 squares total.



Fig. 10




Fig. 11

8. Repeat Step 7 and refer to Figure 11 for fabric identification, placement and orientation to make (4) Unit 5 squares.

9. Sew (1) Unit 4 square to each end of (1) Unit 3 strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 3 strip to each side of (1) Unit 1 square to make the middle row. Sew the (3) rows together lengthwise to make (1) Block One square (Fig. 12). Repeat to make a second Block One square.

10. Sew (1) Unit 5 square to each end of (1) 3 1/2" x 6 1/2" Fabric I strip to make the top row. Repeat to make the bottom row. Sew (1) 3 1/2" x 6 1/2" Fabric I strip to each side of (1) Unit 2 square to make the middle row. Sew the (3) rows together lengthwise to make (1) Block Two square (Fig. 13).




Fig. 12




Fig. 13

Runner Top Assembly

(Follow the Runner Layout in Figure 15 while assembling the runner top.)

11. Sew (1) Block One square to each side of the Block Two square to make the Center Block (Fig. 15).

12. Sew (1) 1 1/2" x 12 1/2" Fabric F strip to each side of the Center Block. Sew (1) 1 1/2" x 38 1/2" Fabric F strip to the top and to the bottom of the Center Block Fig. 15).

13. Center (1) 6 1/2" x 30" Fabric K strip on (1) side of the Center Block and pin in place. Start sewing the strip a 1/4" from the top edge of the block and stop a 1/4" from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

14. Repeat Step 13 to sew (1) 6 ½" x 54" Fabric K strip to the top and to the bottom of the Center Block, making sure to stop and start ¼" away from each end of the block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 14).




Fig. 14

15. Starting at the sewn seam (represented by the arrow in Figure 14), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a ¼" seam. Repeat this step with the remaining corners to make the Runner top (Fig. 15).

Runner Layering, Quilting and Finishing

16. Press the quilt top and 58" x 34" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Runner Binding

17. Cut the ends of the (4) Fabric B binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

18. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.




Fig. 15

Place Mat Cutting

Place Mat Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (5728-93 10" Spooky Night Blocks – Black/Orange):

- Fussy cut (6) 11" squares, each centered on a block.

Fabric B (5720-99 Spooky Small Damask – Black), cut:

- (4) 2" x WOF strips, sub-cut (12) 2" x 11" strips.
- (4) 2" x WOF strips, sub-cut (12) 2" x 14" strips.
- (11) 2 ½" x WOF strips for the binding.

Fabric C (5724-79 Tossed Bats – Ink), cut:

- (2) 4" x WOF strips, sub-cut (6) 4" x 12 ½" strips.

Fabric D (5725-33 Pumpkin Vine – Orange), cut:

- (4) 1 ½" x WOF strips, sub-cut (12) 1 ½" x 12 ½" strips.
- (6) 1 ½" x WOF strips, sub-cut (12) 1 ½" x 18 ½" strips.
- (2) 1" x WOF strips, sub-cut (6) 1" x 12 ½" strips.

Backing (5721-99 Damask Candy Corn – Black), cut:

- (3) 22" x WOF strips, sub-cut (6) 22" x 18" rectangles to make the backs.

Place Mat Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Place Mat Assembly

19. Sew (1) 2" x 11" Fabric B strip to each side of (1) 11" Fabric A square. Sew (1) 2" x 14" Fabric B strip to the top and to the bottom of the Fabric A square to make (1) Unit 6 square (Fig. 16). **Trim the unit to measure 12 ½" x 12 ½"**. Repeat to make (6) Unit 6 squares total.




Fig. 16

20. Sew (1) 1" x 12 ½" Fabric D strip to the right side of (1) Unit 6 square. Sew (1) 4" x 12 ½" Fabric C strip to the right side of the newly sewn strip to make (1) Unit 7 strip (Fig. 17). Repeat to make (6) Unit 7 strips total.




Fig. 17

21. Sew (1) 1 ½" x 12 ½" Fabric D strip to each end of (1) Unit 7 strip. Sew (1) 1 ½" x 18 ½" Fabric D strip to the top and to the bottom of the Unit 7 square to make (1) Place Mat top (Fig. 18). Repeat to make (6) Place Mat tops total.




Fig. 18

Place Mat Layering, Quilting and Finishing

22. Press the place mat tops and the (6) 22" x 18" backings well. Layer backing (wrong side up), batting, pressed place mat tops (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Place Mat Binding

23. Cut the ends of the (11) Fabric B binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together. Cut the strip into (6) equal pieces.

24. Sew the binding to the front of each place mat, raw edges together. Turn the folded edge to the back, and hand stitch in place.