

Thankful and Blessed

• A Free Project Sheet •
• NOT FOR RESALE •

Table Set



Featuring fabrics from the **Thankful and Blessed** collection by **Sharla Fults** for **STUDIO·e·fabrics**

Runner Fabric Requirements

- (A) A4658P-34..... 1 panel
- (B) Begonia Leaf-21+ 5/8 yard*
- (C) A4668-34 1/4 yard
- (D) A4659-34 1/4 yard
- (E) A4664-39 1/4 yard
- (F) A4666-46 1/4 yard
- (G) A4667-84 1/4 yard
- (H) A4663-34 1/4 yard
- (I) A4669-39 1/4 yard
- Backing
A4661-48 1 yard

Wall Hanging Fabric Requirements

- (A) A4658P-34 1 panel
- (B) Begonia Leaf-21+ 5/8 yard
- (C) A4660-39 1/4 yard
- (D) 1351-Brown** 1/2 yard
- (E) A4659-34 1/4 yard
- (F) A4668-34 1/4 yard
- (G) A4664-39 1/4 yard
- (H) A4666-46 1/4 yard
- (I) A4667-84 3/4 yard*
- (J) A4663-34 1/4 yard
- (K) A4669-39 1/4 yard
- (L) A4662-34 1 1/3 yards
- Backing
A4659-34 3 1/4 yards

Place Mat Fabric Requirements (makes 4)

- (A) A4660-39 1/3 yard
- (B) Rust-96* 3/8 yard
- (C) Begonia Leaf-21+ 3/4 yard*
- (D) A4667-84 1/8 yard
- (E) A4666-46 1/8 yard
- (F) A4668-34 1/8 yard
- (G) A4664-39 1/8 yard
- (H) A4659-34 1/8 yard
- Backing
A4670-39 1 1/8 yards

- * Includes Binding
- ** Just Color! Collection
- + Peppered Cottons Collection

Additional Supplies Needed

Batting: (1) 40" x 30", (1) 55" x 61", (4) 19" x 16"
(Recommended: Air Lite® Colour Me 100% Cotton)
Piecing and sewing thread
Quilting and sewing supplies

Designed by Heidi Pridemore
Finished Runner Size: 32" x 22"
Finished Wall Hanging Size: 47" x 53"
Finished Place Mat Size: 15" x 12"
Skill Level: Beginner

Please check our website for pattern updates before starting this project.

Fabrics in the Collection



Panel - Brown
A4658P-34



Packed Sunflowers - Brown
A4659-34



Blocks - Gray
A4660-39



Packed Pumpkins - Paprika
A4661-48



Tossed Pumpkins - Brown
A4662-34




Packed Leaves - Brown
A4663-34



Words - Gray
A4664-39



Stripe - Gray
A4665-39



Leaves Set - Rust
A4666-46



Sunflower Set - Red
A4667-84



Small Tossed Leaves - Brown
A4668-34



Tossed Acorn - Gray
A4669-39



Wood Texture - Gray
A4670-39

Select Fabrics from
Just Color! and
Peppered Cottons



Just Color! - Brown
1351-Brown



Peppered Cottons - Begonia Leaf
Begonia Leaf-21



Peppered Cottons - Rust
Rust-96

Runner Cutting

Runner Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (A4658P-34 24" Panel – Brown):

- Fussy cut (1) 21 ½" x 12 ½" panel.

Fabric B (Begonia Leaf-21 Peppered Cottons – Begonia Leaf), cut:

- (3) 2 ½" x WOF strips for the binding.
- (1) 2 ½" x WOF strip, sub-cut (2) 2 ½" x 12 ½" strips.
- (2) 2" x 25 ½" WOF strips.

Fabric C (A4668-34 Small Tossed Leaves – Brown), cut:

- (1) 4 ½" x WOF strip, sub-cut (4) 4 ½" squares and (6) 2 ½" x 4 ½" strips.

Fabric D (A4659-34 Packed Sunflowers – Brown), cut:

- (1) 2 ½" x WOF strip, sub-cut (6) 2 ½" x 4 ½" strips.

Fabric E (A4664-39 Words – Gray), cut:

- (1) 2 ½" x WOF strip, sub-cut (6) 2 ½" x 4 ½" strips.

Fabric F (A4666-46 Leaves Set – Rust), cut:

- (1) 2 ½" x WOF strip, sub-cut (5) 2 ½" x 4 ½" strips.

Fabric G (A4667-84 Sunflower Set – Red), cut:

- (1) 2 ½" x WOF strip, sub-cut (5) 2 ½" x 4 ½" strips.

Fabric H (A4663-34 Packed Leaves – Brown), cut:

- (1) 2 ½" x WOF strip, sub-cut (5) 2 ½" x 4 ½" strips.

Fabric I (A4669-39 Tossed Acorn – Gray), cut:

- (1) 2 ½" x WOF strip, sub-cut (5) 2 ½" x 4 ½" strips.

Backing (A4661-48 Packed Pumpkins – Paprika), cut:

- (1) 30" x 40" piece for the back.

Runner Sewing

Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Runner Top Assembly

1. Sew (1) $2\frac{1}{2}$ " x $12\frac{1}{2}$ " Fabric B strip to each side of the $21\frac{1}{2}$ " x $12\frac{1}{2}$ " Fabric A panel. Sew (1) 2" x $25\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the Fabric A panel. Trim the block to measure $24\frac{1}{2}$ " x $14\frac{1}{2}$ " to make (1) Unit 1 rectangle (Fig. 1).




Fig. 1

2. Sew (7) assorted $2\frac{1}{2}$ " x $4\frac{1}{2}$ " strips together lengthwise to make the left side border. Repeat to make the right side border. Sew the strips to the sides of the Unit 1 rectangle (Fig. 2).

3. Sew (12) assorted $2\frac{1}{2}$ " x $4\frac{1}{2}$ " strips together lengthwise. Sew (1) $4\frac{1}{2}$ " Fabric C square to each end of the sewn strip to make the top border. Repeat to make the bottom border. Sew the borders to the top and to the bottom of the Unit 1 rectangle to make the Runner Top (Fig. 2).




Fig. 2

Runner Layering, Quilting and Finishing

4. Press the runner top and 30" x 40" backing well. Layer backing (wrong side up), batting, pressed runner top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Runner Binding

5. Cut the ends of the (3) Fabric B binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

6. Sew the binding to the front of the runner, raw edges together. Turn the folded edge to the back, and hand stitch in place.

Wall Hanging Cutting

Wall Hanging Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (A4658P-34 24" Panel – Brown):

- Fussy cut (1) 21 ½" x 26 ½" panel.

Fabric B (Begonia Leaf-21 Peppered Cottons – Begonia Leaf), cut:

- (2) 2" x 24 ½" WOF strips.
- (2) 1 ½" x 27 ½" WOF strips.
- (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 43 ½" strips.
- (2) 1 ½" x 39 ½" WOF strips.

Fabric C (A4660-39 Blocks – Gray), fussy cut:

- (4) 6" squares, each centered on a block.

Fabric D (1351-Brown Just Color! – Brown), cut:

- (2) 1 ½" x 26 ½" WOF strips.
- (2) 1 ½" x 23 ½" WOF strips.
- (2) 1 ½" x WOF strips, sub-cut (8) 1 ½" x 6" strips.
- (2) 1 ½" x WOF strips, sub-cut (8) 1 ½" x 8" strips.

Fabric E (A4659-34 Packed Sunflowers – Brown), cut:

- (1) 7" x WOF strip, sub-cut (8) 2 ½" x 7" strips.

Fabric F (A4668-34 Small Tossed Leaves – Brown), cut:

- (1) 7" x WOF strip, sub-cut (8) 2 ½" x 7" strips.

Fabric G (A4664-39 Words – Gray), cut:

- (1) 7" x WOF strip, sub-cut (8) 2 ½" x 7" strips.

Fabric H (A4666-46 Leaves Set – Rust), cut:

- (1) 7" x WOF strip, sub-cut (8) 2 ½" x 7" strips.

Fabric I (A4667-84 Sunflower Set – Red), cut:

- (1) 7" x WOF strip, sub-cut (8) 2 ½" x 7" strips.
- (6) 2 ½" x WOF strips for the binding.

Fabric J (A4663-34 Packed Leaves – Brown), cut:

- (1) 7" x WOF strip, sub-cut (7) 2 ½" x 7" strips.

Fabric K (A4669-39 Tossed Acorn – Gray), cut:

- (1) 7" x WOF strip, sub-cut (7) 2 ½" x 7" strips.

Fabric L (A4662-34 Tossed Pumpkins – Brown), cut:

- (2) 4 ½" x 45 ½" LOF strips.
- (2) 4 ½" x 47 ½" WOF strips from the remaining fabric, piece as needed.

Backing (A4659-34 Packed Sunflowers – Brown), cut:

- (2) 55" x WOF strips. Sew the strips together and trim to 55" x 61 for the back.

Wall Hanging Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Wall Hanging Block Assembly

7. Sew (1) 1 ½" x 26 ½" Fabric D strip to each side of the 21 ½" x 26 ½" Fabric A panel. Sew (1) 1 ½" x 23 ½" Fabric D strip to the top and to the bottom of the Fabric A panel to make (1) Unit 2 rectangle (Fig. 3). Trim the unit to measure 22 ½" x 27 ½".

8. Sew (1) 1 ½" x 27 ½" Fabric B strip to each side of the Unit 2 rectangle. Sew (1) 2" x 24 ½" Fabric B strip to the top and to the bottom of the Unit 2 rectangle to make the Center Block (Fig. 4).

9. Follow Figure 5 and sew (15) assorted 2 ½" x 7" strips together lengthwise to make the Left Border.

10. Follow Figure 6 and sew (15) assorted 2 ½" x 7" strips together lengthwise to make the Right Border.




Fig. 3 D




Fig. 4 B

Left Border




Fig. 5

Right Border





Fig. 6

11. Sew (1) 1 ½" x 6" Fabric D strip to each side of (1) 6" Fabric C block. Sew (1) 1 ½" x 8" Fabric D strip to the top and to the bottom of the Fabric C block. Trim the block to measure 7" square to make (1) Block One square (Fig. 7). Repeat to make (4) Block One squares total.

Block One
make 4



Trim unit to measure 7" x 7" **AFTER** adding borders.

Fig. 7

12. Sew (12) assorted 2 ½" x 7" strips together lengthwise. Sew (1) Block One square to each end of the sewn strip to make the Top Border (Fig. 8).



Fig. 8

13. Sew (12) assorted 2 ½" x 7" strips together lengthwise. Sew (1) Block One square to each end of the sewn strip to make the Bottom Border (Fig. 9).

Bottom Border



Fig. 9

Wall Hanging Assembly

(Follow the Figure 10 while assembling the wall hanging top.)

14. Sew the Left, Right, Top and Bottom Borders onto the Center Block.

15. Sew (1) 1 ½" x 43 ½" Fabric B strip to each side of the Center Block. Sew (1) 1 ½" x 39 ½" Fabric B strip to the top and to the bottom of the Center Block.

16. Sew 4 ½" x 45 ½" Fabric L strip to each side of the Center Block. Sew (1) 4 ½" x 47 ½" Fabric L strip to the top and to the bottom of the Center Block to make the Wall Quilt.

Wall Hanging Layering, Quilting and Finishing

17. Press the runner top and 55" x 61" backing well. Layer backing (wrong side up), batting, pressed runner top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Wall Hanging Binding

18. Cut the ends of the (6) Fabric I binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

19. Sew the binding to the front of the runner, raw edges together. Turn the folded edge to the back, and hand stitch in place.




Fig. 10

Place Mat Cutting

Place Mat Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (A4660-39 Blocks – Gray):

- Fussy cut (4) 8 ½” squares each centered on a block.

Fabric B (Rust-96 Peppered Cottons – Rust), cut:

- (2) 2” x WOF strips, sub-cut (8) 2” x 8 ½” strips.
- (3) 2” x WOF strips, sub-cut (8) 2” x 11 ½” strips.

Fabric C (Begonia Leaf-21 Peppered Cottons – Begonia Leaf), cut:

- (4) 1 ½” x WOF strips, sub-cut (8) 1 ½” x 15 ½” strips.
- (7) 2 ½” x WOF strips for the binding.

Fabric D (A4667-84 Sunflower Set – Red), cut:

- (1) 3” x WOF strip, sub-cut (8) 2 ½” x 3” strips.

Fabric E (A4666-46 Leaves Set – Rust), cut:

- (1) 3” x WOF strip, sub-cut (8) 2 ½” x 3” strips.

Fabric F (A4668-34 Small Tossed Leaves – Brown), cut:

- (1) 3” x WOF strip, sub-cut (8) 2 ½” x 3” strips.

Fabric G (A4664-39 Words – Gray), cut:

- (1) 3” x WOF strip, sub-cut (8) 2 ½” x 3” strips.

Fabric H (A4659-34 Packed Sunflowers – Brown), cut:

- (1) 3” x WOF strip, sub-cut (8) 2 ½” x 3” strips.

Backing (A4670-39 Wood Texture – Gray), cut:


- (2) 19” x WOF strips, sub-cut (4) 16” x 19” strips for the backs.

Place Mat Sewing

Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Place Mat Block Assembly

20. Sew (1) $2'' \times 8 \frac{1}{2}''$ Fabric B strip to each side of (1) $8 \frac{1}{2}''$ Fabric A block. Sew (1) $2'' \times 11 \frac{1}{2}''$ Fabric B strip to the top and to the bottom of the Fabric A block. Trim the block to measure $10 \frac{1}{2}''$ square to make (1) Block Two square (Fig. 11). Repeat to make (4) Block Two squares total.




Place Mat Top Assembly

(Follow Figure 12 while assembling the place mat tops.)

21. Sew (5) assorted $2 \frac{1}{2}'' \times 3''$ strips together lengthwise. Repeat to make a second strip. Sew (1) strip to each side of (1) Block Two square.

22. Sew (1) $1 \frac{1}{2}'' \times 15 \frac{1}{2}''$ Fabric C strip to the top of the block from Step 21 to make (1) Place Mat top.

23. Repeat Steps 21-22 to make (4) Place Mat tops total.



Place Mat Layering, Quilting and Finishing

24. Press the place mat tops and $16'' \times 19''$ backings well. Layer backings (wrong side up), batting, pressed place mat tops (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Place Mat Binding

25. Cut the ends of the (7) Fabric C binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together. Divide the long strip into (4) equal lengths.

26. Sew the bindings to the front of the place mats, raw edges together. Turn the folded edge to the back, and hand stitch in place.

Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.studioefabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.