




Auburn Fox





Featuring fabrics from the **Auburn Fox** collection by **Kayomi Harai** for **S-T-U-D-1-O**

Fabric Requirements

(I) 6227-78 1 1/8 yards Backing 6228-77 4 yards

* Includes Binding ** Just Color! Collection

Additional Supplies Needed

Batting 71" x 83" (Recommended: Air Lite® Colour Me 100% Cotton) Piecing and sewing thread Quilting and sewing supplies

Quilt designed by Heidi Pridemore Finished Quilt Size 63" x 75" Skill Level: Advanced Beginner

Please check our website for pattern updates before starting this project.

Fabrics in the Collection



• STUDIO **e** PROJECTS • www.studioefabrics.net

Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (6232P-76 Mom Fox and Cub Banner Panel – Teal):

• Fussy cut (1) 21 ½" x 41 ½" rectangle, centered on the panel.

Fabric B (6222-39 Bark Texture - Tan), cut:

- (2) 2 ½" x 41 ½" WOF strips.
- (2) 2 ½" x 25 ½" WOF strips.
- (1) 4 ½" x WOF strip, sub-cut (2) 2 ½" x 4 ½" strips.

Fabric C (6225-78 Woodland Animal – Navy), cut:

• (2) 5 ½" x 44 ½" LOF strips.

Fabric D (1351-Brown - Just Color! - Brown), cut:

- (2) 2 ½" x 36 ½" WOF strips.
- (4) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 64 $\frac{1}{2}$ " strips.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 55 $\frac{1}{2}$ " strips.
- (3) 1 $\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 $\frac{1}{2}$ " x 44 $\frac{1}{2}$ " strips.
- (7) 2 ½" x WOF strips for the binding.

Fabric E (6223-76 Bird Tossed Allover - Teal), cut:

• (2) 4 ½" x WOF strips, sub-cut (8) 4 ½" x 8 ½" strips.

Fabric F (6224-76 Texture – Teal), cut:

• (2) 4 ½" x WOF strips, sub-cut (6) 4 ½" x 8 ½" strips.

Fabric G (6226-1 Small Critter Tossed - White), cut:

- (4) 4 ½" x WOF strips, sub-cut (28) 4 ½" squares.
- (1) 3 $\frac{1}{2}$ " x WOF strip, sub-cut (4) 3 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " strips.

Fabric (H) 6229-66 Patchwork - Green), cut:

- (3) $8\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) $8\frac{1}{2}$ " x $44\frac{1}{2}$ " strips.
- (2) 8 ½" x 24 ½" WOF strips.

Fabric (I) 6227-78 Foliage – Navy), cut:

- (4) $4\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) $4\frac{1}{2}$ " x 67 $\frac{1}{2}$ " strips.
- (4) 4 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 4 ½" x 63 ½" strips.

Backing (6228-77 Fox Tossed Allover - Cobalt), cut:

• (2) 71" x WOF strips. Sew the strips together and trim to 71" x 83" to make the back.



Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

Center Block

- 1. Sew (1) $2\frac{1}{2}$ " x $41\frac{1}{2}$ " Fabric B strip to each side of the $21\frac{1}{2}$ " x $41\frac{1}{2}$ " Fabric A rectangle. Sew (1) $2\frac{1}{2}$ " x $25\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the Fabric A rectangle to make the Center Block (Fig. 1). **Trim the block to measure** 24 $\frac{1}{2}$ " x $44\frac{1}{2}$ ".
- 2. Place (1) $4\frac{1}{2}$ " Fabric G square on the left side of (1) $4\frac{1}{2}$ " x $8\frac{1}{2}$ " Fabric E strip, right sides together (Fig. 2). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 2). Flip open the triangle formed and press (Fig. 3). Trim away the excess fabric from behind the triangle, leaving a $\frac{1}{4}$ " seam allowance.






Fig. 1 B♠

- 3. Place another 4 ½" Fabric G square on the right side of the 4 ½" x 8 ½" Fabric E strip, right sides together (Fig. 4). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 4). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) Unit 1 strip (Fig. 5).
- 4. Repeat Steps 2-3 to make (8) Unit 1 strips total.
- 5. Repeat Steps 2-3 and refer to Figure 6 for fabric identification, placement and seam direction to make (6) Unit 2 strips.














- 6. Sew (1) Unit 1 strip to the top of (1) Unit 2 strip lengthwise to make (1) Unit 3 strip (Fig. 7).
- 7. Sew (1) $3\frac{1}{2}$ " x $4\frac{1}{2}$ " Fabric G strip to each side of (1) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " Fabric B strip. Sew (1) Unit 1 strip to the top of the newly sewn strip lengthwise to make (1) Unit 4 square (Fig. 8). Repeat to make a second Unit 4 square.






• STUDIO e PROJECTS • www.studioefabrics.net

- 8. Sew together (1) Unit 1 strip, (1) Unit 2 strip, (1) Unit 1 strip, (1) Unit 2 strip and (1) Unit 1 square, lengthwise and in that order from top to bottom. Sew (1) $8 \frac{1}{2}$ " x $24 \frac{1}{2}$ " Fabric H strip to the bottom of the newly sewn strip to make the Left Side Border (Fig. 9).
- 9. Repeat Step 8 and refer to Figure 10 for component identification, placement and orientation to make the Right Side Border.



- 10. Sew the Unit 3 square to the left end of (1) 8 ½" x 44 ½" Fabric H strip to make the Top Border (Fig. 11).
- 11. Sew the Unit 4 square to the right end of (1) $8 \frac{1}{2}$ " x $44 \frac{1}{2}$ " Fabric H strip to make the Bottom Border (Fig. 12).



Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)


- 12. Sew (1) 5 ½" x 44 ½" Fabric C strip to each side of the Center Block.
- 13. Sew (1) 1 $\frac{1}{2}$ " x 44 $\frac{1}{2}$ " Fabric D strip to each side of the Center Block. Sew (1) 2 $\frac{1}{2}$ " x 36 $\frac{1}{2}$ " Fabric D strip to the top and to the bottom of the Center Block.
- 14. Sew the Left Side Border and Right Side Border to the left and to the right sides of the Center Block.
- 15. Sew the Top Border and Bottom Border to the top and to the bottom of the Center Block.
- 16. Sew (1) 2" x 64 $\frac{1}{2}$ " Fabric D strip to each side of the Center Block. Sew (1) 2" x 55 $\frac{1}{2}$ " Fabric D strip to the top and to the bottom of the Center Block.
- 17. Sew (1) $4\frac{1}{2}$ " x 67 $\frac{1}{2}$ " Fabric I strip to each side of the Center Block. Sew (1) $4\frac{1}{2}$ " x 63 $\frac{1}{2}$ " Fabric I strip to the top and to the bottom of the Center Block.

Layering, Quilting and Finishing

18. Press the quilt top and 71" x 83" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

- 19. Cut the ends of the (7) Fabric D binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.
- 20. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout

Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.studioefabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.