

# Snowy Magic

QUILT 1



Featuring fabrics from the **Snowy Magic** collection by **Victoria Borges** for **STUDIOe fabrics**

## Fabric Requirements

(A) 4635-61W .....	1 ½ yards	(I) 4631-11W .....	¾ yard
(B) 4637-4 .....	1 ⅛ yards	(J) 4638-11W .....	½ yard
(C) 4639-1W .....	⅞ yard	Backing	
(D) 4632-11W .....	½ yard	4633-11W .....	4 ¼ yards
(E) Coffee Bean-50**	1 yard*		
(F) 4637-61 .....	½ yard		
(G) 4634-88 .....	1 ⅛ yards		
(H) 1351-Butterscotch*	¼ yard		

\* Includes Binding  
\*\* Peppercottons Collection  
+ Just Color! Collection

## Additional Supplies Needed

Batting 60" x 76" (Recommended:  
Air Lite® Colour Me 100% Cotton)  
Piecing and sewing thread  
Quilting and sewing supplies  
Quilt designed by Megan Downer  
Finished Quilt Size 52" x 68"  
Skill Level: Intermediate

Please check our website for pattern updates before starting this project.



## Fabrics in the Collection



24" Panel - Frost  
4630P-11W



Landscape - Frost  
4631-11W



Patch - Frost  
4632-11W



Animals - Frost  
4633-11W



Snowflakes - Frost  
4634-11W



Snowflakes - Red  
4634-88



Greenery - Teal  
4635-61W



Candle Votives - Frost  
4636-11



Sprigs - Gold  
4637-4



Sprigs - Teal  
4637-61



Stripe - Frost  
4638-11W



Trees - Pigment White  
4639-1W

## Select Fabrics from Peppered Cottons and Just Color!



Peppered Cotton - Peacock  
Peacock-49



Peppered Cotton - Coffee Bean  
Coffee Bean-50



Just Color! - Butterscotch  
1351-Butterscotch

## Cutting

### Cutting Instructions

*Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

#### **Fabric A (4635-61W Greenery – Teal), cut:**

- (1) 7" x 48 ½" LOF strip.
- (1) 4 ½" x 48 ½" LOF strip.

#### **Fabric B (4637-4 Sprigs – Gold), cut:**

- (1) 3 ½" x WOF strip, sub-cut (3) 3 ½" squares.
- (3) 2" x WOF strips, sub-cut (36) 2" x 3 ½" strips.
- (2) 2" x WOF strips, sub-cut (36) 2" squares.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 48 ½" strips.
- (3) 1" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1" x 48 ½" strips.
- See instructions to cut (16) Template 1 and (16) Template 3.

#### **Fabric C (4639-1W Trees – Pigment White), cut:**

- (2) 2 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (1) 2 ½" x 48 ½" strip.
- See instructions to cut (16) Template 2, (48) Template 4 and (48) Template 6.

#### **Fabric D (4632-11W Patch – Frost), cut:**

- (2) 5 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (1) 5 ½" x 48 ½" strip.

#### **Fabric E (Coffee Bean-50 Peppered Cottons – Coffee Bean), cut:**

- (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 48 ½" strips.
- (3) 1" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1" x 48 ½" strips.
- (4) 1" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1" x 64 ½" strips.
- (3) 1" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1" x 49 ½" strips.
- (6) 2 ½" x WOF strips for the binding.

#### **Fabric F (4637-61 Sprigs – Teal), cut:**

- See instructions to cut (48) Template 5.

#### **Fabric G (4634-88 Snowflakes – Red), cut:**

- (1) 4 ½" x WOF strip, sub-cut (2) 4 ½" x 12 ½" strips.
- (1) 3 ½" x WOF strip, sub-cut (12) 3 ½" squares.
- (1) 2 ½" x WOF strips, sub-cut (2) 2 ½" x 12 ½" strips.
- (6) 2" x WOF strips, sub-cut (108) 2" squares.
- (1) 1 ¼" x WOF strip, sub-cut (12) 1 ¼" x 3 ½" strips.
- (3) 1 ¼" x WOF strips, sub-cut (24) 1 ¼" x 4 ¼" strips.
- (2) 1 ¼" x WOF strips, sub-cut (12) 1 ¼" x 5" strips.
- (3) 1" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1" x 48 ½" strips.

#### **Fabric H (1351-Butterscotch Just Color! – Butterscotch), cut:**

- (3) 1 ¼" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ¼" x 48 ½" strips.

#### **Fabric I (4631-11W Landscape – Frost), cut:**

- (2) 10 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (1) 10 ½" x 48 ½" strips.

#### **Fabric J (4638-11W Stripe – Frost), cut:**

- (4) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 65 ½" strips.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 52 ½" strips.

#### **Backing (4633-11W Animals –Frost), cut:**

- (2) 76" x WOF strips. Sew the strips together and trim to 60" x 76" to make the back.

## Sewing

Sew using a  $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

### Block Assembly

1. Place (1) 2" Fabric G square on the left side of (1) 2" x 3  $\frac{1}{2}$ " Fabric B strip, right sides together (Fig. 1). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 1). Flip open the triangle formed and press (Fig. 2). Trim away the excess fabric from behind the triangle, leaving a  $\frac{1}{4}$ " seam allowance.
2. Place 2" Fabric G square on the right side of the 2" x 3  $\frac{1}{2}$ " Fabric B strip, right sides together (Fig. 3). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 3). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a  $\frac{1}{4}$ " seam allowance to make (1) Unit 1 strip (Fig. 4).
3. Repeat Steps 1-2 to make (36) Unit 1 strips total.
4. Sew (3) Unit 1 strips together lengthwise to make (1) Unit 2 block (Fig. 5). Repeat to make (12) Unit 2 blocks total.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5

5. Place (1) 2" Fabric G square on the top left corner of (1) 3  $\frac{1}{2}$ " Fabric B square, right sides together (Fig. 6). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 6). Flip open the triangle formed and press (Fig. 7). Trim away the excess fabric from behind the triangle  $\frac{1}{4}$ " away from the sewn seam.

6. Follow Figure 8 for the seam direction to add a 2" Fabric G square to each of the remaining corners of the 3  $\frac{1}{2}$ " Fabric B square to make (1) Unit 3 block (Fig. 9).

7. Repeat Steps 5-6 to make (3) Unit 3 blocks total.




Fig. 6




Fig. 7




Fig. 8




Fig. 9




8. Place (1) 2" Fabric B square on the bottom right corner of (1) 3 ½" Fabric G square, right sides together (Fig. 10). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 10). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle ¼" away from the sewn seam to make (1) Unit 4 block (Fig. 11). Repeat to make (12) Unit 4 blocks total.

9. Sew (1) 1 ¼" x 3 ½" Fabric G strip to the bottom of (1) Unit 4 block. Sew (1) 1 ¼" x 4 ¼" Fabric G strip to the right side of the Unit 4 block to make (1) Unit 5 block (Fig. 12). Repeat to make (12) Unit 5 blocks total.

10. Place (1) 2" Fabric B square on the bottom right corner of (1) Unit 5 block, right sides together (Fig. 13). Sew across the diagonal of the small square from the upper right corner to the lower left corner (Fig. 13). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle ¼" away from the sewn seam to make (1) Unit 6 block (Fig. 14). Repeat to make (12) Unit 6 blocks total.

11. Sew (1) 1 ¼" x 4 ¼" Fabric G strip to the bottom of (1) Unit 6 block. Sew (1) 1 ¼" x 5" Fabric G strip to the right side of the Unit 6 block to make (1) Unit 7 block (Fig. 15). Repeat to make (12) Unit 7 blocks total.

12. Place (1) 2" Fabric B square on the bottom right corner of (1) Unit 7 block, right sides together (Fig. 16). Sew across the diagonal of the small square from the upper right corner to the lower left corner (Fig. 16). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle ¼" away from the sewn seam to make (1) Unit 8 block (Fig. 17). Repeat to make (12) Unit 8 blocks total.



***Pay attention to the orientation of the components when constructing Block One.***

13. Sew (1) Unit 8 block to each side of (1) Unit 2 block to make the top row. Repeat to make the bottom row. Sew (1) Unit 2 block to each side of (1) Unit 3 block to make the middle row. Sew the (3) rows together to make (1) Block One square (Fig. 18). Repeat to make (3) Block One squares total.

14. Place (1) Fabric B-Template 1 triangle on top of (1) Fabric C-Template 2 triangle, right sides together, aligning the left sides. Sew the (2) triangles together along the left side. Press the smaller triangle open.

15. Place (1) Fabric B-Template 3 triangle on top of the Fabric C-Template 2 triangle, right sides together, aligning the right sides. Sew the (2) triangles together along the right side. Press the smaller triangle open. Trim the block to measure 4 ½" x 6 ½" to make (1) Unit 9 strip (Fig. 19).

16. Repeat Steps 14-15 to make (16) Unit 9 strips total.




Fig. 18




Fig. 19

17. Repeat Steps 14-15, refer to Figure 20 and use (48) Fabric C-Template 4 triangles, (48) Fabric F-Template 5 triangles and (48) Fabric C-Template 6 triangles together to make (48) 2 ½" x 4" Unit 10 strips.




Fig. 20

18. Sew (8) Unit 9 strips together end to end to make (1) Large Sashing Strip (Fig. 21). Repeat to make a second Large Sashing Strip.




Fig. 21

19. Sew (24) Unit 10 strips together (pay attention to the orientation of the units) to make (1) Small Sashing Strip (Fig. 22). Repeat to make a second Small Sashing Strip.




Fig. 22

## Quilt Top Assembly

*(Follow the Quilt Layout while assembling the quilt top.)*

20. Sew together (1) 7" x 48 ½" Fabric A strip, (1) 2" x 48 ½" Fabric B strip, (1) 2 ½" x 48 ½" Fabric C strip, (1) 5 ½" x 48 ½" Fabric D strip and (1) 1 ½" x 48 ½" Fabric E strip lengthwise and in that order to make the Section One of the Center Block.

21. Sew together (1) Large Sashing Strip, (1) 1" x 48 ½" Fabric E strip, (1) 1" x 48 ½" Fabric B strip, (1) 1 ¼" x 48 ½" Fabric H strip and (1) Small Sashing Strip lengthwise and in that order to make the Section Two of the Center Block.

22. Sew together (1) 2 ½" x 12 ½" Fabric G strip, (1) Block One square, (1) 4 ½" x 12 ½" Fabric G strip, (1) Block One square, (1) 4 ½" x 12 ½" Fabric G strip, (1) Block One square and (1) 2 ½" x 12 ½" Fabric G strip in that order. Sew (1) 1" x 48 ½" Fabric G strip to the top and to the bottom of the sewn unit to make Section Three of the Center Block.

23. Sew (1) Small Sashing Strip, (1) 1 ¼" x 48 ½" Fabric H strip, (1) 1" x 48 ½" Fabric B strip, (1) 1" x 48 ½" Fabric E strip, (1) Large Sashing Strip, (1) 1 ½" x 48 ½" Fabric E strip together lengthwise to make Section Four of the Center Block.

24. Sew (1) 10 ½" x 48 ½" Fabric I strip, (1) 2" x 48 ½" Fabric B strip and (1) 4 ½" x 48 ½" Fabric A strip together lengthwise and in that order to make Section Five of the Center Block.

25. Sew the (5) Sections together to make the Center Block.

26. Sew (1) 1" x 64 ½" Fabric E strip to each side of the Center Block. Sew (1) 1" x 49 ½" Fabric E strip to the top and to the bottom of the Center Block.

27. Sew (1) 2" x 65 1/2" Fabric J strip to each side of the Center Block. Sew (1) 2" x 52 1/2" Fabric J strip to the top and to the bottom of the Center Block to make quilt top.


### Layering, Quilting and Finishing

28. Press the quilt top and 60" x 76" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

### Binding


29. Cut the ends of the (6) Fabric E binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

30. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place



Quilt Layout

100% Templates



Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check [www.studioefabrics.net](http://www.studioefabrics.net) for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.