




Sweet Dreams





Featuring fabrics from the **Sweet Dreams** collection by **Victoria Hutto** for **STUDIO**

Fabric Requirements

(F) 6322-49 ½ yard

Additional Supplies Needed


Batting 43" x 57" (Recommended: Air Lite® Colour Me 100% Cotton) Piecing and sewing thread Quilting and sewing supplies Quilt designed by Heidi Pridemore

Quilt designed by Heidi Pridemore Finished Quilt Size 35" x 49" Skill Level: Beginner

Please check our website for pattern updates before starting this project.

•STUDIO **e** PROJECTS• www.studioefabrics.net

Fabrics in the Collection



36 Inch Sheep Panel Gray - 6326P-49

• STUDIO **e** PROJECTS • www.studioefabrics.net

Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (6323-49 Stars - White/Gray), cut:

• See instructions to cut (11) Stars.

Fabric B (6321-90 Tossed Numbers - Gray), cut:

• (2) 5 ½" x WOF strips, sub-cut (11) 5 ½" squares.

Fabric C (6325-49 Small Squares - Multi), cut:

• (2) 5 ½" x WOF strips, sub-cut (10) 5 ½" squares.

Fabric D (6324-49 Counting Sheep Stripe – Multi):

• Fussy cut (4) 4" x 35 ½" LOF strips, each centered on a stripe of sheep.

Fabric E (6321-44 Tossed Numbers - Yellow), cut:

- (8) $1\frac{1}{2}$ x 35 $\frac{1}{2}$ WOF strips.
- (5) 2 ½" x WOF strips for the binding.

Fabric F (6322-49 Sheep in Big Dots - Multi), cut:

• (2) 6 ½" x 35 ½" WOF strips.

Backing (6320-44 Tossed Sheep - Yellow), cut:

• (2) 43" x WOF strips. Sew the strips together and trim to 43" x 57" to make the back.



Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

- 1. Following the manufacturer's instructions, trace the listed number of each template onto the paper side of the fusible web. Roughly cut out each template about 1/8" outside the drawn lines.
- 2. Press each template onto the wrong side of the fabrics as listed on the templates. Cut out each template on the drawn lines.
- 3. Refer to Figure 1 to arrange and press (1) Fabric A star onto (1) 5 ½" Fabric B square.
- 4. Finish the raw edges of each star with a decorative stitch such as a buttonhole or satin stitch to make (1) Block One square.




Block One

make 2


5. Repeat Steps 3-4 to make a second Block One square.

Fig. 1

6. Repeat Steps 3-4 and refer to Figures 2-3 for fabric identification, placement and orientation to make (6) Block Two squares and (3) Block Three squares.



7. Sew (1) 1 ½" x 35 ½" Fabric E strip to the top and to the bottom of (1) 4" x 35 ½" Fabric D strip to make (1) Block Four strip (Fig. 4). Repeat to make (4) Block Four strips total.



Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)


- 8. Sew together (1) Block One square, (1) 5 $\frac{1}{2}$ " Fabric C square, (1) Block Two square, (1) 5 $\frac{1}{2}$ " Fabric C square and (1) Block Two square, in that order from left to right, to make Row Two.
- 9. Repeat Step 8 and refer to the Quilt Layout for component identification, placement orientation to make Row Four and Row Six.
- 10. Sew together (1) $6\frac{1}{2}$ " x $35\frac{1}{2}$ " Fabric F strip, (1) Block Four strip, Row Two, (1) Block Four strip, Row Four, (1) Block Four strip, Row Six, (1) Block Four strip and (1) $6\frac{1}{2}$ " x $35\frac{1}{2}$ " Fabric F strip, lengthwise and in that order from top to bottom, to make the quilt top.


Layering, Quilting and Finishing

11. Press the quilt top and 43" x 57" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

- 12. Cut the ends of the (5) Fabric E binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.
- 13. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.





Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.studioefabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.