

# North Pole Greetings

QUILT 1

2 ply  
flannel



Featuring fabrics from the **North Pole Greetings** collection by **Elisabeth Jane** for **STUDIO·e·fabrics**

## Fabric Requirements

(A) F3293P-88 .....	1 panel
(B) F3299-77 .....	3/8 yard
(C) F3300-77 .....	3/4 yard*
(D) F3295-71 .....	2 1/8 yards
(E) F3300-88 .....	1/4 yard
(F) F3297-11 .....	1/4 yard
(G) F3297-88 .....	3/4 yard
(H) F3300-11 .....	3/8 yard

(I) F3299-11 .....	3/8 yard
Backing	
F3296-11 .....	3 1/4 yards

\*Includes binding

## Additional Supplies Needed

Batting 58" x 78"  
Piecing and sewing thread  
Quilting and sewing supplies

## Pattern Information

Quilt designed by Heidi Pridemore  
Finished Quilt Size 50" x 70"  
Skill Level: Advanced Beginner

## Cutting

### Cutting Instructions

*Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

#### **Fabric A (F3293P-88 Christmas Panel 24" – Red):**

- Fussy cut (1) 22 ½" x 41 ½" panel.

#### **Fabric B (F3299-77 Tossed Candy Canes – Navy), cut:**

- (2) 2 ½" x 41 ½" WOF strips.
- (2) 3" x 26 ½" WOF strips.

#### **Fabric C (F3300-77 Snowflakes – Navy), cut:**

- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 55 ½" strips.
- (2) 2" x 38 ½" WOF strips.
- (6) 2 ½" x WOF strips for the binding.

#### **Fabric D (F3295-71 Christmas Stripe – Blue), cut:**

- (2) 6 ½" x 74" LOF strips.
- (2) 6 ½" x 54" LOF strips.

#### **Fabric E (F3300-88 Snowflakes – Red), cut:**

- (1) 6 ¼" x WOF strip, sub-cut (4) 6 ¼" squares.

#### **Fabric F (F3297-11 Allover Penguins – Lt. Blue), cut:**

- (1) 6 ¼" x WOF strip, sub-cut (4) 6 ¼" squares.

#### **Fabric G (F3297-88 Allover Penguins – Red), cut:**

- (2) 10 ½" x WOF strips, sub-cut (12) 5 ½" x 10 ½" strips.

#### **Fabric H (F3300-11 Snowflakes – Lt. Blue), cut:**

- (2) 5 ½" x WOF strips, sub-cut (12) 5 ½" squares.

#### **Fabric I (F3299-11 Tossed Candy Canes – Lt. Blue), cut:**

- (2) 5 ½" x WOF strips, sub-cut (12) 5 ½" squares.

#### **Backing (F3296-11 Snowmen & Penguins – Lt. Blue), cut:**


- (2) 58" x WOF strips. Sew the strips together and trim to 58" x 78" for the back.

## Sewing

Sew using a  $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

### Block Assembly

1. Sew (1)  $2\frac{1}{2}$ " x  $41\frac{1}{2}$ " Fabric B strip to each side of the  $22\frac{1}{2}$ " x  $41\frac{1}{2}$ " Fabric A panel. Sew (1)  $3$ " x  $26\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the Fabric A panel. Trim the block to measure  $25\frac{1}{2}$ " x  $45\frac{1}{2}$ " to make the Center Block (Fig. 1).



Trim to measure  
 $25\frac{1}{2}$ " x  $45\frac{1}{2}$ "  
after the borders  
are added

Fig. 1

2. Place (1)  $6\frac{1}{4}$ " Fabric F square on top of (1)  $6\frac{1}{4}$ " Fabric E square, right side together. Draw a line across the diagonal of the top square (Fig. 2). Sew  $\frac{1}{4}$ " away from each side of the drawn diagonal line (Fig. 2). Cut the two squares apart on the drawn diagonal line (Fig. 3) to make two half-square triangles (Fig. 4). Trim the blocks to measure  $5\frac{7}{8}$ " square.




Fig. 2




Fig. 3




Fig. 4




Fig. 5

3. Place one half-square triangle from Step 2 on top of another half-square triangle, right sides together. Make sure the center seam is going in the same direction on both half-square triangles and the Fabric F triangle in the top block is opposite from the Fabric F triangle in the bottom block (Fig. 5).

4. Draw a diagonal line across the top half-square triangle so that it goes through the sewn seam. Sew  $\frac{1}{4}$ " away from both sides of the drawn line (Fig. 6). Cut on the drawn line to make (2) EF units (Fig. 7). Trim the EF units to measure  $5\frac{1}{2}$ " square.




Fig. 6




Fig. 7

5. Repeat Steps 2-4 to make (8) EF units total.

6. Place (1) 5 ½" Fabric I square on the left side of (1) 5 ½" x 10 ½" Fabric G strip, right sides together (Fig. 8). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 8). Flip open the triangle formed and press (Fig. 9). Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance.




Fig. 8




Fig. 9




Fig. 10




Fig. 11

8. Repeat Steps 6-7 to make (6) IGH units total.

9. Repeat Steps 6-7 but reverse the 5 ½" Fabric I and Fabric H squares to make (6) HGI units (Fig. 12).




Fig. 12

10. Sew (1) IGH and (1) HGI unit together end to end to make (1) II strip (Fig. 13). Repeat to make (4) II strips total.




Fig. 13

## Quilt Top Assembly

*(Follow the Quilt Layout while assembling the quilt top.)*

11. Sew (1) II strip, (1) EF unit and (1) II strip together in that order to make (1) strip. Repeat to make a second strip. Sew (1) strip to each side of the Center Block.

12. Sew (1) EF unit, (1) IGH unit, (1) EF unit, (1) HGI unit and (1) EF unit together to make (1) strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Center Block to make the quilt top.

13. Sew (1) 2" x 55 ½" Fabric C strip to each side of the quilt top. Sew (1) 2" x 38 ½" Fabric C strip to the top and to the bottom of the quilt top.

14. Center (1) 6 ½" x 74" Fabric D strip on one side of the quilt top and pin in place. Start sewing the strip a ¼" from the top edge of the quilt top and stop a ¼" from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

15. Repeat Step 14 to sew (1) 6 ½" x 54" Fabric D strip to the top and to the bottom of the quilt top, making sure to stop and start ¼" away from each end of the quilt top. To miter each corner, fold the quilt top on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 14).

16. Starting at the sewn seam (represented by the arrow in Figure 14), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a ¼" seam. Repeat this step with the remaining corners.




Fig. 14


### Layering, Quilting and Finishing

17. Press the quilt top and 58" x 78" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

### Binding

18. Cut the ends of the (6) Fabric C binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

19. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout