


# Red, White & Starry Blue

Table Set



••••• A Free Project Sheet •••••  
 ••••• NOT FOR RESALE •••••

Featuring fabrics from the **Red, White & Starry Blue** collection from



## Fabric Requirements

### Table Topper

- (A) 3981-78 ..... ¼ yard
- (B) 3986-88 ..... ½ yard
- (C) White Sugar-09\*\* ⅞ yard
- (D) 3982-10 ..... ¼ yard
- (E) Flame-16\*\* ..... ½ yard
- (F) 3982-77 ..... ½ yard
- (G) Ink-45\*\* ..... ¾ yard
- (H) 3983-10 ..... ½ yard
- (I) 3982-88 ..... ⅛ yard

### Backing

- 3986-10 ..... 2 ½ yards

### Place Mats (makes 4)

- (A) 3981-78 ..... ⅓ yard
- (B) 3986-88 ..... ⅝ yard
- (C) White Sugar-09\*\* ⅝ yard
- (D) Ink-45\*\* ..... 1 yard
- (E) 3986-10 ..... ⅓ yard
- Backing  
 3983-77 ..... 1 ⅓ yards

### Banner

- (A) 3985P-78 ..... 1 panel

\* Includes Binding

\*\* Peppered Cottons Collection

## Additional Supplies Needed

- Batting (1) 45" x 45", (4) 22" x 18"
- (Recommended:  
 Air Lite® Colour Me 100% Cotton)
- Piecing and sewing thread
- Quilting and sewing supplies

Quilt designed by Heidi Pridemore  
 Finished Table Topper Size 37" x 37"  
 Finished Place Mat Size: 18" x 14"  
 Skill Level: Intermediate

## Fabrics in the Collection



24" Label Pattern - Navy/Red  
3980P-78



Patriotic Swirl - Navy/Red  
3981-78



Large Stars - White  
3982-10



Large Stars - Navy  
3982-77




Large Stars - Red  
3982-88




America - White  
3983-10




America - Navy  
3983-77




Border Stripe - Navy/Red  
3984-78




Small Stars - White  
3986-10



Small Stars - Red  
3986-88



Flag Geo - Navy/Red  
3987-78



24" Pennant Banner - Blue/Red  
3985P-78

## Select Fabrics from the Peppered Cottons Collection



White Sugar-09



Flame-16



Ink-45

## Cutting

### Table Topper Cutting Instructions

*Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

#### **Fabric A (3981-78 Patriotic Swirl – Navy/Red), cut:**

- (1) 2 ¾" x WOF strip, sub-cut (5) 2 ¾" squares.
- (2) 1 ⅝" x WOF strips, sub-cut (40) 1 ⅝" squares.

#### **Fabric B (3986-88 Small Stars – Red), cut:**

- (3) 2 ¾" x WOF strips, sub-cut (40) 2 ¾" squares.
- (1) 1 ⅝" x WOF strip, sub-cut (20) 1 ⅝" squares.
- (1) 2 ¾" x WOF strip, sub-cut (20) 1 ⅝" x 2 ¾" strips.

#### **Fabric C (White Sugar-09 Peppered Cottons – White Sugar), cut:**

- (2) 2 ¾" x WOF strips, sub-cut (20) 2 ¾" squares.
- (3) 2 ¾" x WOF strips, sub-cut (20) 2 ¾" x 5" strips.
- (1) 1 ⅝" x WOF strip, sub-cut (16) 1 ⅝" squares.
- (2) 2 ¾" x WOF strips, sub-cut (48) 1 ⅝" x 2 ¾" strips.

#### **Fabric D (3982-10 Large Stars – White), cut:**

- (1) 5" x WOF strip, sub-cut (4) 5" squares.

#### **Fabric E (Flame-16 Peppered Cottons – Flame), cut:**

- (2) 2 ¾" x WOF strips, sub-cut (16) 2 ¾" squares.
- (3) 1 ⅝" x WOF strips, sub-cut (64) 1 ⅝" squares.

#### **Fabric F (3982-77 Large Stars – Navy), cut:**

- (5) 1 ⅝" x WOF strips, sub-cut (112) 1 ⅝" squares.
- (2) 2 ¾" x WOF strips, sub-cut (32) 1 ⅝" x 2 ¾" strips.

#### **Fabric G (Ink-45 Peppered Cottons – Ink), cut:**

- (4) 1 ½" x 31 ½" WOF strips.
- (3) 1 ½" x WOF strips, sub-cut (12) 1 ½" x 9 ½" strips.
- (4) 2 ½" x WOF strips for the binding.

#### **Fabric H (3983-10 America – White), cut:**

- (4) 3 ½" x 31 ½" WOF strips.

#### **Fabric I (3982-88 Large Stars – Red), cut:**

- (1) 3 ½" x WOF strip, sub-cut (4) 3 ½" squares.

#### **Backing (3986-10 Small Stars – White), cut:**

- (2) 45" x WOF strips. Sew the strips together and trim to 45" x 45" to make the back.

## Table Topper Sewing

Sew using a  $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

### Topper Block Assembly

1. Place (1)  $1\frac{5}{8}$ " Fabric A square on the left side of (1)  $1\frac{5}{8}$ " x  $2\frac{3}{4}$ " Fabric B strip, right sides together (Fig. 1). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 1). Flip open the triangle formed and press (Fig. 2). Trim away the excess fabric from behind the triangle, leaving a  $\frac{1}{4}$ " seam allowance.

2. Place another  $1\frac{5}{8}$ " Fabric A square on the right side of the  $1\frac{5}{8}$ " x  $2\frac{3}{4}$ " Fabric B strip, right sides together (Fig. 3). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 3). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a  $\frac{1}{4}$ " seam allowance to make (1) Unit 1 strip (Fig. 4).

3. Repeat Steps 1-2 to make (20) Unit 1 strips total.

4. Repeat Steps 1-2 using (20)  $2\frac{3}{4}$ " x 5" Fabric C strips and (40)  $2\frac{3}{4}$ " Fabric B squares to make (20) Unit 2 strips (Fig. 5).



Fig. 1



Fig. 2



Fig. 3




Fig. 4




Fig. 5

5. Sew (1) Unit 1 strip to each side of (1)  $2\frac{3}{4}$ " Fabric A square. Sew (1)  $1\frac{5}{8}$ " Fabric B square to each end of (1) Unit 1 strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Fabric A sewn strip to make (1) Unit 3 block (Fig. 6). Repeat to make (5) Unit 3 blocks total.

6. Sew (1) Unit 2 strip to each side of (1) Unit 3 block. Sew (1)  $2\frac{3}{4}$ " Fabric C square to each end of (1) Unit 2 strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Unit 3 sewn strip to make (1) Block One square (Fig. 7). Repeat to make (5) Block One squares total.




Fig. 6




Fig. 7

7. Place (1) 2 ¾" Fabric E square on the top left corner of (1) 5" Fabric D square, right sides together (Fig. 8). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 8). Flip open the triangle formed and press (Fig. 9). Trim away the excess fabric from behind the triangle ¼" away from the sewn seam.

8. Follow Figure 10 for the seam direction to add a 2 ¾" Fabric E square to each of the remaining corners of the 5" Fabric D square to make (1) Unit 4 block (Fig. 11).

9. Repeat Steps 7-8 to make (4) Unit 4 blocks total.




Fig. 8




Fig. 9




Fig. 10




Fig. 11

Unit 4  
make 4

10. Repeat Steps 1-2 using (32) 1 5/8" x 2 ¾" Fabric F strips and (64) 1 5/8" Fabric E squares to make (32) Unit 5 strips (Fig. 12).

11. Repeat Steps 1-2 using (48) 1 5/8" x 2 ¾" Fabric C strips and (96) 1 5/8" Fabric F squares to make (48) Unit 6 strips (Fig. 13).




Fig. 12

Unit 5  
make 32




Fig. 13

Unit 6  
make 48

12. Sew (2) Unit 5 strips together end to end to make (1) Short Border Strip. Repeat to make (16) Short Border Strips total.

13. Sew (1) Short Border Strip to each side of (1) Unit 4 block. Sew (1) 1 5/8" Fabric F square to each end of (1) Short Border Strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Unit 4 sewn strip to make (1) Unit 7 block (Fig. 14). Repeat to make (4) Unit 7 blocks total.

14. Sew (3) Unit 6 strips together end to end to make (1) Long Border Strip. Repeat to make (16) Long Border Strips total.

15. Sew (1) Long Border Strip to each side of (1) Unit 7 block. Sew (1) 1 5/8" Fabric C square to each end of (1) Long Border Strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Unit 7 sewn strip to make (1) Block Two square (Fig. 15). Repeat to make (4) Block Two squares total.




Fig. 14

Unit 7  
make 4




Fig. 15

Block Two  
make 4

## Table Topper Assembly

### (Follow Figure 16 while assembling the table topper.)

16. Sew (1) 1 ½" x 9 ½" Fabric G strip, (1) Block One square, (1) 1 ½" x 9 ½" Fabric G strip, (1) Block Two square, (1) 1 ½" x 9 ½" Fabric G strip, (1) Block One square and (1) 1 ½" x 9 ½" Fabric G strip together to make Row One. Repeat to make Row Three.

17. Sew (1) 1 ½" x 9 ½" Fabric G strip, (1) Block Two square, (1) 1 ½" x 9 ½" Fabric G strip, (1) Block One square, (1) 1 ½" x 9 ½" Fabric G strip, (1) Block Two square and (1) 1 ½" x 9 ½" Fabric G strip together to make Row Two.

18. Sew (4) 1 ½" x 31 ½" Fabric G strips and (3) pieced rows, in numerical order, together, alternating them, to make the Center Block.

19. Sew (1) 3 ½" x 31 ½" Fabric H strip to each side of the Center Block. Sew (1) 3 ½" Fabric I square to each end of (1) 3 ½" x 31 ½" Fabric H strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Center Block to make the Topper.

## Layering, Quilting and Finishing

20. Press the top and 45" x 45" backing well. Layer backing (wrong side up), batting, pressed top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

## Binding

21. Cut the ends of the (4) Fabric G binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

22. Sew the binding to the front of the runner, raw edges together. Turn the folded edge to the back, and hand stitch in place.




Fig. 16

## Place Mat Cutting

### Place Mat Cutting Instructions

*Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

#### Fabric A (3981-78 Patriotic Swirl – Navy/Red), cut:

- (1) 3 ½" x WOF strip, sub-cut (4) 3 ½" squares.
- (2) 2" x WOF strips, sub-cut (32) 2" squares.

#### Fabric B (3986-88 Small Stars – Red), cut:

- (3) 3 ½" x WOF strips, sub-cut (32) 3 ½" squares.
- (1) 2" x WOF strip, sub-cut (16) 2" squares.
- (2) 2" x WOF strips, sub-cut (16) 2" x 3 ½" strips.

#### Fabric C (White Sugar-09 Peppered Cottons – White Sugar), cut:

- (2) 3 ½" x WOF strips, sub-cut (16) 3 ½" squares.
- (3) 3 ½" x WOF strips, sub-cut (16) 3 ½" x 6 ½" strips.

#### Fabric D (Ink-45 Peppered Cottons – Ink), cut:

- (4) 1 ½" x WOF strips, sub-cut (8) 1 ½" x 18 ½" strips.
- (3) 1 ½" x WOF strips, sub-cut (8) 1 ½" x 12 ½" strips.
- (8) 2 ½" x WOF strips for the binding.

#### Fabric E (3986-10 Small Stars – White), cut:

- (3) 2 ½" x WOF strips, sub-cut (8) 2 ½" x 12 ½" strips.

#### Backing (3983-77 America – Navy), cut:

- (2) 22" x WOF strips, sub-cut (4) 22" x 18" strips for the backs.

## Place Mat Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

### Block Assembly

23. Place (1) 2" Fabric A square on the left side of (1) 2" x 3 ½" Fabric B strip, right sides together (Fig. 17). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 17). Flip open the triangle formed and press (Fig. 18). Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance.

24. Place another 2" Fabric A square on the right side of the 2" x 3 ½" Fabric B strip, right sides together (Fig. 19). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 19). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) Unit 1 strip (Fig. 20).

25. Repeat Steps 23-24 to make (16) Unit 1 strips total.

26. Repeat Steps 23-24 using (16) 3 ½" x 6 ½" Fabric C strips and (32) 3 ½" Fabric B squares to make (16) Unit 2 strips (Fig. 21).




Fig. 17



Fig. 18




Fig. 19




Fig. 20




Fig. 21

27. Sew (1) Unit 1 strip to each side (1) 3 1/2" Fabric A square. Sew (1) 2" Fabric B square to each end of (1) Unit 1 strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Fabric A sewn strip to make (1) Unit 3 block (Fig. 22). Repeat to make (4) Unit 3 blocks total.




Fig. 22

28. Sew (1) Unit 2 strip to each side (1) Unit 3 block. Sew (1) 3 1/2" Fabric C square to each end of (1) Unit 2 strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Unit 3 block sewn strip to make (1) Block One square (Fig. 23). Repeat to make (4) Block One squares total.




Fig. 23

## Place Mat Tops Assembly

*(Follow Figure 24 while assembling the place mat tops.)*

29. Sew (1) 1 1/2" x 12 1/2" Fabric D strip to each side of (1) Block One square. Sew (1) 2 1/2" x 12 1/2" Fabric E to each side of the sewn strip. Sew (1) 1 1/2" x 18 1/2" Fabric D strip to the top and to the bottom of the Block One sewn strip to make (1) Place Mat top (Fig. 24). Repeat to make (4) Place Mat tops total.


## Layering, Quilting and Finishing

30. Press the placemat tops and 22" x 18" backings well. Layer backings (wrong side up), batting, pressed placemat tops (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

## Binding

31. Cut the ends of the (8) Fabric D binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together. Divide the long strip into (4) equal lengths.

32. Sew the bindings to the front of the placemats, raw edges together. Turn the folded edge to the back, and hand stitch in place.



## Banner Cutting

### Place Mat Cutting Instructions

*Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

### Fabric A (3985P-78 24" Pennant Banner – Blue/Red), fussy cut:

- (2) Blue and white stripe strips from edges of panel for the cord.
- (18) triangular pennants on the printed line.

## Banner Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

### Pennant Assembly

33. Pair up (2) pennants and place them wrong sides together and pin in place. *Optional: Use pinking shears or pinking blade to cut around the edges of the paired pennants.*

34. Stitch the two paired pennants together using matching thread ¼" in from the edge to complete (1) pennant.

35. Repeat Steps 33-34 to make (9) pennants total.

### Banner Assembly

36. Sew the two blue and white stripe strips together end to end.

37. Fold in each long side a ¼", wrong sides together and press.

38. Fold the strip in half lengthwise, wrong sides together, matching the folded side edges and press.

39. Measure and mark the center of the strip and the center of one pennant along the top edge.

40. Slide the top of the pennant into the folded strip matching the center marks and pin in place.

41. Position (4) pennants to the left of the center pennant, positioning them as desired and pin in place. Repeat with the remaining (4) pennants on the right side.

42. Topstitch down the long edge of the folded strip, catching the pennants in the seam.

43. Trim the strip to the desired length. Fold in each short end a ¼", wrong sides together, press and topstitch to complete banner (Fig. 25).




Fig. 25

*Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check [www.studioefabrics.com](http://www.studioefabrics.com) for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.*