


Rush Hour



Featuring fabrics from the **Rush Hour** collection from **STUDIO·e·fabrics**

Fabric Requirements

(A) 2770-99	1 ¾ yards	(K) 2772-90	¾ yard
(B) 2773-88	⅔ yard	(L) 2772-99	¼ yard
(C) 2771-99	1 ½ yards*	(M) 2775-08	¼ yard
(D) 2776-08	¼ yard	(N) 2775-09	¼ yard
(E) 2270-09	¾ yard	(O) 2773-09	¼ yard
(F) 2776-09	¼ yard	(P) 2773-99	¼ yard
(G) 2774-99	¾ yard	(Q) 2771-09	¾ yard
(H) 2774-88	⅝ yard	Backing	
(I) 2774-09	¾ yard	2774-09	3 ¾ yards
(J) 2772-88	¾ yard	* includes binding	

Additional Supplies Needed

Batting 67" x 72"

Piecing and sewing thread

Quilting and sewing supplies

Quilt designed by Heidi Pridemore

Finished Quilt Size 59" x 64"

Cutting

Cutting Instructions

Please Note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (2770-99 Commuters – Black), cut:

- (2) 4 ½" x 56 ½" strips from LOF.
- (4) 4 ½" x WOF strips from the remaining fabric. Sew the strips together, end to end, and cut (2) 4 ½" x 51 ½" strips.

Fabric B (2773-88 Commuter Map – Red), cut:

- (3) 2" x WOF strips. Sew the strips together, end to end, and cut (2) 2" x 53 ½" strips.
- (3) 2" x WOF strips. Sew the strips together, end to end, and cut (2) 2" x 51 ½" strips.
- (1) 4 ½" x WOF strip. Sub-cut the strip into (3) 4 ½" x 6 ½" strips.

Fabric C (2771-99 Buildings – Black), cut:

- (1) 12 ½" x WOF strip. Sub-cut the strip into (28) 1 ½" x 12 ½" strips.
- (1) 13 ½" x WOF strip. Sub-cut the strip into (15) 1 ½" x 13 ½" strips and (8) 1 ½" x 12 ½" strips.
- (1) 6 ½" x WOF strip. Sub-cut the strip into (9) 1 ½" x 6 ½" strips, (6) 1 ½" x 5 ½" strips and (9) 1 ½" x 4 ½" strips.
- (7) 2 ½" x WOF strips for the binding.

Fabric D (2776-08 Newspaper – Red), cut:

- (1) 4 ½" x WOF strip. Sub-cut the strip into (4) 4 ½" squares.

Fabric E (2270-09 Commuters – White), cut:

- (1) 7 ½" x WOF strips. Sub-cut the strips into (6) 6 ½" x 7 ½" strips.

Fabric F (2776-09 Newspaper – Black), cut:

- (1) 5 ½" x WOF strip. Sub-cut the strip into (3) 5 ½" squares.

Fabric G (2774-99 Numbers in Boxes – Black), cut:

- (1) 6 ½" x WOF strip. Sub-cut the strip into (3) 4 ½" x 6 ½" strips and (3) 5 ½" x 6 ½" strips.

Fabric H (2774-88 Numbers in Boxes – Red), cut:

- (3) 5" x WOF strips. Piece the strips together and cut (2) 5" x 53 ½" strips.

Fabric I (2774-09 Numbers in Boxes – White), cut:

- (1) 6 ½" x WOF strip. Sub-cut the strip into (3) 6 ½" x 7 ½" strips.

Fabric J (2772-88 Coffee Cups – Red), cut:

- (1) 6 ½" x WOF strips. Sub-cut the strips into (3) 4 ½" x 6 ½" strips and (3) 4 ½" x 5 ½" strips.

Fabric K (2772-90 Coffee Cups – Gray), cut:

- (1) 7 ½" x WOF strip. Sub-cut the strips into (3) 5 ½" x 7 ½" strips.

Fabric L (2772-99 Coffee Cups – Black), cut:

- (1) 5 ½" x WOF strip. Sub-cut the strip into (3) 4 ½" x 5 ½" strips.

Fabric M (2775-08 Small Numbers – Red), cut:

- (1) 4 ½" x WOF strip. Sub-cut the strip into (3) 4 ½" x 6 ½" strips.

Cutting - Continued

Fabric N (2775-09 Small Numbers – Black), cut:

- (1) 4 ½" x WOF strip. Sub-cut the strip into (3) 4 ½" x 5 ½" strips.

Fabric O (2773-09 Commuter Map – White), cut:

- (1) 4 ½" x WOF strip. Sub-cut the strip into (3) 4 ½" x 5 ½" strips.

Fabric P (2773-99 Commuter Map – Black), cut:

- (1) 4 ½" x WOF strip. Sub-cut the strip into (3) 4 ½" x 6 ½" strips.

Fabric Q (2771-09 Buildings – White), cut:

- (1) 6 ½" x WOF strip. Sub-cut the strip into (3) 4 ½" x 6 ½" strips.

Backing (2774-09 Numbers in Boxes – White), cut:





- (2) 67" x WOF strips. Sew the strips together and trim to 67" x 72" for the back.

Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Blocks Assembly

1. Follow Figure 1 and sew (1) 6 ½" x 7 ½" Fabric E strip, (1) 4 ½" x 6 ½" Fabric G strip, (1) 4 ½" x 5 ½" Fabric N strip, (1) 4 ½" x 6 ½" Fabric J strip, (3) 1 ½" x 12 ½" Fabric C strips, (1) 1 ½" x 6 ½" Fabric C strip and (1) 1 ½" x 4 ½" Fabric C strip together to make (1) Block One (Fig. 1). Repeat to make (3) Block Ones total.
2. Follow Figure 2 and sew (1) 4 ½" x 5 ½" Fabric L strip, (1) 4 ½" x 6 ½" Fabric M strip, (1) 6 ½" x 7 ½" Fabric I strip, (1) 4 ½" x 6 ½" Fabric P strip, (3) 1 ½" x 12 ½" Fabric C strips, (1) 1 ½" x 4 ½" Fabric C strip and (1) 1 ½" x 6 ½" Fabric C strip together to make (1) Block Two (Fig. 2). Repeat to make (3) Block Twos total.
3. Follow Figure 3 and sew (1) 5 ½" x 7 ½" Fabric K strip, (1) 4 ½" x 5 ½" Fabric O strip, (1) 5 ½" Fabric F square, (1) 5 ½" x 6 ½" Fabric G strip, (3) 1 ½" x 12 ½" Fabric C strips and (2) 1 ½" x 5 ½" Fabric C strips together to make (1) Block Three (Fig. 3). Repeat to make (3) Block Threes total.
4. Follow Figure 4 and sew (1) 4 ½" x 5 ½" Fabric J strip, (1) 4 ½" x 6 ½" Fabric Q strip, (1) 6 ½" x 7 ½" Fabric E strip, (1) 4 ½" x 6 ½" Fabric B strip, (3) 1 ½" x 12 ½" Fabric C strips, (1) 1 ½" x 4 ½" Fabric C strip and (1) 1 ½" x 6 ½" Fabric C strip together to make (1) Block Four (Fig. 4). Repeat to make (3) Block Fours total.




Quilt Top Assembly


5. Follow Figure 5 and sew (1) of each block and (5) 1 ½" x 13 ½" Fabric C strips together to make Column One.

6. Follow Figure 6 and sew (1) of each block and (5) 1 ½" x 13 ½" Fabric C strips together to make Column Two.

7. Follow Figure 7 and sew (1) of each block and (5) 1 ½" x 13 ½" Fabric C strips together to make Column Three.



8. Sew the (3) columns and (2) 5" x 53 ½" Fabric H strips together to make the quilt top (Fig. 8).



9. Sew (1) 2" x 53 ½" Fabric B strip to each side of the quilt top. Sew (1) 2" x 51 ½" Fabric B strip to the top and bottom of the quilt top (Fig. 9).




Fig. 9

10. Sew (1) 4 ½" x 56 ½" Fabric A strip to each side of the quilt top. Sew (1) 4 ½" Fabric D square to each end of (1) 4 ½" x 51 ½" Fabric A strip. Repeat to make a second strip. Sew the strips to the top and bottom of the quilt top (Fig. 10).




Fig. 10

Layering, Quilting and Finishing

11. Sew the (2) 67" x WOF strips together and trim to make (1) 67" x 72" backing piece.
12. Press the quilt top and backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

13. Cut the ends of the (7) binding strips at a 45-degree angle and sew end to end to make one continuous piece of binding. Fold in half lengthwise and press wrong sides together. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.