


A Free Project Sheet
NOT FOR RESALE

Sew Much Fun

QUILT 1



Featuring fabrics from the **Sew Much Fun** collection by **Nadia Hassan** for **STUDIO·e·fabrics**

Fabric Requirements

(A) 3812-99	1/4 yard
(B) 3815-1	3/8 yard
(C) 3816-22	3/8 yard
(D) 3815-99	1 2/3 yards*
(E) 3816-11	3/8 yard
(F) 3813-1	1/4 yard
(G) 3811-99	1/4 yard
(H) 3810-99	3/8 yard
(I) 3814-99	1/4 yard
(J) 3814-1	1/4 yard

(K) 3812-1	1/4 yard
(L) 3811-1	1/4 yard
(M) 3813-99	1/4 yard
(N) 3810-1	1 1/2 yards
(O) Deep Space-98**	3 3/4 yards
Backing	
3813-99	7 1/2 yards

* Includes Binding

**Peppered Cottons Collection

Additional Supplies Needed

Batting 90" x 94" (Recommended:
Air Lite® Color Me 100% Cotton)
Piecing and sewing thread
Quilting and sewing supplies

Quilt designed by Megan Downer
Finished Quilt Size 82" x 86"
Skill Level: Intermediate

Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (3812-99 Sewing Machines – Black), cut:

- (1) 4 ½" x WOF strip, sub-cut (2) 4 ½" x 16 ½" strips.

Fabric B (3815-1 Measuring Tape – White), cut:

- (4) 1 ¼" x WOF strips, sub-cut (14) 1 ¼" x 8 ½" strips.
- (2) 2" x WOF strips, sub-cut (8) 2" x 8 ½" strips.
- (1) 2" x WOF strip, sub-cut (4) 2" x 4 ½" strips.

Fabric C (3816-22 Safety Pins – Pink), cut:

- (3) 3" x WOF strips, sub-cut (12) 3" x 8 ½" strips.

Fabric D (3815-99 Measuring Tape – Black), cut:

- (3) 1 ¼" x WOF strips, sub-cut (10) 1 ¼" x 8 ½" strips.
- (3) 2" x WOF strips, sub-cut (12) 2" x 8 ½" strips.
- (2) 4 ½" x WOF strips, sub-cut (4) 4 ½" x 16 ½" strips.
- (5) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 84 ½" strips.
- (4) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 82 ½" strips.
- (9) 2 ½" x WOF strips for the binding.

Fabric E (3816-11 Safety Pins – Turq.), cut:

- (3) 3" x WOF strips, sub-cut (12) 3" x 8 ½" strips.

Fabric F (3813-1 Buttons – White), cut:

- (1) 4 ½" x WOF strip, sub-cut (2) 4 ½" x 16 ½" strips.

Fabric G (3811-99 Zippers – Black), cut:

- (1) 4 ½" x WOF strip, sub-cut (2) 4 ½" x 16 ½" strips.

Fabric H (3810-99 Sewing Paraphernalia – Black), cut:

- (2) 4 ½" x WOF strips, sub-cut (4) 4 ½" x 16 ½" strips.

Fabric I (3814-99 Spools – Black), cut:

- (1) 4 ½" x WOF strip, sub-cut (2) 4 ½" x 16 ½" strips.

Fabric J (3814-1 Spools – White), cut:

- (1) 4 ½" x WOF strip, sub-cut (2) 4 ½" x 16 ½" strips.

Fabric K (3812-1 Sewing Machines – White), cut:

- (1) 4 ½" x WOF strip, sub-cut (2) 4 ½" x 16 ½" strips.

Fabric L (3811-1 Zippers – White), cut:

- (1) 4 ½" x WOF strip, sub-cut (2) 4 ½" x 16 ½" strips.

Fabric M (3813-99 Buttons – Black), cut:

- (1) 4 ½" x WOF strip, sub-cut (2) 4 ½" x 16 ½" strips.

Cutting - Continued

Fabric N (3810-1 Sewing Paraphernalia – White), cut:

- (4) 4 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 4 ½" x 80 ½" strips.
- (4) 4 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 4 ½" x 76 ½" strips.
- (4) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 68 ½" strips.
- (4) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 70 ½" strips.

Fabric O (Peppered Cottons – Deep Space-98), cut:

- (2) 4 ½" x WOF strips, sub-cut (8) 4 ½" x 7 ¾" strips.
- (6) 4 ½" x WOF strips, sub-cut (48) 4 ½" squares.
- (6) 4 ½" x WOF strips, sub-cut (24) 4 ½" x 8 ½" strips.
- (4) 7 ¾" x WOF strips, sub-cut (16) 7 ¾" x 8 ½" strips.
- (4) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 68 ½" strips.
- (4) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 66 ½" strips.
- (8) 2 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (4) 2 ½" x 72 ½" strips.

Backing (3813-99 Buttons – Black), cut:





- (3) 90" x WOF strips. Sew the strips together and trim to 90" x 94" for the back.

Sewing



Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Block Assembly






1. Sew (1) 3" x 8 ½" Fabric C strip to the top and to the bottom of (1) 2" x 8 ½" Fabric D strip lengthwise. Sew (1) 1 ¼" x 8 ½" Fabric B strip to the top and to the bottom of the new strip. Sew (1) 4 ½" x 8 ½" Fabric O strip to each side of the strip to make (1) Unit 1 block (Fig. 1). Repeat to make (3) Unit 1 blocks total.
2. Sew (1) 3" x 8 ½" Fabric E strip to the top and to the bottom of (1) 2" x 8 ½" Fabric D strip lengthwise. Sew (1) 1 ¼" x 8 ½" Fabric B strip to the top and to the bottom of the new strip. Sew (1) 4 ½" x 8 ½" Fabric O strip to each side of the strip to make (1) Unit 2 block (Fig. 2). Repeat to make (4) Unit 2 blocks total.
3. Sew (1) 3" x 8 ½" Fabric C strip to the top and to the bottom of (1) 2" x 8 ½" Fabric D strip lengthwise. Sew (1) 1 ¼" x 8 ½" Fabric D strip to the top and to the bottom of the new strip. Sew (1) 4 ½" x 8 ½" Fabric O strip to each side of the strip to make (1) Unit 3 block (Fig. 3). Repeat to make (3) Unit 3 blocks total.
4. Sew (1) 3" x 8 ½" Fabric E strip to the top and to the bottom of (1) 2" x 8 ½" Fabric D strip lengthwise. Sew (1) 1 ¼" x 8 ½" Fabric D strip to the top and to the bottom of the new strip. Sew (1) 4 ½" x 8 ½" Fabric O strip to each side of the strip to make (1) Unit 4 block (Fig. 4). Repeat to make (2) Unit 4 blocks total.








5. Sew one $7\frac{3}{4}$ " x $8\frac{1}{2}$ " Fabric O strip to each side of (1) 2 " x $8\frac{1}{2}$ " Fabric B strip lengthwise to make (1) Unit 5 block (Fig. 5). Repeat to make (8) Unit 5 blocks total.



7. Place (1) $4\frac{1}{2}$ " Fabric O square on the left side of (1) $4\frac{1}{2}$ " x $16\frac{1}{2}$ " Fabric A strip, right sides together (Fig. 7). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 7). Flip open the triangle formed and press (Fig. 8). Trim away the excess fabric from behind the triangle, leaving a $\frac{1}{4}$ " seam allowance.



10. Repeat Steps 7-9 and use Figures 12 through 22 for fabric identification and location to make the designated number of blocks. Pay close attention to which blocks use Fabric B strips and which use Fabric D strips.






Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)

11. Sew (1) Block One, (1) Unit 5 block, (1) Block Five, (1) Unit 5 block, (1) Block Nine and (1) Unit 6 block together in that order to make Column One.

12. Sew (1) Unit 6 block, (1) Block Two, (1) Unit 5 block, (1) Block Six, (1) Unit 5 block and (1) Block Ten together in that order to make Column Two.

13. Sew (1) Block Three, (1) Unit 5 block, (1) Block Seven, (1) Unit 5 block, (1) Block Eleven and (1) Unit 6 block together in that order to make Column Three.

14. Sew (1) Unit 6 block, (1) Block Four, (1) Unit 5 block, (1) Block Eight, (1) Unit 5 block and (1) Block Twelve together in that order to make Column Four.

15. Sew the (4) columns together to make the Center Block.

16. Sew (1) 1 ½" x 68 ½" Fabric O strip to each side of the Center Block. Sew (1) 1 ½" x 66 ½" Fabric O strip to the top and to the bottom of the Center Block.

17. Sew (1) 1 ½" x 70 ½" Fabric N strip to each side of the Center Block. Sew (1) 1 ½" x 68 ½" Fabric N strip to the top and to the bottom of the Center Block.

18. Sew (1) 2 ½" x 72 ½" Fabric O strip to each side of the Center Block. Sew (1) 2 ½" x 72 ½" Fabric O strip to the top and to the bottom of the Center Block.

19. Sew (1) 4 ½" x 76 ½" Fabric N strip to each side of the Center Block. Sew (1) 4 ½" x 80 ½" Fabric N strip to the top and to the bottom of the Center Block.

20. Sew (1) 1 ½" x 84 ½" Fabric D strip to each side of the Center Block. Sew (1) 1 ½" x 82 ½" Fabric D strip to the top and to the bottom of the Center Block to make the quilt top.


Layering, Quilting and Finishing

21. Press the quilt top and 90" x 94" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

22. Cut the ends of the (9) Fabric D binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

23. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout

Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.studioefabrics.com for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.