


SOLDIER'S STORY II

QUILT 1



Featuring fabrics from the **Soldier's Story II** collection by **Jodi Barrows** for **STUDIO·e·fabrics**

Fabric Requirements

- (A) E3284P-33 2 panels
- (B) E3013-41 3 ¾ yards
- (C) E3013-77 ½ yard
- (D) E3376-88 1 ⅜ yards
- (E) E3377-34 2 ¼ yards
- (F) E2799-48 2 ¼ yards

- (G) 2161-88** ¾ yard*
- Backing
- E3378-88 7 ½ yards

* Includes Binding
 ** Shadow Weave Collection

Additional Supplies Needed

- Batting 88" x 112"
- Piecing and sewing thread
- Quilting and sewing supplies

Quilt designed by Jodi Barrows
 Finished Quilt Size 80" x 104"
 Skill Level: Advanced Beginner

Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (E3284P-33 Civil War Panel – Brown):

- Fussy cut (10) 8 ½" squares, each centered on a scene.

Fabric B (E3013-41 Tattered & Torn – Ecrú), cut:

- (16) 2" x WOF strips, sub-cut (192) 2" x 3 ½" strips.
- (10) 2" x WOF strips, sub-cut (192) 2" squares.
- (9) 8 ½" x WOF strips, sub-cut (17) 8 ½" x 16 ½" strips.

Fabric C (E3013-77 Tattered & Torn – Blue), cut:

- (4) 3 ½" x WOF strips, sub-cut (48) 3 ½" squares.

Fabric D (E3376-88 Vines with Berries – Red), cut:

- (19) 2" x WOF strips, sub-cut (384) 2" squares.
- (2) 4 ½" x WOF strips, sub-cut (12) 4 ½" squares.

Fabric E (E3377-34 Civil War Stripe – Brown/Ecrú):

- Fussy cut (48) 6 ½" x 4 ½" strips, each centered on flags.

Fabric F (E2799-48 Day Check – Cream/Red), cut:

- (5) 8 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 8 ½" x 88 ½" strips.
- (4) 8 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 8 ½" x 64 ½" strips.

Fabric G (2161-88 Shadow Weave – Red), cut:

- (10) 2 ½" x WOF strips for the binding.

Backing (E3378-88 Small Stars – Red), cut:

- (3) 88" x WOF strips. Sew the strips together and trim to 88" x 112" for the back.

Sewing


Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Block Assembly

1. Place (1) 2" Fabric D square on the left side of (1) 2" x 3 ½" Fabric B strip, right sides together (Fig. 1). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 1). Flip open the triangle formed and press (Fig. 2). Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance.

2. Place another 2" Fabric D square on the right side of the 2" x 3 ½" Fabric B strip, right sides together (Fig. 3). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 3). Flip open the triangle formed and press (Fig. 4). Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) DBD unit.

3. Repeat Steps 1-2 to make (192) DBD units total.



4. Sew (1) DBD unit to each side of (1) 3 ½" Fabric C square. Sew (1) 2" Fabric B square to each end of (1) DBD unit. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Fabric C square to make (1) Unit 1 (Fig. 5). Repeat to make (48) Unit 1's total.

5. Sew (1) 4 ½" x 6 ½" Fabric E strip to each side of (1) 4 ½" Fabric D square. Sew (1) Unit 1 to each side of (1) 4 ½" x 6 ½" Fabric E strip lengthwise. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Fabric D square to make (1) Block (Fig. 6). Repeat to make (12) Blocks total.

6. Sew (3) 8 ½" x 16 ½" Fabric B strips and (2) 8 ½" Fabric A squares together end to end and alternating them to make (1) sashing strip. Repeat to make (3) sashing strips total.




Fig. 5




Fig. 6

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)

7. Sew (3) Blocks and (2) 8 ½" x 16 ½" Fabric B strips together, alternating them, to make (1) row. Repeat to make (4) rows total.

8. Sew the (4) rows and (3) sashing strips together, alternating them, to make the quilt top.

9. Sew (1) 8 ½" x 88 ½" Fabric F strip to each side of the quilt top. Sew (1) 8 ½" Fabric A square to each end of (1) 8 ½" x 64 ½" Fabric F strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the quilt top.


Layering, Quilting and Finishing

10. Press the quilt top and 88" x 112" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

11. Cut the ends of the (10) Fabric G binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

12. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout

Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.studioefabrics.com for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.